GENERAL NOTES

CODE:

INTERNATIONAL BUILDING CODE, 2018 EDITION

GENERAL NOTES: 1. THE DRAWINGS REPRESENT THE FINISHED STRUCTURE, NOT THE METHOD OF CONSTRUCTION. THE CONTRACTOR SHALL PROVIDE ALL MEASURES NECESSARY TO PROTECT THE STRUCTURE DURING CONSTRUCTION INCLUDING, BUT NOT LIMITED TO, BRACING, SHORING FOR CONSTRUCTION LOADS AND EQUIPMENT, ETC. THE ARCHITECT-ENGINEER IS NOT RESPONSIBLE FOR THE CONTRACTOR'S MEANS AND METHODS, SEQUENCES OF CONSTRUCTION, OR THE SAFETY PROGRAM. OBSERVATION VISITS TO THE SITE BY THE ARCHITECT-ENGINEER WILL NOT INVOLVE

REVIEW OF THESE ITEMS. 2. CONTRACTOR IS TO ESTABLISH AND VERIFY OPENINGS AND INSERTS FOR ITEMS TO BE

INSTALLED BY OTHER TRADES PRIOR TO SUBMITTAL OF SHOP DRAWINGS AND CONSTRUCTION. 3. CONSTRUCTION MATERIAL AND EQUIPMENT PLACED ON FRAMED CONSTRUCTIONS SHALL BE SUCH THAT THE LOAD DOES NOT EXCEED THE DESIGN LIVE LOAD OF THE CONSTRUCTION. PROVIDE SHORING OF CONSTRUCTIONS WHERE NECESSARY FOR LOADS.

4. DETAILS THAT ARE NOTED AS "TYP." ON DETAIL TITLES ARE TO BE APPLIED TO THE PROJECT CONSTRUCTION AS GENERAL CONSTRUCTION METHODS UNLESS NOTED OTHERWISE. THESE DETAILS ARE NOT CUT AT ALL LOCATIONS THEY OCCUR AND MAY NOT BE CUT AT ALL. WHERE NO SPECIFIC DETAILS ARE SHOWN CONSTRUCTION SHALL CONFORM TO SIMILAR CONDITIONS ELSE WHERE ON THE PROJECT.

5. DO NOT SCALE DRAWINGS

6. THESE NOTES SHALL SUPPLEMENT THE PROJECT SPECIFICATIONS, WHICH SHALL BE REFERRED TO FOR ADDITIONAL REQUIREMENTS.

7. WHERE DISCREPANCIES OCCUR BETWEEN GENERAL NOTES, PLANS, DETAILS, AND SPECIFICATIONS, THE MOST STRINGENT REQUIREMENTS SHALL GOVERN, UNLESS VERIFIED OTHERWISE BY THE ARCHITECT AND ENGINEER IN WRITING.

8. THESE DOCUMENTS SHALL NOT BE CONSTRUED AS STAND-ALONE DOCUMENTS. CONTRACTOR SHALL COORDINATE WITH ALL OTHER CONSULTANTS WORK.

9. CONSTRUCTION DOCUMENTS SHALL NOT BE REPRODUCED FOR USE OF SHOP DRAWINGS SUBMITTALS OR ANY OTHER PROJECT WITHOUT WRITTEN CONSENT BY DLR GROUP.

10. IF THE STRUCTURAL ENGINEER'S SEAL AND SIGNATURE IS NOT AFFIXED TO THESE DRAWINGS, THESE DRAWINGS ARE INTENDED FOR PRELIMINARY PURPOSES ONLY AND SHALL NOT BE USED FOR CONSTRUCTION.

DESIGN DEAD LOADS: ROOF: 25 PSF

DESIGN LIVE LOADS

FLOOR: 25 PSF (SUPERIMPOSED

ROOF: 20 PSF (REDUCIBLE IN ACCORDANCE WITH IBC 1607.12) ROOF: SNOW LOADS IN ACCORDANCE WITH INTERNATIONAL BUILDING CODE SECTION 1608, INCLUDING AND CHAPTER 7 OF ASCE 7, INCLUDING DRIFT SNOW LOADS. Pf = Ce x | x Pg Ce = 1.0 | = 1.10 Pg = 20 PSF Pf = 22 PSF AT AUXILIARY GYM (STORM SHELTER)

I = 1.20 Pf = 24 PSI DRIFTING SNOW LOADS - SEE SNOW DRIFT PLANS: DRIFT LOADS ARE IN ADDITION TO FLAT ROOF SNOW LOADS AND SHALL BE COMBINED WITH OTHER LOADS NOTED IN ACCORDANCE WITH THE BUILDING CODE PRESCRIBED COMBINATIONS. SEE S0.3 FOR DRIFT PLAN.

40 PSF (CLASSROOMS) 50 PSF (OFFICE)

FLOORS.

100 PSF (CORRIDORS) 125 PSF (STORAGE ROOMS) 125 PSF (MECHANICAL ROOMS)

WIND LOAD: RISK CATEGORY III

BASIC WIND SPEED, V = 120 MPH RISK CATEGORY IV AT AUXILIARY GYM (STORM SHELTER) BASIC WIND SPEED, V = 125 MPH EXPOSURE "C"

STORM SHELTER LOADS & CRITERIA:

1. SEE STRUCTURAL PLANS FOR LOCATION OF STORM SHELTER. SEE S0.4 FOR ADDITIONAL CRITERIA. STRUCTURAL DESIGN IS BASED ON STRUCTURAL RECOMMENDATIONS LISTED IN ICC 500-2014 "STANDARD FOR THE DESIGN AND CONSTRUCTION OF STORM SHELTERS".

. REFER TO ARCHITECTURAL, CIVIL, AND MEP DRAWINGS FOR DOOR AND WINDOW HARDWARE, ETC TO COMPLY WITH HARDENED AREA REQUIREMENTS.

3. ALL COMPONENTS THAT MAKE UP THE HARDENED AREA INCLUDING DEFERRED SUBMITTALS SHALL BE DESIGNED IN STRICT ACCORDANCE ICC 500-2014. CALCULATIONS SHALL BE PROVIDED AT EACH CONNECTION FOR VERIFICATION OF LOAD PATH.

4. STORM SHELTER WALL AND SLAB ASSEMBLIES HAVE BEEN SELECTED BASED ON ICC 500 RECOMMENDATIONS. NO ADDITIONAL TESTING OR ANALYSIS HAS BEEN PERFORMED TO ESTIMATE DYNAMIC IMPACT OF OBJECTS FOUND IN THE ACTUAL ENVIRONMENT AGAINST THE HARDENED STRUCTURE.

SEISMIC LOAD: SEISMIC DESIGN IS IN ACCORDANCE WITH IBC, RISK CATEGORY PER TABLE 1604.5 IS CATEGORY III, S1 = 0.069 SS = 0.101

I = 1.25I = 1.50 AT AUXILIARY GYM (STORM SHELTER) SITE CLASS = C

SDS = 0.107 SD1 = 0.110

DESIGN CATEGORY 'B DESIGN CATEGORY 'C' AT AUXILIARY GYM (STORM SHELTER) R = 3.0 Ω_0 = 3.0 Cd = 3.0 STEEL SYSTEM NOT SPECIFICALLY DETAILED FOR SEISMIC RESISTANCE

R = 4.0; $\Omega o = 2.5$ Cd = 4.0 INTERMEDIATE REINFORCED MASONRY SHEAR WALLS R = 4.0; $\Omega o = 2.5$ Cd = 4.0 INTERMEDIATE PRECAST CONCRETE SHEAR WALLS

LATERAL LOAD RESISTANCE SYSTEM: 1. LATERAL LOAD SYSTEM CONSISTS OF FLOOR/ROOF DIAPHRAGMS TRANSFERRING LATERAL LOADS TO MASONRY/CONCRETE SHEAR WALLS/STRUCTURAL STEEL X-BRACING. 2. LATERAL LOAD SYSTEM CONSISTS OF FLOOR/ROOF DIAPHRAGMS TRANSFERRING LATERAL


LOADS TO MOMENT RESISTING STEEL FRAMES. 3. STEEL FRAME IS A "NON-SELF-SUPPORTING" STEEL FRAME REQUIRING INTERACTION OF THE STEEL FRAMING, FLOOR/ROOF DIAPHRAGMS AND SHEAR WALLS/X-BRACING. CONTRACTOR SHALL PROVIDE TEMPORARY BRACING AS NECESSARY TO PROVIDE SUPPORT OF FRAMING UNTIL ALL ATTACHMENTS ARE COMPLETE, INCLUDING STRUCTURAL STEEL, STRUCTURAL STEEL TO

DIAPHRAGM/SHEAR WALLS, AND DIAPHRAGM TO SHEAR WALLS/BRACED FRAMES.

FOUNDATIONS: 1. FOUNDATION DESIGN IS BASED ON GEOTECHNICAL INVESTIGATION PERFORMED BY COOK, FLATT & STROBEL ENGINEERS, P.A., JOB NO. 20-1074, DATED JUNE 8, 2020. A COPY OF THE GEOTECHNICAL INVESTIGATION REPORT IS INCLUDED IN THE PROJECT SPECIFICATIONS. BASED ON THE GEOTECHNICAL REPORT, THE FOLLOWING HAS BEEN ASSUMED:

MINIMUM FROST DEPTH = ALLOWABLE SOIL BEARING PRESSURE =

- EQUIVALENT ACTIVE (UNRESTRAINED) FLUID PRESSURE = EQUIVALENT AT-REST (RESTRAINED) FLUID PRESSURE =
- EQUIVALENT PASSIVE FLUID PRESSURE = COEFFICIENT OF FRICTION =



2. SUBGRADE SHALL BE PREPARED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS CONTRACTOR SHALL READ AND FAMILARIZE HIMSELF WITH THE GEOTECHNICAL REPORT. IF DISCREPANCIES EXIST BETWEEN PROJECT SPECIFICATIONS AND GEOTECHNICAL REPORT, THE MOST STRINGENT REQUIREMENTS SHALL GOVERN, UNLESS DETERMINED OTHERWISE BY THE ENGINEER.

ALL FOUNDATION WALLS ARE DESIGNED TO BE RESTRAINED IN THE COMPLETED STRUCTURE, UNLESS OTHER-WISE NOTED. CONNECTING CONSTRUCTION SHALL BE INSTALLED, INCLUDING INSTALLATION OF FLOOR/ ROOF DIAPHRAGM AND THEIR ATTACHMENTS, PRIOR TO BACKFILLING WALL. CONCRETE DIAPHRAGMS SHALL REACH 75% OF REQUIRED 28 DAY COMPRESSIVE STRENGTH PRIOR TO BACKFILLING.

4. WALLS ARE NOT DESIGNED TO WITHSTAND TEMPORARY CONSTRUCTION LOADS, INCLUDING WIND AND SEISMIC. CONTRACTOR'S ENGINEER IS RESPONSIBLE FOR DESIGN OF TEMPORARY SHORING

BACKFILLING AGAINST FOUNDATION WALLS WHERE GRADE IS PRESENT ON BOTH SIDES SHALL BE PERFORMED SUCH THAT THE DIFFERENCE IN SOIL HEIGHT ON EACH SIDE DOES NOT EXCEED 2

6. TEMPORARY FROST PROTECTION SHALL BE PROVIDED DURING COLD WEATHER FOR ALL FOUNDATIONS.

7. CONTRACTOR SHALL PROVIDE FOR PROPER DEWATERING OF ALL EXCAVATIONS.

CONCRETE CONSTRUCTION: 1. CONCRETE WORK SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF ACI 301 AND ACI

2. PROVIDE A FORMED CONSTRUCTION KEYWAY BETWEEN ALL HORIZONTAL AND VERTICAL POUR EDGES EXCEPT CONCRETE TOPPING SLABS. PROVIDE WATERSTOPS FOR ALL CONSTRUCTION JOINTS BELOW WATER TABLE AND WHERE INTERIOR SLAB-ON-GRADE IS BELOW EXTERIOR GRADE.

3. CONCRETE SHALL BE MECHANICALLY CONSOLIDATED IN ACCORDANCE WITH ACI 309.

4. CONTROL (CONTRACTION OR CONSTRUCTION) JOINTS SHALL BOUND ALL CONCRETE SLABS ON GRADE AS SHOWN ON THE DRAWINGS.

5. PROVIDE DOVETAIL ANCHOR SLOTS WHERE MASONRY/STONE IS VENEERED TO CONCRETE. PLACE SLOTS VERTICALLY AT 32-INCHES OC MAXIMUM. PROVIDE DOVETAIL ANCHOR FOR EACH TWO SQUARE FEET OF VENEER SURFACE.

CONCRETE REINFORCEMENT: 1. REINFORCING STEEL SHALL BE ASTM A615, GRADE 60. REINFORCING STEEL SHALL BE ASTM A706, GRADE 60. 2. CONCRETE COVER REQUIREMENTS FOR CAST-IN-PLACE, NON-PRESTRESSED CONCRETE

UNLESS OTHERWISE NOTED ON DETAILS: a. CONCRETE CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH: 3"

- b. FORMED CONCRETE EXPOSED TO EARTH OR WEATHER: #6 BARS AND LARGER:
- #5 BARS AND SMALLER: c. CONCRETE NOT EXPOSED TO WEATHER OR IN CONTACT WITH EARTH: SLABS, WALLS, AND JOISTS:
- #14 AND #18 BARS: #11 BARS AND SMALLER:
- d. BEAMS, COLUMNS: PRIMARY REINFORCEMEN TIES, STIRRUPS, SPIRALS:

3. REINFORCING BAR SPLICES SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF ACI 318-14 AND THE REINFORCING SPLICE LENGTH TABLE SHOWN ON THE DRAWINGS. PROVIDE CLASS 'B' LAP SPLICE, UNO.

4. ALL REINFORCING SHALL BE PROPERLY CHAIRED BY THE CONTRACTOR. SECURE ALL REINFOCEMENT IN PLACE PRIOR TO CONCRETE POUR PER SPECIFICATIONS. DO NOT WET STICK REINFOCEMENT OR EMBEDED ITEMS INTO CONCRETE.

5. LAP ALL WELDED WIRE REINFORCING AT LEAST ONE FULL WIRE SPACING PLUS 2 INCHES. MECHANICAL COUPLERS SHALL BE TYPE 2 COUPLERS CAPABLE OF SUSTAINING 125% Fy.

CAST-IN-PLACE CONCRETE: 1. PROPORTION EACH INDIV	/IDUAL CONCF	RETE MIX TO H	IAVE THE FOLI	OWING
LOCATION	28 DAY F'c	MIX TYPE	MAX W/C	MAX A
CONCRETE OVER STEEL DECK	4,000 PSI	NWT	0.45	3/4"
FOUNDATIONS/WALLS*	4,500 PSI	NWT	0.45	3/4"
INTERIOR SLABS-ON-GRADE	4,000 PSI	NWT	0.45	1"
EXTERIOR SLABS-ON-GRADE*	5,000 PSI	NWT	0.40	1"

NWT = NORMAL WEIGHT CONCRETE (UNIT WEIGHT = 145PCF) LWT = LIGHT WEIGHT CONCRETE (UNIT WEIGHT = 110 PCF) * 6% ±1 1/2% AIR ENTRAINED CONCRETE AT ALL EXTERIOR CONDITIONS INCLUDING SHALLOW FOUNDATIONS.

2. CONCRETE CONTAINING SUPERPLASTICIZING ADMIXTURE SHALL HAVE A SLUMP NOT EXCEEDING 3" PRIOR TO ADDING ADMIXTURE AND NOT EXCEEDING 8" AT PLACEMENT 3. THE ADDITION OF WATER TO A CONCRETE BATCH WITH INSUFFICIENT SLUMP SHALL NOT BE

PERMITTED 4. SUBSTITUTION OF FLYASH FOR PORTLAND CEMENT IN SLABS ON GRADE AND STRUCTURAL

SLABS SHALL NOT BE PERMITTED. 5. ALL CONCRETE SHALL BE PROPORTIONED FOR A MAXIMUM ALLOWABLE UNIT SHRINKAGE OF

0.04% MEASURED AT 28 DAYS AFTER CURING IN LIME WATER AS DETERMINED BY ASTM C157 USING AIR STORAGE. PROVIDE TEST RESULTS WITH MIXTURE DESIGN. CONTINUOUS FOOTINGS:

1. CONTINUOUS FOOTING REINFORCING SHALL CONTINUE THROUGH ISOLATED SPREAD FOOTINGS WHERE THEY OCCUR. 2. PROVIDE CLASS 'A' LAP SPLICES FOR ALL TOP AND BOTTOM BARS WHERE LAP SPLICES ARE

REQUIRED. 3. TOP FOOTING REINFORCING SHALL TERMINATE AT TEE AND CORNER INTERSECTIONS WITH A STANDARD 90 DEGREE HOOK. ALL REINFORCING AT INTERSECTIONS SHALL EXTEND TO THE FAR

FACE OF THE INTERSECTING FOOTING. 4. CONSTRUCTION JOINT LOCATIONS SHALL NOT OCCUR WITHIN EXTENTS OF ISOLATED SPREAD FOOTINGS

5. CONTINUOUS FOOTINGS SHALL NOT HAVE CONSTRUCTION JOINTS IN A HORIZONTAL PLANE. 6. WHERE FOOTING EXCAVATIONS ARE MADE NEATLY, SIDES MAY BE CAST AGAINST THE EARTH

CUT. PROVIDE 4" MINIMUM COVER FOR ALL REINFORCING CAST AGAINST EARTH, INCLUDING BOTTOM AND SIDES OF FOOTINGS, WHERE APPLICABLE

SLABS ON GRADE AND ELEVATED SLABS: 1. ALL SLABS ON GRADE SHALL BE CAST ON A 15 MIL VAPOR BARRIER (RE: SPECS) INSTALLED PER MANUFACTURER'S WRITTEN INSTRUCTIONS, PLACED OVER CRUSHED ROCK DRAINAGE MATERIAL TO FORM A CAPILARY BREAK OF THICKNESS NOTED ON DRAWINGS, BUT NOT LESS THAN THAT PRESCRIBED BY THE GEOTECHNICAL ENGINEER.

2. SUBGRADE SHALL BE PREPARED IN ACCORDANCE WITH THE PROJE CT SPECIFICATIONS. CONTRACTOR SHALL READ AND FAMILARIZE HIMSELF WITH THE GEOTECHNICAL REPORT. IF DISCREPANCIES EXIST BETWEEN PROJECT SPECIFICATIONS AND GEOTECHNICAL REPORT, THE MOST STRINGENT REQUIREMENTS SHALLGOVERN.

3. ALL SLABS SHOWN ON STRUCTURAL DRAWINGS REQUIRE REINFORCING. UNLESS OTHERWISE CALLED OUT ON DRAWINGS, REINFORCE SLABS WITH 6X6 W2.1XW2.1 WELDED WIRE REINFORCING.

4. ALL PIPING AND CONDUIT INSTALLED BELOW SLABS ON GRADE SHALL BE INSTALLED ENTIRELY BELOW THE BOTTOM OF THE SLAB, WITH NO ENCROACHMENT UP INTO THE BOTTOM OF THE SLAB. 5. PIPING AND CONDUIT SHALL NOT BE INSTALLED IN ELEVATED SLABS. ROUTE ALL PIPING AND

CONDUIT BELOW STRUCTURE. STRUCTURAL PRECAST CONCRETE:

1. FABRICATOR SHALL BE AN "APPROVED FABRICATOR" IN ACCORDANCE WITH IBC SECTION 1704.2, REGISTERED AND APPROVED BY THE LOCAL BUILDING DEPARTMENT. 2. PROVIDE UNITS AS SHOWN ON THE DRAWINGS. MINIMUM 28-DAY CONCRETE COMPRESSIVE

STRENGTH SHALL NOT BE LESS THAN 5,000 PSI. HOLLOW CORE JOINTS SHALL BE GROUTED SOLID. DOUBLE TEE FLANGES SHALL BE CONNECTED IN ACCORDANCE WITH MANUFACTURER'S STANDARD DETAIL TO RESIST A SHEAR LOAD OF 1,000 LBS/FT VERTICALLY AND HORIZONTALLY. A QUALIFIED ENGINEER REGISTERED IN THE STATE WHERE THE PROJECT IS LOCATED SHALL

DESIGN THE UNITS. UNITS SHALL BE DESIGNED FOR CONSTRUCTION, HANDLING, ERECTION, AND IN-PLACE CODE PRESCRIBED LOADS AND ANY ADDITIONAL LOADS SHOWN ON THE DRAWINGS. ALL CONNECTIONS AND EMBEDS SHALL BE BY THE UNIT MANUFACTURER INCLUDING CONNECTION TO THE FOUNDATIONS.

4. DESIGN WALL PANEL UNITS FOR VERTICAL DEAD AND LIVE LOADS, WIND/SEISMIC LOADS PERPENDICULAR TO PANEL FACE, AS PREVIOUSLY NOTED, AND SEISMIC LOAD PARALLEL TO PANEL FACE TO MATCH DIAPHRAGM CONNECTION CAPACITY (SEE DETAILS FOR CONNECTION CAPACITY). IN ADDITION, DESIGN FOR SPECIAL LOADS WHERE SHOWN ON THE DRAWINGS.

5. PRECAST SUPPLIER IS RESPONSIBLE FOR DESIGN, DETAILING AND FURNISHING OF ALL HEADERS, POUR STRIPS, UNIT LAYOUT, OPENINGS THROUGH FLOOR, ETC., AS NECESSARY TO PROVIDE FOR A COMPLETE INSTALLATION.

WITH UL J949 AND SHALL HAVE UL LABELS. 7. ALL OPENINGS REQUIRING CUTTING OF STRANDS SHALL BE BY UNIT MANUFACTURER.

COORDINATE WITH MECHANICAL, ELECTRICAL AND OTHER TRADES INVOLVED. 8. DEFLECTION OF PRECAST FLOOR FRAMING MEMBERS NOT SUPPORTING MASONRY BEARING OR PARTITION WALLS ABOVE SHALL NOT EXCEED SPAN/480 FOR FULL DEAD AND LIVE LOAD INCLUDING LONG TERM DEFLECTIONS DUE TO ALL SUSTAINED LOADS.

9. DEFLECTION OF PRECAST ROOF OR FLOOR FRAMING MEMBERS SUPPORTING MASONRY WALLS ABOVE SHALL NOT EXCEED SPAN/600 FOR LIVE LOAD ONLY, AND NOT TO EXCEED SPAN/240 FOR DEAD AND LIVE LOADS.

10. PRECAST DESIGN SHALL COMPLY WITH ALL ICC 500-2014 REQUIREMENTS AND A SET OF CALCULATIONS SHALL BE SUBMITTED FOR REVIEW. 11. PRECAST SHOP DRAWINGS SHALL BE SIGNED AND SEALED BY THE LICENSED ENGINEER RESPONSIBLE FOR THEIR PREPARATION.

12. COORDINATE WITH ALL OTHER TRADES WHICH PRECAST CONCRETE INTERACTS. THIS INCLUDES BUT IS NOT LIMITED TO COORDINATING WITH MASONRY, STEEL, CAST-IN-PLACE CONCRETE, JOIST, AND METAL DECK SUPPLIERS. WHERE MISALIGNMENT OF STEEL EMBEDDED PLATES DUE IMPROPER COORDINATION OCCURS. THE CONTRACTOR SHALL HIRE AN ENGINEER LICENSED IN THE STATE WHICH THE PROJECT IS LOCATED TO PRODUCE A REPAIR AND SUBMIT THE REPAIR DETAIL WITH CALCULATIONS TO THE ENGINEER OF RECORD FOR REVIEW AND APPROVAL PRIOR TO INSTALLATION ..

13. INSULATED PRECAST "SANDWICH" PANELS SHALL BE DESIGNED BY THE PRECAST SUPPLIER AS A NON-COMPOSITE WALL SYSTEM COMPRISED OF AN INTERIOR LOAD-BEARING STRUCTURAL WYTHE, AND LAYER OF RIGID INSULATION, AND AN EXTERIOR NON-LOAD BEARING ARCHITECTURAL WYTHE. EVERY EFFORT SHALL BE MADE BY THE PRECAST SUPPLIER TO DETAIL WALL PANELS AND CONNECTIONS TO AVOID THERMAL BRIDGING BETWEEN ARCHITECTURAL AND STRUCTURAL WYTHES.

CONCRETE TOPPING SLABS: . TOPPING THICKNESS SHOWN ON PLAN IS NOMINAL. ACTUAL THICKNESS WILL VARY DUE TO PRECAST CAMBER AND/OR STRUCTURE DEFLECTIONS. PROVIDE THICKNESS AS REQUIRED TO ACHIEVE A LEVEL FLOOR WITH A MINIMUM ACTUAL THICKNESS THE THICKNESS CALLED OUT ON PLAN MINUS 1/2-INCH.

2. UNLESS OTHERWISE NOTED ON PLAN OR DETAIL, PROVIDE 1 #4 IN TOPPING SLAB EACH SIDE OF OPENINGS EXCEEDING 12 INCHES IN SIZE. EXTEND REINFORCING 1'-6" PAST CORNER OF OPFNING.

3. ALL TOPPING SLABS SHALL BE REINFORCED WITH #4 @ 12" O.C. EW, UNLESS OTHERWISE NOTED. WELDED WIRE FABRIC IN THE TOPPING SHALL BE FLAT SHEETS CENTERED IN THE TOPPING THICKNESS AND CHAIRED TO MAINTAIN ITS CORRECT LOCATION. LAP ONE FULL MESH AT SPLICES AND WIRE TOGETHER.

4. PROVIDE CONTROL JOINTS IN TOPPING SLAB ONLY WHERE SHOWN ON THE STRUCTURAL DRAWINGS. CONTROL JOINT DEPTH SHALL BE NO MORE THAN 1/4 TOPPING THICKNESS.

TO BE WELDED	
--------------	--

1 1/2"

1 1/2"

1 1/2"

G PROPERTIES

GG EXP CLASS F1, C1 F0, C0. F3, C2

6. UNITS SHALL HAVE ONE HOUR UNRESTRAINED FIRE RESISTANCE RATING IN ACCORDANCE

1. THE MINIMUM 28-DAY COMPRESSIVE STRENGTH OF THE CONCRETE MASONRY UNITS SHALL BE 2,650 PSI ON THE NET AREA, PROVIDING A STRUCTURAL DESIGN COMPRESSIVE STRENGTH OF 2,000 PSI PER THE INTERNATIONAL BUILDING CODE, SECTION 2105.1 SPECIFICATIONS FOR MASONRY STRUCTURES (TMS 602 TABLE 2). 2. NOT USED

CONCRETE MASONRY UNITS (CMU):

3. MORTAR SHALL BE TYPE N ABOVE BASE FLASHING AND TYPE S BELOW BASE FLASHING IN ACCORDANCE WITH THE INTERNATIONAL BUILDING CODE, SECTION 2103.9 MORTAR PROPORTIONS. RE: SPECIFICATIONS (MASONRY CEMENT IS NOT ACCEPTABLE).

4. MINIMUM 28-DAY COMPRESSIVE STRENGTH OF GROUT SHALL BE THE GREATER OF 3,000 PSI OR THE COMPRESSIVE STRENGTH OF THE MASONRY UNITS, TESTED PER ASTM C 1019. GROUT SHALL CONFORM TO ASTM C476. DO NOT USE AIR ENTRAINMENT AND OTHER ADDITIVES UNLESS ACCEPTABLE IN GROUT MIX. GROUT SHALL HAVE A SLUMP OF 8 TO 11 INCHES. EXCEPT FOR SELF CONSOLIDATING GROUT.

5. MASONRY REINFORCING STEEL SHALL BE ASTM A615, GRADE 60. REINFORCING STEEL TO BE WELDED SHALL BE ASTM A706, GR/1DE 60. 6. HORIZONTAL JOINT REINFORCING SHALL COMPLY WITH ASTM A 951 AND BE STANDARD

LADDER TYPE, GALVANIZED, AT 16-INCHES ON CENTER, UNLESS OTHERWISE NOTED ON PLAN. SPACE JOINT REINFORCING AT 8-INCHES ON CENTER AT NON-CAVITY MULTIWYTHE WALLS. COLLAR JOINT BETWEEN WYTHES OF NON-CAVITY MULTIWYTHE WALLS ARE TO BE MORTARED/GROUTED SOLID.

7. MINIMUM BOND BEAM REINFORCING SHALL BE (2) #5 IN 6" AND 8" WIDE BOND BEAMS AND (2) #6 IN 12" WIDE BOND BEAMS. BOND BEAM REINFORCING SHALL BE CONTINUOUS THROUGH CONTROL JOINTS EXCEPT AS NOTED ON TYPICAL MASONRY WALL OPENING DETAIL. 8. SPLICE LENGTHS FOR MASONRY REINFORCEMENT SHALL BE IN 72 TIMES THE REINFORCING

BAR DIAMETER, UNLESS NOTED OTHERWISE. 9. PROVIDE BOND BEAMS AT TOP AND BOTTOM OF ALL WALLS, AT ROOFS, STRUCTURAL FLOORS, AND WHERE SHOWN ON THE DRAWINGS.

10. REINFORCING SHALL BE HELD IN PLACE PRIOR TO GROUTING WITH WIRE POSITIONERS PLACED AT INTERVALS NOT EXCEEDING 192 BAR DIAMETERS NOR 10 FEET. PROVIDE POSITIONERS AT REINFORCING SPLICES. MININMUM 2 POSITIONERS PER GROUT POUR.

11. VERTICAL REINFORCING SHALL BE AS FOLLOWS, UNLESS OTHERWISE NOTED ON THE PLANS OR DETAILS. 8" CONC. BLOCK (1) #5 @ 24" OC 12" CONC. BLOCK (2) #5 @ 24" OC

12. PROVIDE BOND BEAMS AT #8"OC (MAXIMUM) VERTICALLY WHERE STACK BOND CMU WALLS OCCUR. (REFER TO ARCHITEC $\frac{1}{1}$ RAL DRAWINGS)

13. PROVIDE VERTICAL REINFORCING AT JAMB OPENINGS, ENDS AND CORNERS OF ALL WALLS AND EACH SIDE OF CONTROL JOINTS. SPECIAL JAMB REINFORCING, WHERE REQUIRED, IS CALLED OUT ON THE PLANS.

14. VERTICAL REINFORCING REQUIRED BY THESE NOTES OR SHOWN ON THE FOUNDATION PLANS SHALL EXTEND FROM FOUNDATION TO TOP OF WALL UNLESS OTHERWISE NOTED.

15. ELECTRICAL PANELS, CONDUITS, PIPES, FIRE EXTINGUISHER CABINETS, ETC., ARE TO BE LOCATED SO AS NOT TO INTERFERE WITH REINFORCED AND/OR GROUTED CELLS. PIPES AND CONDUITS PASSING HORIZONTALLY THROUGH WALLS SHALL BE SLEEVED. MINIMUM SPACING OF SLEEVES SHALL BE THREE DIAMETERS.

16. ALL MASONRY BELOW HIGHEST ADJACENT GRADE SHALL BE GROUTED SOLID. 17. GROUT SHALL BE MECHANICALLY CONSOLIDATED IN A MANNER TO FILL THE GROUT SPACE AND RECONSOLIDATED IN ACCORDANCE WITH THE SPECIFICATIONS FOR MASONRY BUILDINGS TM S602, SECTION 3.5E.

18. PROVIDE GROUT AND MASONRY UNIT TESTING PRIOR TO AND DURING CONSTRUCTION IN ACCORDANCE WITH THE INTERNATIONAL BUILDING CODE.

19. TESTING LABORATORY, IN ACCORDANCE WITH IBC REQUIREMENTS, SHALL INSPECT REINFORCEMENT PLACEMENT, GROUT SPACES AND GROUTING OPERATION. MORTAR FINAL PROJECTION INTO THE GROUT SPACE SHALL NOT EXCEED 1/2 INCH.

20. WHERE STONE IS VENEERED TO MASONRY, PROVIDE TRUSS TYPE (GALV.) JOINT REINFORCING AT 16 INCHES ON CENTER WITH "EYES".

21. SPACE CONTROL JOINTS IN MASONRY WALLS SUCH THAT NO STRAIGHT RUN OF WALL EXCEEDS 24'-0". REGARDLESS OF JOINT LAYOUT SHOWN ON ARCHITECTURAL DRAWINGS, THE CONTRACTOR SHALL NOT PLACE CONTROL JOINTS ABOVE / BELOW OPENINGS OR WITHIN SCHEDULED JAMB EXTENTS. CONTROL JOINTS SHALL NOT JOG HORIZONTALLY, UNLESS NOTED OTHERWISE.

22. SUBMIT SHOP DRAWINGS WITH PLANS AND ELEVATIONS CLEARLY INDICATING REBAR SIZE, SPACING, LAP LENGTHS, LINTELS, JAMBS, CONTROL JOINT LOCATIONS, FOOTING, SLAB, AND ROOF ELEVATIONS, WALL PENETRATIONS WITH DIMENSIONS, BOND BEAM ELEVATIONS, ETC . FOR REVIEW AND APPROVAL IN ADDITION TO ANY OTHER REQUIREMENTS LISTED INSPECIFICATIONS.. 23. REFER TO ARCHITECTURAL DRAWINGS FOR ALL NON-LOAD BEARING CMU WALLS AND

REINFORCE AS FOLLOWS UNLESS OTHERWISE NOTED: 6" AND 8" CMU: (1) #4 @48" OC (2) #4 @48"OC 12" CMU: 24. ALL CMU WALL OPENINGS REQUIRE LINTELS AS DEFINED IN THE "TYPICAL MASONRY LINTEL

DETAIL/ SCHEDULE. 25. REFER TO TYPICAL DETAILS FOR MASONRY DETAILS AND REQUIREMENTS NOT SHOWN IN

SECTIONS OR PLANS 26. CONTRACTOR SHALL REMOVE AND REPLACE WALL AT HIS COST IF WALL IS FOUND TO BE CONSTRUCTED WITHOUT REBAR POSITIONERS.

27. ALL CMU LOAD BEARING WALLS REQUIRE LEVEL 2 SPECIAL INSPECTION PER IBC SECTION 1705.4, AND SHALL BE SPECIAL INSPECTED FOR REINFORCING PLACEMENT, SIZE, POSITIONERS, AND LAP LENGTHS PRIOR TO POURING GROUT.

STRUCTURAL STEEL: 1. FABRICATOR QUALIFICATIONS: A QUALIFIED FABRICATOR THAT PARTICIPATES IN THE AISC QUALITY CERTIFICATION PROGRAM AND IS DESIGNATED AN AISC-CERTIFIED PLANT, CATEGORY STD AND AN "APPROVED FABRICATOR" IN ACCORDANCE WITH IBC SECTION 1704.2, REGISTERED AND APPROVED BY THE LOCAL BUILDING DEPARTMENT. AISC CERTIFICATION SHALL BE SHOWN

CLEARLY ON THE SHOP DRAWINGS TO AVOID SHOP DRAWINGS BEING REJECTED. 2. ALL COMPLETE JOINT PENETRATION WELDS SHALL BE ULTRASONIC TESTED BY THE

INSPECTION AGENCY. 3. STRUCTURAL STEEL SHALL MEET ASTM A36 UNLESS NOTED OTHERWISE. STRUCTURAL STEEL WIDE FLANGE SHAPES SHALL MEET ASTM A992 (GRADE 50).

4. STEEL TUBE SHALL MEET ASTM A500, GRADE B. 5. STEEL PIPE SHALL MEET ASTM A53, TYPE E OR S.

6. BOLTS AT STEEL TO STEEL CONNECTIONS SHALL BE 3/4-INCH DIAMETER, ASTM A325-N, AND TIGHTENED TO THE SNUG TIGHT CONDITION AS DEFINED BY AISC UNLESS OTHERWISE NOTED. WHERE CONNECTIONS ARE NOTED TO BE ASTM A 325-SC, BOLTS SHALL BE TIGHTENED TO THE MINIMUM PRETENSION FOR FULLY TIGHTENED BOLTS BY ONE OF THE AISC APPROVED METHODS.

7. ANCHOR BOLTS IN CONCRETE OR MASONRY SHALL BE 3/4-INCH DIAMETER ASTM F1554 GRADE 55, WELDABLE, UNLESS NOTED OTHERWISE.

8. FIELD BOLTING INSTALLATION SHALL BE INSPECTED IN ACCORDANCE WITH THE BUILDING CODE AND THE AISC MANUAL.

9. ALL WELDING SHALL CONFORM TO THE PROVISIONS OF THE AMERICAN WELDING SOCIETY CODE AWS D1.1. ELECTRODES SHALL MATCH BASE METALS AS SPECIFIED IN IBC. ALL WELDING OF ASTM A706 REINFORCING STEEL TO STRUCTURAL STEEL SHALL BE IN ACCORDANCE WITH AWS D1.4 USING E70 ELECTRODES.

10. THE TESTING LABORATORY SHALL VISUALLY INSPECT ALL FIELD WELDING. ALL COMPLETE PENETRATION WELDS SHALL BE TESTED AND CERTIFIED BY AN INDEPENDENT TESTING LABORATORY.

11. ALL BOLTS (HIGH STRENGTH, ANCHOR BOLTS, EXPANSION BOLTS, ADHESIVE ANCHORS, ETC.) SHALL BE INSTALLED WITH STEEL WASHERS.

12. ALL WELDS SHOWN ON THE DRAWINGS SHALL BE SHOP WELDS UNLESS NOTED OTHERWISE. CONTRACTOR MAY SUBSTITUTE FIELD WELDS FOR SHOP WELDS AT HIS DISCRETION. SHOP DRAWINGS SHALL CLEARLY NOTE SHOP AND FIELD WELDS.

13. THE CONTRACTOR SHALL RETAIN AN PROFESSIONAL ENGINEER LICENSED IN THE STATE WHICH THE PROJECT IS LOCATED TO DESIGN ALL STEEL CONNECTIONS NOT FULLY DETAILED IN THE DRAWINGS. CONNECTION DESIGN CALCULATIONS BEARING THE SEAL AND SIGNATURE OF THE ENGINEER RESPONSIBLE FOR THEIR PREPARATION SHALL BE SUBMITTED WITH THE SHOP DRAWING SUBMITTAL.

14. CONTRACTOR IS RESPONSIBLE FOR THE STABILITY OF THE BUILDING SYSTEM AT ALL TIMES DURING THE ERECTION PROCESS. CONTRACTOR SHALL CONSIDER EFFECTS FROM WIND, SEISMIC. AND OTHER LOADING DURING CONSTRUCTION.

15. CONNECTIONS SHALL BE DESIGNED TO SUSTAIN THE FACTORED (LRFD) REACTIONS NOTED. WHERE NO REACTION HASBEEN PROVIDED. THE CONNECTION CAPACITY SHALL NOT BE LESS THAN ONE-HALF THE MAXIMUM FACTORED UNIFORMLOAD LISTED IN THE AISC CONSTRUCTION MANUAL FOR THE GIVEN SPAN.

16. ALL BOLTED MOMENT CONNECTIONS SHALL UTILIZE HIGH STRENGTH SLIP CRITICAL BOLTS. 17. CONNECTIONS SHOWN ON CONSTRUCTION DOCUMENTS ARE FOR CONCEPTUAL PURPOSES ONLY.

18. COORDINATE WITH ALL OTHER TRADES WHICH STEEL INTERACTS. THIS INCLUDES BUT IS NOT LIMITED TO COORDINATING WITH MASONRY, PRECAST CONCRETE, CAST-IN-PLACE CONCRETE, JOIST, AND METAL DECK SUPPLIERS. WHERE MISALIGNMENT OF STEEL CONNECTIONS DUE IMPROPER COORDINATION OCCURS, THE CONTRACTOR SHALL HIRE AN ENGINEER LICENSED IN THE STATE WHICH THE PROJECT IS LOCATED TO PRODUCE A REPAIR AND SUBMIT THE REPAIR DETAIL WITH CALCULATIONS TO THE ENGINEER OF RECORD FOR REVIEW AND APPROVAL PRIOR TO INSTALLATION.

STUD QUANTITY. 2. NUMBER OF SHEAR STUDS INDICATED THUS (#) ON PLAN. WHERE THE NUMBER OF STUDS FOR A BEAM IS INDICATED ON THE PLAN BY ONE NUMBER, STUDS SHALL BE PLACED SYMMETRICALLY WITH RESPECT TO THE BEAM CENTER LINE WITH 1/2 OF THE STUDS ON EACH HALF OF THE BEAM. WHERE NUMBER OF STUDS IS INDICATED BY MORE THAN ONE NUMBER, PLACE THE NUMBER OF STUDS INDICATED BY EACH NUMBER UNIFORMLY IN THAT PORTION OF THE BEAM. 3. STUD PLACEMENT WHEN DECK VALLEYS ARE PERPENDICULAR TO BEAM: a. PLACE ONE STUD IN DECK VALLEYS, UNIFORMLY ALONG THE BEAM OR PORTION OF BEAM

NECESSARILY CORRESPOND TO THE DEEPER MEMBER).

COMPOSITE BEAM SHEAR CONNECTOR STUDS:

A572. GRADE 50.

INDICATED, CENTERED OVER THE BEAM WEB. IF THE REQUIRED NUMBER OF STUDS IS LESS THAN THE NUMBER OF DECK VALLEYS, ADD STUDS AS REQUIRED TO PROVIDE A MAXIMUM STUD SPACING OF 2'-0". IF THE REQUIRED NUMBER OF STUDS EXCEEDS THE NUMBER OF DECK VALLEYS, SEE FOLLOWING NOTE. b. WHEN THE REQUIRED NUMBER OF STUDS EXCEEDS THE NUMBER OF DECK VALLEYS, ADD

A SECOND STUD IN DECK VALLEYS UNIFORMLY ALONG THE BEAM OR PORTION OF BEAM INDICATED UNTIL THE REQUIRED NUMBER OF STUDS IS REACHED. WHEN TWO STUDS ARE REQUIRED IN A DECK VALLEY, PLACE THE STUDS 1 1/2" EACH SIDE OF THE BEAM WEB CENTERLINE. 4. STUD PLACEMENT WHEN DECK VALLEYS ARE PARALLEL TO BEAM:

a. PLACE STUDS UNIFORMLY ALONG THE BEAM OR PORTION OF BEAM INDICATED. CENTER THE STUDS OVER THE WEB AND PROVIDE A MAXIMUM SPACING OF 2'-0" AND A MINIMUM SPACING OF 4 1/2". IF THE REQUIRED NUMBER OF STUDS EXCEEDS THE NUMBER OF STUDS PLACED AT A SPACING OF 4 1/2", SEE FOLLOWING NOTE.

b. WHEN THE REQUIRED NUMBER OF STUDS EXCEEDS WHAT CAN BE PLACED AT 4 1/2", PLACE A SECOND ROW OF STUDS AT 4 1/2", STARTING AT THE POINT NEAREST THE END OF THE BEAM, UNTIL THE REQUIRED NUMBER OF STUDS IS REACHED. WHEN TWO STUDS ARE REQUIRED, PLACE STUDS 1 1/2" EACH SIDE OF THE BEAM WEB CENTERLINE.

5. CAMBER BEAMS NOTED THUS (+1"). THIS EXAMPLE INDICATES A POSITIVE (UPWARD) CAMBER OF 1 INCH.

ELECTRODES.

SPAN CONDITION.

STEEL JOISTS:

STANDARDS

SLOPE.

FABRICATION

DOCUMENTS.

DOCUMENTS.

1. STEEL DECK AND ACCESSOCRES SHALL BE FROM STEEL CONFORMING TO ASTM A1008 OR ASTM A653. ALL METAL DECKING SHALL BE IN ACCORDANCE WITH THE STEEL DECK INSTITUTE SPECIFICATIONS AND RECOMMENDATIONS.

2. ROOF DECK SHALL HAVE A MINIMUM YIELD STRENGTH, FY =33 KSI 3. COMPOSITE DECK SHALL HAVE A MIMIMUM YIELD STRENGTH, FY = 50 KSI

4 ALL STEEL DECK SHALL HAVE ONE COAT OF MANUFACTURER'S STANDARD PRIMER PAINT. UNLESS OTHERWISE NOTED. COORDINATE ALL LOCATIONS, IF ANY, SHOWN ON ARCHITECTURAL DRAWINGS THAT REQUIRE SPRAY APPLIED FIREPROOFING TO BE ADHERED TO THE METAL DECK. AT SUCH LOCATIONS, HOT DIP GALVANIZE DECK IN ACCORDANCE WITH ASTM A653 WITH MINIMUM COATING OF G60, UNLESS OTHERWISE NOTED.

5. COMPOSITE DECK SHALL BE 18 GAGE MINIMUM. UNLESS OTHERWISE NOTED. REFER TO DRAWINGS AND SPECIFICATIONS FOR OTHER REQUIREMENTS. 6. DECK WELDING SHALL COMPLY WITH THE BUILDING CODE AND AWS D1.3 USING E70XX

7. ROOF DECK SHALL BE ATTACHED TO SUPPORTING STRUCTURAL MEMBERS TO RESIST 300PLF DIAPHRAGM SHEAR, UNLESS OTHERWISE NOTED ON DRAWINGS. ATTACH DECK AT PERIMETER TO MEET OR EXCEED THE MINIMUM FACTORY MUTUAL REQUIREMENTS DESIGNATED BY THE ARCHITECT WHERE APPLICABLE.

8. COMPOSITE DECK SHALL BE ATTACHED TO SUPPORTING STRUCTURAL MEMBERS BY 5/8" PUDDLE WELDS PLACED AT EACH DECK RIB OR 12 INCHES ON CENTER MAX. DEPENDING ON THE DECK ORIENTATION RELATIVE TO THE SUPPORTINGMEMBERS. THIS WELD CAN BE OMITTED IN RIBS THAT HAVE SHEAR STUD CONNECTORS. SIDE LAPS BETWEEN ADJACENT UNITS ARE TO BE ATTACHED WITH #10 TEK SCREWS AT 36 INCHES MAXIMUM (MINIMUM 2 SCREWS PER SPAN). 9. PROVIDE 2 INCHES MINIMUM BEARING AT DECK SUPPORTS.

10. ALL DECK SHALL BE CONTINUOUS OVER 3 SPANS UNLESS OTHERWISE NOTED. WHERE LESS THAN 3 SPANS IS AVAILABLE, PROVIDE, FOR THE ACTUAL SPAN CONDITION, DECK GAGE CAPABLE OF SUPPORTING PUBLISHED DEAD AND LIVE LOAD CAPACITIES AND CONSTRUCTION SPANS NOTED FOR 3 SPAN CONDITIONS. THE DECK SUPPLIER SHALL VERIFY THAT THE DECK SUPPLIED MEETS OR EXCEEDS THE REQUIRED CLEAR SPANS FOR THE ACTUAL PROJECT AND SHALL POST THE ALLOWABLE CONSTRUCTION CLEAR SPANS CLEARLY ON THE SHOP DRAWINGS. IF LOCATIONS EXIST ON THE PROJECT THAT EXCEED THE ALLOWABLE CONSTRUCTION CLEAR SPAN, THE SUPPLIER SHALL INCREASE THE DECK THICKNESS AS NECESSARY TO ACCOMMODATE ACTUAL

11. COMPOSITE DECK DESIGN IS INTENDED TO BE UNSHORED UNLESS OTHERWISE NOTED. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CHECK ALL DECKING CONDITIONS TO DETERMINE IF THE DECKING HAS SUFFICIENT STRENGTH AND STIFFNESS FOR CONSTRUCTION LOADING.

12. CONCRETE REQUIRED FOR COMPOSITE ACTION SHALL MEET 28-DAY COMPRESSIVE STRENGTH PRIOR TO SUPPORTING TOPPING SLABS AND/OR MASONRY WALLS OR OTHER HEAVY LOADS. 13. LOADS EXCEEDING 50 LBS SHALL NOT BE PERMITTED TO BE HUNG FROM METAL DECKING. HANGERS FOR DUCTWORK, PIPING, ELECTRICAL CONDUITS, ETC SHALL BE HUNG DIRECTLY FROM

STRUCTURAL STEEL OR ANCHORS EMBEDDED IN CONCRETE. SUBMIT HANGING LOAD LAYOUT FOR REVIEW 14. CONCRETE TOPPING SLABS AND THICKNESSES SHOWN ON PLANS AND DETAILS ARE NOMINAL

15. METAL DECK ATTACHMENTS SHALL BE INSPECTED BY TESTING LABORATORY.

1704.2, REGISTERED AND APPROVED BY THE LOCAL BUILDING DEPARTMENT.

BRIDGING TO AVOID MECHANICAL OPENINGS.

STEEL SUPPLIER PRIOR TO FABRICATION.

CALCULATIONS ARE GROUNDS FOR REJECTION.

APPLICABLE U.L. LISTINGS PER THE ARCHITECTURAL DRAWINGS.

19. CONTRACTOR IS RESPONSIBLE FOR DESIGNING ALL STEEL BRACE CONNECTIONS FOR THE ULTIMATE MEMBER FORCES SHOWN IN ACCORDANCE WITH AISC LRFD SPECIFICATIONS. IF A MEMBER FORCE IS NOT SHOWN, THE CONNECTION SHALL BE DESIGNED FOR THE FULL TENSION CAPACITY OF THE MEMBER. CONNECTIONS SHALL BE DESIGNED TO TRANSFER THE MAXIMUM COMBINATION OF THE FORCES OF ALL MEMBERS, FRAMING INTO THE JOINT.

20. ALL MEMBER FORCES SHOWN ARE TO BE TRANSFERRED TO THE WORK POINT. THE WORK POINT IS DEFINED AS THE INTERSECTION OF ALL CENTROIDS OF THE MEMBERS FRAMING INTO THE JOINT. AT BRACED FRAMES WHERE HORIZONTAL MEMBERS FRAMING INTO THE JOINT HAVE VARYING DEPTHS, AND SIMILAR TOP OF STEEL ELEVATIONS. THE WORK POINT SHALL BE BASED ON THE CENTER LINE OF THE HORIZONTAL MEMBER OF LEAST DEPTH (IE, THE WORKPOINT WILL NOT

21 THE MEMBER SIZES SHOWN ON THE DRAWINGS DO NOT ACCOUNT FOR NET AREA REDUCTION DUE TO BOLT HOLES. PROVIDE SHOP WELDED MEMBER END SUPPLEMENT PLATES WHERE REQUIRED FOR BOLT HOLE NET-AREA REDUCTION. ALL MEMBER END SUPPLEMENT PLATES. SPLICE PLATES, FILLER PLATES AND GUSSET PLATES OF TRUSS CONNECTIONS SHALL BE ASTM

1. SHEAR STUDS SHALL BE 3/4-INCH DIAMETER 5" LENGTH SHOWN ON PLANS, WITH A FINAL LENGTH NOT LESS THAN DEPTH OF DECK PLUS 1.5" CONFORMING TO AWS D1.1. PROVIDE SHEAR STUDS AT 2'-0" OC MAXIMUM FOR BEAMS ALL BEAMS SUPPORING SLAB WITHOUT A DESIGNATED

DAYS.

THICKNESSES. ACTUAL THICKNESSES WILL VARY DUE TO BEAM CAMBERS AND DECK/ BEAM DEFLECTIONS. PROVIDE THICKNESSES AS REQUIRED TO ACHIEVE A LEVEL FLOOR WITH A MINIMUM ACTUAL THICKNESS NOT LESS THAN THE THICKNESS CALLED OUT ON PLANS MINUS 1/4".

1. FABRICATOR SHALL BE AN "APPROVED FABRICATOR" IN ACCORDANCE WITH IBC SECTION

2. ALL STEEL JOISTS SHALL BE DESIGNED, FABRICATED AND ERECTED IN ACCORDANCE WITH IBC SECTION 2207, OPEN WEB STEEL JOISTS AND THE STANDARD SPECIFICATIONS FOR STEEL JOIST, K-SERIES, LH-SERIES, DLH-SERIES AND JOIST GIRDERS, PUBLISHED BY THE STEEL JOIST INSTITUTE.

3. SIZE, TYPE AND SPACING OF JOIST BRIDGING TO BE IN ACCORDANCE WITH STEEL JOIST INSTITUTE RECOMMENDATIONS. USE 'X'-BRIDGING AT DISCONTINUOUS ENDS OF BRIDGING. LOCATE

4. DESIGN JOISTS AND BRIDGING TO RESIST A NET UPLIFT OF 15 PSF. JOISTS WITHIN 10'-0" OF BUILDING EDGES AND RIDGES SHALL BE DESIGNED FOR A NET WIND UPLIFT LOAD OF 35 PSF. 5. JOIST SHOE DEPTH SHALL BE 2 1/2" AT K SERIES JOIST, 5" LH SERIES JOISTS, UNLESS

OTHERWISE NOTED. JOIST SUPPLIER SHALL COORDNATE TOP OF STEEL BEAM ELEVATIONS WITH

6. MANUFACTURER SHALL SUBMIT CALCULATIONS AND DRAWINGS SEALED BY A CIVIL OR STRUCTURAL ENGINEER REGISTERED IN THE STATE IN WHICH THE PROJECT IS LOCATED FOR ALL JOISTS. CALCULATIONS SHALL INCLUDE DEFLECTION AND CAMBER REQUIREMENTS AND CLEARLY SHOW ALL DESIGN LOADS. SHOP DRAWINGS SUBMITTED WITHOUT SIGNED AND SEALED

7. LIVE LOAD DEFLECTIONS SHALL BE LIMITED TO SPAN/360 AT SIMPLE SPAN ROOF MEMBERS AND TO SPAN/360 AT SIMPLE SPAN FLOOR MEMBERS. ALL JOISTS SHALL BE CAMBERED PER SJ

8. ALL JOISTS SHALL BE DESIGNED, FABRICATED, AND ERECTED IN ACCORDANCE WITH THE

9. PROVIDE SLOPED AND/OR SLOPED AND SKEWED BEARING SEATS AS REQUIRED FOR ROOF

10. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS AND CALCULATIONS FOR REVIEW PRIOR TO 11. STEEL JOISTS ARE CALLED OUT ON PLAN SIMILAR TO THUS: "20LHSP". THIS EXAMPLE

INDICATES A SPECIAL 20-INCH DEEP LH SERIES JOIST WITH A NON-UNIFORM LOAD SHOWN ON THE

12. STEEL JOISTS ARE CALLED OUT ON PLAN SIMILAR TO THUS: "20KSP ". THIS EXAMPLE INDICATES A SPECIAL 20-INCH DEEP STEEL JOIST WITH A NON-UNIFORM LOAD SHOWN ON THE

13. REFER TO SNOW DRIFT DIAGRAM FOR SNOW DRIFT LOADS. LOADS SHALL BE COMBINED WITH OTHER ROOF LOADS INDICATED IN ACCORDANCE WITH THE BUILDING CODE. SNOW DRIFT LOADS SHALL BE DISTRIBUTED OVER THE TRIBUTARY WIDTH OF ROOF SUPPORTED BY THE JOIST.

14. MANUFACTURER SHALL DESIGN JOISTS FOR THE LOADS NOTED ON THE DRAWINGS PLUS AN ADDITIONAL 500 POUND CONCENTRATED DEAD LOAD TO OCCUR ANYWHERE ALONG THE SPAN. DO NOT ALTER DEPTHS SHOWN ON PLANS UNLESS REQUESTED AND APPROVED IN WRITING PRIOR TO SHOP DRAWING SUBMITTAL. ADDITIONAL LOAD MAY BE ASSUMED TO ACT AT TOP CHORD ONLY.

15. COORDINATE EXACT MECHANICAL EQUIPMENT WEIGHT AND LOCATION WITH MECHANICAL CONTRACTOR AND DESIGN JOISTS FOR TRIBUTARY LOADS. COORDINATE JOIST WEBS WHERE MECHANICAL DUCTS SHOWN ON MECHANICAL DRAWINGS ARE DESIGNED TO PENETRATE THROUGH JOIST WEBS

16. JOISTS SHALL BE DESIGNED FOR A 500 LBS CONCENTRATED SERVICE WIND LOAD AT ALL STEEL ANGLE BRACES. REFERENCE THE ROOF SECTIONS FOR ANGLE BRACE SPACING REQUIREMENTS. JOIST SUPPLIER SHALL COORDINATE WITH THE STEEL SUPPLIER FOR EXACT BRACE LOCATIONS. COLD-FORMED STEEL FRAMING:

1. FABRICATE AND ERECT COLD-FORMED STEEL STRUCTURAL MEMBERS PER THE REQUIREMENTS OF THE LATEST EDITION OF THE SPECIFICATION FOR THE DESIGN OF COLD-FORMED STEEL STRUCTURAL MEMBERS BY THE AMERICAN IRON AND STEEL INSTITUTE. WHERE REQUIRED, THE SEISMIC DESIGN OF COLD-FORMED STEEL STRUCTURAL MEMBERS SHALL BE IN ACCORDANCE WITH THE ADDITIONAL PROVISIONS OF SECTION 2211 OF THE IBC.

2. MINIMUM YIELD STRENTH FOR 43 AND 33 MILS STUDS, JOISTS, STRAPS, BRIDGING, ETC., SHALL BE 33,000-PSI MINIMUM. YIELD STRENGTH FOR 97, 68, AND 54 MILS STUDS, JOISTS, STRAPS, BRIDGING, ETC., SHALL BE 50,000-PSI MINIMUM. ALL MEMBERS SHALL BE GALVANIZED.

3. PROVIDE COLD-FORMED METAL FRAMING MEMBERS WITH SECTION PROPERTIES AS MANUFACTURED BY MEMBERS OF THE STEEL STUD MANUFACTURER'S ASSOCIATION (SSMA COMPLYING WITH ICBO REPORT 4943P AND THE INTERNATIONAL BUILDING CODE.

4. WELDERS EXPERIENCED IN WELDING LIGHT GAGE STEEL SHALL PERFORM ALL WELDING. POST-INSTALLED ANCHORS: 1. POST-INSTALLED ANCHORS SHALL ONLY BE USED WHERE SPECIFIED ON THE DRAWINGS.

2. CONTRACTOR SHALL OBTAIN APPROVAL FROM ENGINEER OF RECORD PRIOR TO USING POST-INSTALLED ANCHORS FOR MISSING OR MISPLACED CAST-IN -PLACE ANCHORS.

3. CARE SHALL BE GIVEN TO AVOID CONFLICTS WITH EXISTING REBAR WHEN DRILLING HOLES. 4. ANCHORS SHALL BE INSTALLED PER THE MANUFACTURER'S PRINTED INSTALLATION INSTRUCTIONS (MPII) AND ICC EVALUATION REPORTS CORRESPONDING TO THAT ANCHOR. INSTALL ANCHORS AT NOT LESS THAN MINIMUM EDGE DISTANCES AND/OR SPACINGS INDICATED IN THE MANUFACTURER'S LITERATURE.

5. SUBSTITUTION REQUESTS, FOR PRODUCTS OTHER THAN THOSE LISTED BELOW, SHALL BE SUBMITTED TO THE ENGINEER WITH CALCULATIONS THAT ARE PREPARED & SEALED BY A REGISTERED PROFESSIONAL ENGINEER SHOWING THAT THE SUBSTITUTED PRODUCT WILL ACHIEVE AN EQUIVALENT CAPACITY USING THE APPROPRIATE DESIGN PROCEDURE REQUIRED BY THE BUILDING CODE. PRODUCT ICC-ES CODE REPORTS SHALL BE INCLUDED WITH SUBMITTAL PACKAGE.

6. CONTINUOUS SPECIAL INSPECTION SHALL BE PROVIDED FOR ALL ADHESIVE ANCHORS. PERIODIC SPECIAL INSPECTION SHALL BE PERFORMED FOR MECHANICAL ANCHORS. 7. ALL ANCHORS SHALL HAVE EMBEDMENT NOTED ON THE DRAWINGS OR EMBEDMENT AS

RECOMMENDED BY MANUFACTURER WHERE NO EMBEDMENT IS SHOWN. INSTALL IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS. 8. ADHESIVE ANCHORS MUST BE INSTALLED IN STRICT ACCORDANCE WITH MANUFACTURER'S

PUBLISHED INSTALLATION INSTRUCTIONS. 9. THE CONTRACTOR SHALL ARRANGE AN ANCHOR MANUFACTURER'S REPRESENTATIVE TO PROVIDE ONSITE INSTALLATION TRAINING FOR ALL OF THEIR ANCHORING PRODUCTS SPECIFIED. THE STRUCTURAL ENGINEER OF RECORD MUST RECEIVE DOCUMENTED CONFIRMATION THAT ALL OF THE CONTRACTOR'S PERSONNEL WHO INSTALL ANCHORS ARE TRAINED PRIOR TO THE COMMENCEMENT OF INSTALLING ANCHORS

10. INSTALLATION OF ADHESIVE ANCHORS IN HORIZONTAL TO VERTICALLY OVERHEAD ORIENTATION SHALL BE DONE BY A CERTIFIED ADHESIVE ANCHOR INSTALLER (AAI) AS CERTIFIED THROUGH ACI AND IN ACCORDANCE WITH ACI 318. PROOF OF CURENT CERTIFICATION SHALL BE SUBMITTED TO THE ENGINEER FOR APPROVAL PRIOR TO COMMENCEMENT OF INSTALLATION.

11. ADHESIVE ANCHORS INSTALLED IN HORIZONTAL OR UPWARDLY INCLINED ORIENTATIONS TO RESIST SUSTAINED TENSION LOADS SHALL BE CONTINUOUSLY INSPECTED DURING INSTALLATION BY AN INSPECTOR SPECIALLY APPROVED FOR THAT PURPOSE BY THE BUILDING OFFICIAL.

12. PROVIDE SPECIAL INSPECTION FOR ALL MECHANICAL AND ADHESIVE ANCHORS PER THE APPLICABLE BUILDING CODE AND PER THE CURRENT ICC-ES REPORT FOR THE ANCHOR. 13. EXPANSION BOLTS IN MASONRY SHALL BE ONE OF THE FOLLOWING:

- a. SIMPSON STRONG-TIE WEDGE-ALL (ESR-1396) b. HILTI KWIK BOLT 3 MASONRY ANCHORS (ESR-1385)
- 14. SCREW ANCHORS IN MASONRY SHALL BE ONE OF THE FOLLOWING:
- a. SIMPSON STRONG-TIE TITEN HD SCREW ANCHORS (ESR-1056) b. HILTI KH-EZ SCREW ANCHOR (ESR-3056)
- 15. ADHESIVE ANCHORS IN MASONRY SHALL BE ONE OF THE FOLLOWING: a. SIMPSON STRONG-TIE SET-XP ADHESIVE ANCHORING SYSTEM (ER-265) b. HILTI HY-70 FAST CURE ADHESIVE ANCHORS (ESR-2682)
- 16. EXPANSION BOLTS IN CONCRETE, ANCHORS SHALL BE ONE OF THE FOLLOWING: a. SIMPSON STRONG-TIE STRONG-BOLT 2 (ESR-3037)
- b. HILTI KWIK BOLT TZ CONCRETE ANCHORS (ESR-1917) 17. SCREW ANCHORS IN CONCRETE SHALL BE ONE OF THE FOLLOWING: a. SIMPSON STRONG-TIE TITEN HD SCREW ANCHORS (ESR-2713)
- b. HILTI KH-EZ SCREW ANCHOR (ESR-3027) 18. ADHESIVE ANCHORS IN CONCRETE SHALL BE ONE OF THE FOLLOWING:
- a. SIMPSON STRONG-TIE SET-3G ADHESIVE ANCHORING SYSTEM (ESR-4057) b. SIMPSON STRONG-TIE AT-XP ADHESIVE ANCHORING SYSTEM (ER-263) c. HILTI HY-200 SAFE SET SYSTEM ADHESIVE ANCHORS (ESR-3187) d. HILTI RE-500 SD ADHESIVE ANCHORS (ESR-2322)

19. ANCHORS ARE NOT TO BE INSTALLED UNTIL CONCRETE OR GROUT HAS REACHED ITS DESIGN STRENGTH. ADHESIVE ANCHORS SHALL BE INSTALLED IN CONCRETE HAVING A MINIMUM AGE OF 21

FIRE RATINGS: 1. FOR FIRE-RATING REQUIREMENTS AND METHODS, SEE ARCHITECTURAL DRAWINGS. **EXISTING CONDITIONS** 1. CONTRACTOR IS TO FIELD VERIFY EXISTING CONDITIONS PRIOR TO BIDDING ALL WORK AND

2. NOTIFY ARCHITECT/ENGINEER IMMEDIATELY IF EXISTING CONDITIONS DO NOT MATCH, OR SEEM IN CONFLICT WITH, INFORMATION SHOWN ON DRAWINGS. 3. DISCREPANCIES: CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS

AND SHALL CONTACT THE ENGINEER OF RECORD IF ANY DISCREPANCIES ARE FOUND BEFORE PROCEEDING. 4. EVERY EFFORT SHALL BE MADE TO MINIMIZE DISRUPTION TO THE OWNER'S OPERATION AND TO PROVIDE PATRON, FACILITY STAFF AND WORKERS SAFETY.

5. EXCESSIVE NOISE AND VIBRATION SHALL BE PRE-APPROVED AND COORDINATED WITH THE OWNER'S REPRESENTATIVE.

6. PROVIDE PROTECTION FOR ALL EXISTING BUILDING MATERIALS AND EQUIPMENT TO REMAIN FROM DAMAGE DUE TO DEMOLITION OR CONSTRUCTION OPERATIONS PERFORMED UNDER THIS CONTRACT.

7. THE SEQUENCE OF CONSTRUCTION SHALL BE THE RESPONSIBILITY THE CONTRACTOR AND THEY SHALL BE RESPONSIBLE FOR PROVIDING ALL TEMPORARY GUYS, BRACING, AND OTHER SUPPORTS AS NEEDED TO SAFELY RESIST ALL LOADS TO WHICH THE STRUCTURE MAY BE SUBJECTED, INCLUDING LOADS ERECTION EQUIPMENT AND ERECTION OPERATIONS, AND WIND OR SEISMIC FORCES COMPARABLE IN INTENSITY FOR WHICH THE STRUCTURE AS DESIGNED.

8. ALL ERECTION AND CONSTRUCTION PROCEDURES SHALL MEET THE REQUIREMENTS OF ALL APPLICABLE CODES AND ORDINANCES, 9. ALL FRAMING CONNECTION TO EXISTING STRUCTURE SHALL BE FIELD VERIFIED PRIOR TO

SHOP DRAWING PRODUCTION AND FABRICATION. SUBMITTALS GENERAL 1. THE CONTRACTOR SHALL DEVELOP AND SUBMIT A SUBMITTAL SCHEDULE CLEARLY INDICATING

DRAWINGS TO BE SUBMITTED EACH WEEK OVER THE DURATION OF THE PROJECT. 2. THE SUBMITTAL SCHEDULE PROVIDED BY THE CONTRACTOR IS NECESSARY TO PROVIDE REASONABLE TIME TO STAFF APPROPRIATELY FOR THE SCHEDULED SUBMITTALS. THE SUBMITTAL

ENGINEER'S REVIEW SCHEDULE IS SUBJECT STRICTLY TO THE SUBMITTAL SCHEDULE PROVIDED BY THE CONTRACTOR. 3. REVIEW OF SHOP DRAWINGS DOES NOT RELIEVE THE CONTRACTOR FROM CONFORMANCE

WITH THE INTENT OF THE DRAWINGS. REVIEW DOES NOT IMPLY OR STATE THAT THE FABRICATOR HAS CORRECTLY INTERPRETTED THE CONSTRUCTION DOCUMENTS. 4. CONTRACTOR SHALL SUBMIT CALCULATIONS WITH THE SHOP DRAWINGS DESIGNATED AS

THE PROJECT IS LOCATED, RESPONSIBLE FOR THEIR PREPARATION WHEN REQUIRED IN THE SPECIFICATIONS (SEE ALSO 'DEFERRED SUBMITTALS'). 5. COPIES OF THE CONTRACT DOCUMENTS SHALL NOT BE SUBMITTED AS SHOP DRAWINGS.

CONTRACT DRAWINGS SHOW ONLY GENERAL DESIGN INTENT. FINAL SHOP DRAWING SECTIONS SHALL PROVIDE SIZES, LAYOUT, EXACT DIMENSIONS, ELEVATIONS, GRADES OF MATERIALS, ETC., SPECIFIC TO EACH LOCATION.

6. SHOP DRAWINGS SHALL BE REVIEWED AND STAMPED BY THE GENERAL CONTRACTOR OR CONSTRUCTION MANAGER PRIOR TO SUBMITTING TO DLR GROUP. REQUEST FOR INFORMATION FOR ITEMS SUCH AS OVERALL BUIDLING GEOMETRY, ELEVATIONS, ETC. SUBMITTED THROUGH SHOP DRAWINGS SHALL BE DETERMINED BY THE CONTRACTOR. IF GEOMETRY CANNOT BE DETERMINED FROM THE DRAWINGS, THE CONTRACTOR SHALL SUBMIT AN RFI AND COORDINATE THE RESPONSE WITH ALL AFFECTED TRADES PRIOR TO FABRICATION.

- DEFERRED SUBMITTALS: 1. THE FOLLOWING ARE DEFERRED SUBMITTAL ITEMS: CONCRETE MIXTURE DESIGN
- GROUT MIXTURE DESIGN PRECAST CONCRETE UNITS, INCLUDING WALL PANELS AND DOUBLE TEES
- STEEL JOISTS METAL STAIRS AND RAILINGS
- STRUCTURAL STEEL CONNECTIONS COLD FORMED METAL FRAMING

2. DEFERRED SUBMITTAL CALCULATIONS AND/OR SHOP DRAWINGS SHALL BE SIGNED AND SEALED BY THE ENGINEER RESPONSIBLE FOR THEIR PREPARATION AND SHALL BE SUBMITTED TO THE ENGINEER FOR REVIEW WITH THE SHOP DRAWING SUBMITTAL. ONCE REVIEWED, CONTRACTOR SHALL FORWARD TO THE BUILDING DEPARTMENT FOR APPROVAL. FABRICATION AND/OR INSTALLATION OF DEFERRED SUBMITTAL ITEMS SHALL NOT OCCUR UNTIL APPROVAL OF

THE BUILDING DEPARTMENT IS RECEIVED. 3. REFER TO SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.

FOUNDATION NOTES

1. FINISHED FLOOR ELEVATION VARIES PER PLAN. 100'-0" EQUAL TO SURVEY ELEVATION = 1011.00', CONFIRM WITH CIVIL DRAWINGS. 2. REFER TO ARCHITECTURAL DRAWINGS FOR OVERALL BUILDING GEOMETRY, WALL LOCATIONS, AND ADDITIONAL PARTITION WALL REQUIREMENTS. CONFIRM WALL OPENINGS, TOP OF WALL ELEVATIONS AND BRICK LEDGE ELEVATIONS WITH ARCHITECTURAL DRAWINGS. 3. SEE ARCHITECTURAL DRAWINGS FOR LOCATION OF SLOPED, RAISED, DEPRESSED SLABS AND DRAINS.

4. REFER TO SPECIFICATIONS FOR ALL SUBGRADE PREPARATION REQUIREMENTS. REFER TO GENERAL NOTES FOR BACKFILL AND TEMPORARY SHORING REQUIREMENTS.

5. COORDINATE ALL PENETRATIONS THRU FOUNDATIONS WITH MEP DRAWINGS. REFERENCE TYPICAL FOUNDATION DETAILS FOR SLEEVE DETAILING.

6. ALL EXTERIOR EXPOSED STEEL (IN UNCONDITIONED SPACE) SHALL BE HOT DIP GALVANIZED.

FRAMING PLAN NOTES 1. TOP OF STEEL ELEVATION ARE SHOWN ON PLANS. TOP OF STEEL NOT SPECIFICALLY

NOTED ON THE PLANS SHALL BE LINEARLY INTERPOLATED FROM TOP OF STEEL NOTED ON THE PI ANS

2. REFER TO ARCHITECTURAL DRAWINGS FOR OVERALL BUILDING GEOMETRY, WALL LOCATIONS, AND ADDITIONAL PARTITION WALL REQUIREMENTS.


3. COORDINATE ALL SLAB OPENINGS AND PENETRATIONS WITH MECHANICAL DRAWINGS. REINFORCE FLOOR PER TYPICAL DETAILS. 4. REACTIONS SHOWN AT THE END OF BEAMS AND JOISTS ARE MINIMUM FACTORED LOAD REACTIONS

5. COORDINATE ALL ROOF OPENINGS AND PENETRATIONS WITH MEP DRAWINGS. PROVIDE ADDITIONAL FRAMING PER TYPICAL DETAILS.

6. ALL HSS MEMBERS SHALL HAVE 1/4" CAP PLATES AT EACH END, TYPICAL.

7. ALL EXTERIOR EXPOSED STEEL (IN UNCONDITIONED SPACE) SHALL BE HOT DIP GAI VANIZED

8. SHADED REGION ON PLAN INDICATES ICC500 STORM SHELTER.



SPECIAL STRUCTURAL INSPECTIONS: 1. IN ACCORDANCE WITH IBC, SECTION 1704, AS NOTED BELOW. TESTING AND INSPECTION SHALL BE BY AN INDEPENDENT TESTING/INSPECTION FIRM UNDER THE SUPERVISION OF A LICENSED ENGINEER EMPLOYED BY THAT FIRM. THIS ENGINEER SHALL BE DEEMED THE DESIGNATED ENGINEER OF RECORD FOR SPECIAL INSPECTIONS PERFORMED BY HIS FIRM OR HIS CONSULTANTS. INSPECTORS SHALL BE ICBO CERTIFIED AND APPROVED BY THE BUILDING OFFICIAL.

2. THE DESIGNATED ENGINEER OF RECORD FOR SPECIAL INSPECTIONS SHALL BE RESPONSIBLE FOR DEFINING THE ACTIVITIES OF THE INSPECTORS, FOR CERTIFYING THE QUALIFICATIONS OF THE INSPECTORS WITH THE BUILDING OFFICIAL, AND TO ATTEND THE PRECONSTRUCTION MEETING TO DEFINE THEIR SCOPE OF SERVICES AND THE TESTING OR TEST PROCEDURES THAT ARE REQUIRED AS OUTLINED IN THE INTERNATIONAL BUILDING CODE.

3. SPECIAL INSPECTION IS TO BE PROVIDED IN ADDITION TO THE INSPECTIONS CONDUCTED BY THE LOCAL DEPARTMENT OF BUILDING SAFETY AND SHALL NOT BE CONSTRUED TO RELIEVE THE OWNER OR HIS AUTHORIZED AGENT FROM REQUESTING THE PERIODIC AND CALLED INSPECTIONS REQUIRED BY SECTION 110 OF THE INTERNATIONAL BUILDING CODE.

4. CONCRETE: PER SECTION 1705.3 WITH EXCEPTIONS, THE FOLLOWING ITEMS REQUIRE SPECIAL INSPECTION: ALL CONCRETE EXCEPT SLAB-ON-GRADE, SIDEWALKS, AND DRIVEWAYS. ALL SLABS REQUIRE TESTING FOR FLOOR FLATNESS AND LEVELNESS PER PROJECT SPECIFICATIONS.

8. STEEL CONSTRUCTION: SPECIAL INSPECTIONS SHALL BE IN ACCORDANCE WITH THE QUALITY ASSURANCE INSPECTION REQUIREMENTS OF AISC 360. SPECIAL INSPECTION FOR SEISMIC RESISTANCE SHALL BE IN ACCORDANCE WITH AISC 341AND SHALL COMPLY WITH IBC SECTION 1705.12. PROVIDE INSPECTION PER IBC SECTION 1704.2.5 FOR STRUCTURAL LOAD-BEARING MEMBERS AND ASSEMBLIES FABRICATED ON THE PREMISES OF A FABRICATOR'S SHOP. THESE INSPECTIONS SHALL BE AT THE CONTRACTOR'S EXPENSE IF THE FABRICATOR IS NOT AN APPROVED FABRICATOR PER IBC SECTION 1704.2.5.1.

7. WELDING: WELDING INSPECTION SHALL BE IN COMPLIANCE WITH AWS D1.1. THE BASIS FOR WELDING INSPECTOR QUALIFICATIONS SHALL BE AWS D1.1. PROVIDE SPECIAL INSPECTION IN ACCORDANCE WITH AISC TABLE N5.4-1 THROUGH TABLE N5.4-3

8. HIGH STRENGTH BOLTING: INSTALLATION OF HIGH STRENGTH BOLTS SHALL BE PERIODICALLY INSPECTED IN ACCORDANCE WITH AISC SPECIFICATIONS. PROVIDE SPECIAL INSPECTION IN ACCORDANCE WITH AISC TABLE N5.6-1 THROUGH TABLE N5.6-3.

9. INSPECTION OF STEEL ELEMENTS OF COMPOSITE CONSTRUCTION PRIOR TO CONCRETE PLACEMENT SHALL BE PER AISC TABLE N6-1.

10. STEEL CONSTRUCTION OTHER THAN STRUCTURAL STEEL SHALL BE PER IBC SECTION 1705.2.2 AND REQUIREMENTS OF SDI QA/QC, AND 1705.2.3 FOR OPEN-WEB STEEL JOISTS AND JOIST GIRDERS.

11. STRUCTURAL MASONRY: MASONRY CONSTRUCTION SHALL BE INSPECTED AND VERIFIED IN ACCORDANCE WITH TMS 402/ACI 530/ASCE 5 AND TMS 602/ACI 530.1/ASCE 6 AS FOLLOWS:

a. ENGINEERED MASONRY IN RISK CATEGORY I, II, OR III STRUCTURES: THE MINIMUM SPECIAL INSPECTION PROGRAM FOR MASONRY SHALL COMPLY WITH LEVEL B QUALITY ASSURANCE, TABLE 4.

b. ENGINEERED MASONRY IN RISK CATEGORY IV STRUCTURES: THE MINIMUM SPECIAL INSPECTION PROGRAM FORMASONRY SHALL COMPLY WITH LEVEL C QUALITY ASSURANCE, TABLE 5.

12. GRADING, EXCAVATION AND FILLING: PER SECTION 1705.6. SEE CIVIL DRAWINGS AND SPECIFICATION DIVISION 2. 13. SPRAY-APPLIED FIREPROOFING: PER SECTION 1705.14. SEE ARCHITECTURAL DRAWINGS

FOR ALL FIREPROOFING METHODS AND REQUIREMENTS. 14. FIRE RESISTANT PENETRATIONS AND JOINTS: PER SECTION 1705.17

15. NONBEARING EXTERIOR STUD WALLS AND EXTERIOR VENEER: PER SECTION 1705.12.5 WITH EXCEPTIONS.

16. EXPANSION BOLT, SCREW ANCHOR AND ADHESIVE ANCHOR INSTALLATION TO VERIFY INSTALLATION IN ACCORDANCE WITH ICBO REPORTS NOTED PREVIOUSLY OR APPROVED EQUAL.

17. HEADED CONCRETE SHEAR CONNECTORS: INSPECTED AND TESTED PER AMERICAN WELDING SOCIETY CODE AWS D1.1.

18. CONTINUOUS SPECIAL INSPECTION IS REQUIRED FOR THE INSTALLATION OF ALL STORM SHELTER DOOR, WINDOW AND PROTECTIVE OPENING DEVICES, INCLUDING THE ANCHORAGE TO WALL/ROOF.

19. THE INSPECTOR SHALL OBSERVE THE WORK ASSIGNED TO BE CERTAIN IT CONFORMS TO THE APPROVED DESIGN DRAWINGS AND SPECIFICATIONS.

20. THE INSPECTOR SHALL FURNISH DAILY INSPECTION REPORTS ON THE WORK TO THE BUILDING OFFICIAL AND TO THE ENGINEER. ALL DISCREPANCIES SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE CONTRACTOR FOR CORRECTION, AND, IF UNCORRECTED, TO THE ENGINEER AND THE BUILDING OFFICIAL.

21. THE TESTING/INSPECTION FIRM'S ENGINEER SHALL COMPLETE, SIGN AND SEAL A FINAL REPORT CERTIFYING THAT TO THE BEST OF HIS KNOWLEDGE, THE WORK IS IN CONFORMANCE WITH THE CONTRACT DOCUMENTS.

22. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE CONSTRUCTION SCHEDULE WITH THE OWNER'S SPECIAL INSPECTION REPRESENTATIVE IN A TIMELY MANNER AND SHALL NOT PROCEED WITH CONSTRUCTION OF COMPONENTS THAT MAY INTERFERE WITH THE INSPECTORS ABILITY TO PERFORM CODE REQUIRED INSPECTIONS. ANY COST INCURRED ASSOCIATED WITH REMOVAL OF WORK TO PERFORM INSPECTIONS WILL BE BORNE BY THE CONTRACTOR.

23. STEEL DETAILING: THE SPECIAL INSPECTOR SHALL PERFORM AN INSPECTION OF THE STEEL FRAME TO VERIFY COMPLIANCE WITH THE DETAILS SHOWN ON THE APPROVED CONSTRUCTION DOCUMENTS, SUCH AS BRACING, STIFFENING, MEMBER LOCATIONS AND PROPER APPLICATION OF JOINT DETAILS AT EACH CONNECTION

		INSPECTION	F CONCRETE CONSTRUCTION	
VERIFICATION AND CO	ONTINUOUS	PERIODIC	REFERENCED STANDARD a	IBC REFERENCE
Inspect reinforcement, including prestressing tendons, and verify placement	-	Х	ACI 318: Ch. 20, 25.2, 25.3, 26.6.1-26.6.3	1908.4
Reinforcing bar welding: a. Verify weldability of reinforcing bars other than ASTM A706	-	х	AWS D1.4	
 b. Inspect single-pass fillet welds, maximum 5/16"; and 	-	Х	ACI 318: 26.6.4	-
c. Inspect all other welds	Х	-		
Inspection of anchors cast in concrete	-	Х	ACI 318: 17.8.2	
Inspection of anchors post-installed in hardened concrete members a. Adhesive anchors installed in. horizontally or upward inclined orientations to resist sustained tension loads	x	-	ACI 318: 17.8.2.4	
b. Mechanical anchors and adhesive anchors not defined in 4.a	-	х	ACI 318: 17.8.2	
Verify use of required design mix.	-	Х	ACI 318: Ch. 19 26.4.3, 26.4.4	1904.1,1904.2 1908.2 1908.3
Prior to concrete placement, fabricate specimens for strength tests, perform slump and air content tests. and determine the temperature of the concrete.	х	-	ASTM C 172 ASTM C 31 ACI 318: 26.5, 26.12	1908.10
Inspection of concrete and shotcrete placement for proper application techniques.	Х	-	ACI 318: 26.5	1908.6,1908.7 1908.8
Verify maintenance of specified curing temperature and techniques.	-	Х	ACI 318: 26.5.3-26.5.5	1908.9
Inspect prestressed concrete for: a. Application of prestressing forces; and	х	-	ACI 318: 26.10	-
b. Grouting of bonded prestressing tendons in the seismic force-resisting system.	х	-		
 D. Inspect erection of precast concrete members. 	-	Х	ACI 318: 26.9	-
 Verification of in-situ concrete strength, prior to stressing of tendons in post-tensioned concrete and prior to removal of shores and forms from beams and structural slabs. 	-	Х	ACI 318: 26.11.2	-
2. Inspect formwork for shape, location, and dimensions of the concrete member being formed.	-	Х	ACI 318: 26.11.1.2(b)	-

official prior to the commencement of the work.

REQUIRE	TABLE 1705.6 D VERIFICATION AND INSPECTION C	DF SOILS
VERIFICATION AND INSPECTION TASI		
I. Verify materials below shallow foundations are adequate to achieve	-	X
 the design bearing capacity Verify excavations are extended to proper depth and have reached proper material. 	-	X
 Perform classification and testing of compacted fill materials 	-	X
 Verify use of proper materials, densities and lift thicknesses during placement and compaction of compacted fill 	X	-
 Prior to placement of compacted fill, observe subgrade and verify that site has been prepared properly. 	-	x

IBC REFERENCE	
1908.4	
-	
-	
1904.1,1904.2,	
1908.2 1908.3	
1908.10	
1908.6,1908.7, 1908.8	
1908.9	
-	
-	
-	
-	

ents are not provided,

MASONRY: TMS 402/602-16:				
Table 3 - Level 2 Quality Assurance				
Prior to construction, verification of compliance o	UM TESTS		Art 1.5	
	1 Submittais		Art 1.5	
Prior to construciton, verification of f'm and f'ACC	C, except whe	e		
specifically exempted by the Code.			Art 1.4 B	
During construction varification of Slump flow on	d Vieual Stab	:Ii+. /	Art 1.5 &	162
During construction, verification of Slump flow an Index (VSI) when self-consolidating grout is deliv			AIL 1.5 &	1.0.3
		0]001.		
Inspection Task	Frequenc		Reference for	Criteria
	Continuous	Periodic	TMS 402	TMS 602
1 As measure construction begins verify that the				
 As masonry construction begins, verify that the following are in compliance: 	e			
a. Proportions of site-prepared mortar		Х		Art. 2.1, 2.6 A
· · · · · · · · · · · · · · · · · · ·				& 2.6 C
b. Grade and size of prestressing tendons		Х		Art. 2.4 B,
and anchorages		v		2.4 H
 Grade, type and size of reinforcement, connectors, anchor bolts, and 		Х		Art. 3.4 & 3.6 A
prestressing tendons and anchorages				0.0 A
d. Prestressing technique		Х		Art. 3.6 B
e. Properties of thin-bed mortar for AAC	X(b)	X(c)		Art. 2.1 C.1
masonry				
f. Sample panel construction		Х		Art. 1.6 D
Prior to grouting, verify that the following are in compliance:	1			
a. Grout space		Х		Art. 3.2 D &
				3.2 F
b. Placement of prestressing tendons		Х	Sec 10.8 &	Art 2.4 & 3.6
and anchorages.		N N	10.9	
 c. Placement of reinforcement, connectors, and anchor bolts 		Х	Sec. 6.1, 6.3.1 6.3.6 & 6.3.7	Art. 3.2 E, 3.4
d. Proportions of site-prepared grout and		X	0.3.0 & 0.3.7	Art. 2.6 B,
prestressing grout for bonded tendons		~		& 2.4 G.1.b
3. Verify compliance of the following during				
construction:				
a. Materials and procedures with the		Х		Art. 1.5
approved submittals b. Placement of masonry units and mortar		Х		Art. 3.3 B
joint construction		Λ		Art. 0.0 D
c. Size and location of structural elements		Х		Art. 3.3 F
d. Type, size, and location of anchors,		Х	Sec. 1.2.1(e)	
including other details of anchorage of			6.2.1 & 6.3.1	
masonry to structural members, frames, or other construction				
e. Welding of reinforcement	Х		Sec. 6.1.6.1.2	
f. Preparation, construction, and protection	Λ	Х	000. 0. 1.0. 1.2	Art. 1.8 C,
of masonry during cold weather (temperation	ture			& 1.8 D
below 40°F (4.4°C)) or hot weather				
(temperature above 90°F (32.2°C))	v			Art 26 D
 g. Application and measurement of prestressing force 	Х			Art. 3.6 B
h. Placement of grout and prestressing	Х			Art. 3.5 & 3.6 C
grout for bonded tendons is in compliance				
i. Placement of AAC masonry units and	X(b)	X(c)		Art. 3.3 B.9 &
construction of thin-bed mortar joints				3.3 F.1.b
4. Observe preparation of grout specimens,		X		Art. 1.4 B.2.a.3,
mortar specimens, and/or prisms				1.4 B.2.b.3, 1.4 B.2.c.3,
				1.4 B.3 &
				1.4 B.4

(a) Frequency refers to the frequency of inspection, which may be continuous during the task listed or periodically during the listed task, as defined in the table. (b) Required for the first 5000 square feet (465 square meters) of AAC masonry. (c) Required after the first 5000 square feet (465 square meters) of AAC masonry.

AISC 360 TABLE N5.4-1		
Inspection Tasks Prior to Welding		
Inspection Tasks Prior to Welding	QC	QA
Welder qualification records and continuity records	Р	0
Welding procedure specifications (WPSs) available	Р	Р
Manufacturer certifications for welding consumables available	Р	Р
Material identification (type/grade)	0	0
Welder identification system 1	0	0
Fit-up of groove welds (including joint geometry) · Joint preparation · Dimensions (alignment, root opening, root face, bevel) · Cleanliness (condition of steel surfaces) · Tacking (tack weld quality and location) · Backing type and fit (if applicable)	0	0
Configuration and finish of access holes	0	0
Fit-up of fillet welds · Dimensions (alignment, gaps at root) · Cleanliness (condition of steel surfaces) · Tacking (tack weld quality and location)	0	0
Check welding equipment	0	-
1 The fabricator or erector, as applicable, shall maintain a system by which a welder who has be identified. Stamps, if used, shall be the low-stress type.	s welded a joint	or member can
O- Observe these items on a random basis. Operations need not be delayed pending these P- Perform these tasks for each welded joint or member.	inspections.	

Inspection Tasks During Welding	QC	QA
Control and handling of welding consumables		
· Packaging	0	0
· Exposure control		
No welding over cracked tack welds	0	0
Environmental conditions		
· Wind speed within limits	0	0
· Precipitation and temperature		
WPS followed		
· Settings on welding equipment		
· Travel speed		
- Selected welding materials		
· Shielding gas type/flow rate	0	0
· Preheat applied		
· Interpass temperature maintained (min./max.)		
Proper position (F, V, H, OH)		
Welding techniques		
Interpass and final cleaning		
· Each pass within profile limitations	0	0
Each pass meets quality requirements		
Placement and installation of steel headed stud anchors	Р	Р

AISC 360 TABLE N5.4-3 Inspection Tasks After Welding		
Inspection Tasks After Welding	QC	QA
Welds cleaned	0	0
Size, length and location of welds	Р	Р
Welds meet visual acceptance criteria · Crack prohibition · Weld/base-metal fusion · Crater cross section · Weld profiles · Weld size · Undercut · Porosity	Ρ	Ρ
Arc strikes	Р	Р
k-area [a]	Р	Р
Weld access holes in rolled heavy shapes and built-up heavy shapes [b]	Р	Р
Backing removed and weld tabs removed (if required)	Р	Р
Repair activities	Р	Р
Document acceptance or rejection of welded joint or member	Р	Р
No prohibited welds have been added without the approval of the EOR	0	0
 [a] When welding of doubler plates, continuity plates or stiffeners has been perfixered for cracks within 3 in. (75 mm) of the weld. [b] After rolled heavy shapes (see Section A3.1c) and built-up heavy shapes (svisually inspect the weld access hole for cracks O- Observe these items on a random basis. Operations need not be delayed perform these tasks for each welded joint or member. 	ee Section A3.1d) a	re welded,

AISC 360 TABLE N5.6-1 Inspection Tasks Prior to Boltin	Ia	
Inspection Tasks Prior to Bolting	QC	QA
Manufacturer's certifications available for fastener materials	0	Р
Fasteners marked in accordance with ASTM requirements	0	0
Correct fasteners selected for the joint detail (grade, type, bolt length if threads are to be excluded from shear plane)	0	0
Correct bolting procedure selected for joint detail	0	О
Connecting elements, including the appropriate faying surface condition and hole preparation, if specified, meet applicable requirements	0	0
Pre-installation verification testing by installation personnel observed and documented for fastener assemblies and methods used	Р	0
Proper storage provided for bolts, nuts, washers and other fastener components	0	0
O- Observe these items on a random basis. Operations need not be de P- Perform these tasks for each welded joint or member.	elayed pending these	inspections.
AISC 360 TABLE N5.6-2 Inspection Tasks During Bolting	g	
Inspection Tasks During Bolting	QC	QA
Fastener assemblies placed in all holes and washers and nuts are positioned as required	0	0
Joint brought to the snug-tight condition prior to the pretensioning operation	0	0
Fastener component not turned by the wrench prevented from rotating	0	0
Fasteners are pretensioned in accordance with the RCSC Specification, progressing systematically from the most rigid point toward the free edges	0	0
O- Observe these items on a random basis. Operations need not be de P- Perform these tasks for each welded joint or member.	elayed pending these	inspections.
AISC 360 TABLE N5.6-3 Inspection Tasks After Be	olting	
Inspection Tasks After Bolting	QC	QA
Document acceptance or rejection of bolted connections	Р	Р
O- Observe these items on a random basis. Operations need not be P- Perform these tasks for each welded joint or member.	delayed pending thes	e inspections.

	TABLE 1705.2.3	
REQUIRED SPECIAL INSPECTIONS OF OPEN-WEB STEEL JOISTS AND JOIST GIRDERS		
ТҮРЕ	CONTINUOUS DURING TASK LISTED	PERIODICALLY DURING TASK LISTED
I. Installation of open-web steel joists		
and joist girders.		
a. End Connections - welding or bolted	-	Χ
b. Bridging - Horizontal or diagonal		
1. Standard bridging.	-	X
2. Bridging that differs from the SJI		
specifications listed in Section 2207.	1 -	x

	ONS: DNS ARE AS SHOWN IN THE CONTRACT S WITH THE FOLLOWING EXCEPTIONS:
@	AT
&	AND
AR	ANCHOR ROD
ADDN	ADDITION OR ADDITIONAL
AHU	AIR HANDLING UNIT
ADDL	ADDITIONAL
ANCH	ANCHOR
APPROX	APPOXIMATE
ARCH	ARCHITECTURAL
BLDG	BUILDING
BM (S)	BEAM (S)
BO	BOTTOM OF
BOT	BOTTOM
BRDG	BRIDGING
BRG	BEARING
BTWN	BETWEEN
C CANT	CHANNEL
CIP	CANTILEVER CAST-IN-PLACE CONCRETE
CJ	CONSTRUCTION/CONTROL JOINT
CJP	COMPLETE JOINT PENETRATION
CL	CENTERLINE
CMU	CONCRETE MASONRY UNIT
COL	COLUMN
CONC	CONCRETE
CONN(S)	CONNECTION (S)
CONST	CONSTRUCTION
CONT	CONTINUOUS
db	BAR DIAMETER
DBA	DEFORMED BAR ANCHOR
DET	DETAIL
DIA	DIAMETER
DWA	DEFORMED WIRE ANCHOR
DWL (S)	DOWEL (S)
DWG (S)	DRAWING (S)
EA	EACH
EE	EXTENDED END
EJ	EXPANSION JOINT
EL	ELEVATION
ELEV	ELEVATOR
EMBED	EMBEDMENT
ENGR	ENGINEER EDGE OF SLAB
EOS EOD	EDGE OF DECK
EQ	EQUAL
EQUIP	EQUIPMENT
EQUIV	EQUIVALENT
EW	EACH WAY
EXIST	EXISTING
EXP	EXPANSION
EXT	EXTERIOR
FA	FACE
FAB	FABRICATE
F'c	28 DAY CONCRETE STRENGTH
FD	FLOOR DRAIN
FDN	FOUNDATION
FIN	FINISH (ED)
FL	FLOOR
FS	FAR SIDE
FTG	FOOTING
FV	FIELD VERIFY
FY	YEILD STENGTH
GALV	GALVANIZED
GEN	GENERAL
hgr	HANGER
Horiz	HORIZONTAL
HSA	HEADED STUD ANCHOR
HSS	HOLLOW STRUCTURAL SHAPE
INT JT	INTERIOR
k	KIPS
KSF	KIPS PER SQUARE FOOT
2L	DOUBLE ANGLE
L	ANGLE
LLBB	LONG LEG BACK TO BACK
LB (S)	POUND (S)
Ld	DEVELOPMENT LENGTH
LLH	LONG LEG HORIZONTAL
LLV	LONG LEG VERTICAL
LWC	LIGHT WEIGHT CONCRETE
MAS	MASONRY
MAX	MAXIMUM
MC	MOMENT CONNECTION
MECH	MECHANICAL
MEZZ	MEZZANINE
MFR	MANUFACTURE (R)
MIN	MINIMUM
MISC	MISCELLANEOUS
NIC	NOT IN CONTRACT
NTS	NEAR SIDE NOT TO SACLE
NWC	NORMAL WEIGHT CONCRETE
OC	ON CENTER
OPG(S)	OPENING (S)
OPP	OPPOSITE
OH	OPPOSITE HAND
PC	PRECAST CONCRETE
PCF	POUNDS PER CUBIC FOOT PLATE
PL PLF	POUNDS PER LINEAR FOOT
PRELIM	PRELIMINARY
PSF	POUNDS PER SQUARE FOOT
PSI	POUNDS PER SQUARE INCH
PT	POST-TENSION (ED)(ING)
QTY	QUANTITY
RAD / R	RADIUS
RE / REF	REFERENCE
REINF	REINFORCEMENT
REQD	REQUIRED
REV	REVISION
RTU	ROOF TOP UNIT
SC	SHEAR CONNECTOR (S)
SCHED	SCHEDULE
SECT	SECTION
SHT	SHEET
SIM	SIMILAR
SLBB	SHORT LEG BACK TO BACK
SPA	SPACE (ING)
SPEC	SPECIFICATION (S)
SQ	SQUARE
STD	STANDARD
STL	STEEL
STIR	STIRRUP
STRUCT	STRUCTURE
SYM	SYMMETRICAL PLATE THICKNESS
THRD	THREADED
T&B	TOP AND BOTTOM
TO	TOP OF
TOC	TOP OF CONCRETE
TOM	TOP OF MASONRY
TOS	TOP OF STEEL
TYP	TYPICAL
UNO	UNLESS NOTED OTHERWISE
VERT	VERTICAL
W	WIDE FLANGE
WGT	WEIGHT
WP	WORK POINT
WT	STEEL TEE SECTION
WWR	WELDED WIRE REINFORCEMENT
X-STR	EXTRA STRONG
XX-STR	DOUBLE EXTRA STRONG


SYMBOLS AND NOTATIONS MOMENT CONNECTION	SHEAR (k) / AXIAL (k) SHE MOMENT (kft) MOM
	SHEAR (k)
BEAM SPLICE	_
COLLECTOR BEAM AXIAL CONNECTION (TENSION OR COMPRESSION, 15k MIN WHERE AXIAL LOAD NOT INDICATED PER PLAN)	SHEAR (k) / AXIAL (k) SHEAR (k
COLUMN CENTER LINE	(#)
CMU	SECTION
COMPOSITE BEAM	NUMBER OF SHEAR CONNECTORS FOR UNIFORM SPACING LEFT END VERT 12k W16x26 (18) c=1/2" REACTION (5) (8) (KIPS) NUMBER OF SHEAR CONNECTORS FOR POINT LOADING (IF APPLICABLE)
CONCRETE	SECTION
EARTH (UNDISTURBED)	
FLOOR OR ROOF SLOPE	
FLOOR STEP IN ELEVATION	
GRAVEL	
STRUCTURED SLAB OR METAL DECK SPAN DIRECTION	
PRECAST CONCRETE	SECTION
GROUT	SECTION
ROCK	SECTION
TOP OF STEEL ELEVATION FROM NOTED TOS	<+2 1/2"> OR <-2 1/2">
WELDED WIRE REINFORCEMENT	
KEYNOTE MARK	#
COLUMN MARK	C#
FOOTING MARK	
CONCRETE COLUMN MARK	CC#
STEEL BRACED FRAME BAY	
MATCHLINE	MATCHLINE
REVISION MARK	
CROSS REFERENCE	DETA S3.1 SHEE
DETAIL REFERENCE	12 S3.1
DETAIL OR WALL SECTION	12 S3.1
FRAME OR SHEAR WALL ELEVATION	12 \$3.1
ELEVATION DATUM MARK	FLOOR 100'-0"
FLOOR OPENING	
ARCHITECTURAL EXTERIOR/CLADDING LINE	

SYMBOLS AND NOTATIONS

DEVELOPMENT SERVICES LEE'S SUMMIT, MISSOURI
© DLR Group Missouri State Certificate of Authority #000939
MUMBER MUMBER MUMBER MUMBER
LEE'S SUMMIT RIDDLE SCHOOL #4 LEE'S SUMMIT R-7 SCHOOL DISTRICT LEE'S SUMMIT R-7 SCHOOL DISTRICT 1001 SE BAILEY ROAD LEE'S SUMMIT, MO 64081 LEE'S SUMMIT, MO 64081 LEE'S SUMMIT, MO 64081 LEE'S SUMMIT, MO 64081 LEE'S SUMMIT, MO 64081
13-20102-00 STRUCTURAL NOTES




SCALE: 1/32" = 1'-0"






020 4:31:56 PM





SCALE: 1/8" = 1'-0"






NORTH GRID GEOMETRY







I I
































 \square























FOUNDATION PLAN - AREA G





@ 8" OC.










			E		E.3)	E.8		F			
13' - 0"		29' - 0"		10' - 0"	192' - 0"	3' - 0"	10' - 0"			33' - 0"	
			6 1/2"	25K W1	6x31 [20]	25K	W16x31 [16			W18x35 [16]	35
14	+		[12] 25K	45K	11 S6.2 W18x40	V14x22 [8]	10K	10К 10К 5 45К 40К	- 0 ₋	W18x40 [40] c=3/4	4 0K
			25K18x35	40K		[35] c=3/4		K [32] 40K	- 0" 8	W18x35 [35] c=3/4	22 S6.2 40
22	+ 		14 54.5 13 14 14 14 14 14 14 14 14 14 14			[35] c=3/4	CS-1	40K 35K	,,,,,,,,	W18x35 [35] c=3/4	35K
.5 4x22 [10] 10K	25K	W16x31 [14]	-1' - 11/2" 55K_W18x35	= 35K	W16x31	[28] c=3/4	1	≚S 35K 35K		W16x31 [16] c=3/4	35
4x22 [10] ^{15K} 4x22 [10] ^{15K}	25K	W16x31 [14]	755 757 757 757 700 700 700 700 700 700	30К		[28] c=3/4	30	30K W18x35 [16] 30K 30K		W16x31 [16] c=3/4	30K
4x22 [10] 15K 4x22 [10] 15K 4x22 [10] 15K 愛	25K	W16x31 [14] W16x31 [14]	45K	15KW14x22 [10]15K 품	2] 10K	W18x352	<u>41</u> S4.5	ĸੈਙੈ । 30K = ᡱ ┨ 	1' - 0"	W18x35 [38]	40K 34 54.2 W 4x22 [10
15 S6.2 4x22 [10] 15K		W16x31 [14]	W18x35	15K 15K 15KW14x22 [10] 15K	10K 10K222	34 S4.2 1'-0"					10K 10k
ې ۱4x22 [10] 15K کې	30K	W16x31 [14]	45K 45K	15K W16x3 [16] ^{15k}	5' - 7" W16x31	30K/150 K-FT					8" 10K 1 5'-7" 1 W14x22 10K 10 64.5
4x22 [10] ^{15K}	<u>30K</u>	W16x31 [14]	8x35 [1	W16	W14x22LJ 10K 10K 27X4LA					, ,	V18x35 24 20K YP S4.2
4x22 [10] 15K	30K	W16x31 [14] W16x31 [14]	45K	15K W14x22 [10] 15k	10K 10K ⊻	W18x35		30K 11		<u></u>	25K/110K-FT 44 YP \$4.2 25K
115K		W16x31 [14]	cs-1 115K	15K W14x22 [10] 15k		W16x26		25K 35K		13 S6.2 W16x31 [28] c=3/4	3
4x22 [10] 15K		W16x31 [14]	30K ਹੁ	15K W14x22 [10]15k	с_25К	W16x26	[12]	25K 35K		W16x31 [28] c=3/4	35
4x22 [10] 15K 4x22 [10] 15K 4x22 [10] 15K		W16x31 [14]	W24x55	15K W14x22 [10] [9] 15K 93 15K 93 15K W14x22 [10]	25K 25K	W16x26		K [Z] 35K 18X/ZM K 35K		W16x31 [28] c=3/4 W16x31 [28] c=3/4	35K
\frown	30K	W16x31 [14]	30K	15K 15K W14x22 [10] 15K		W16x26	[12]	25K 35K		W16x31 [28] c=3/4	33
25 S4.5 V14x22 [10] 10K 4x22 [10] -10K		W16x31 [14]		15K W14x22 [10] 15k		S6.2 W18x35 [30] c=3/4		20K 25K		W18x35 [30]	S4.5 25
4x22 [10] 15K	25K ₽ ₽	31 S6.2 W16x31 [14]	25K 25K 30K 30K	 40К 	W18x35	[30] c=3/4		40K 35K	5' - 10''	TY W18x35 [30] c=3/4	′P ◀ 35
15K											

PROVIDE 22/S5.1.





E







(c									E	.3)	E			F		
	- - ■	13' -				29' - 1	0"		10'-()"	¦1 ∎	3' - 0"	<u>10</u>)' - 0"	/ 		33' - 0"
		10K W14x2			25K			کی 12 25K	15K W14x22	(10) 15K		14 S6.2 W18x38	5 <u>[16]</u>	20K	_25K		W18x35 [30
	- (W14x22	<u> </u>		25K	W18x35			25K		W18x35	[30] c=3/4		25K	E		W18x35 [16]
8"- 44			25 مت 4.5 تم [10]	Xg2 15K	25K 25K 2	31 S6.2 W16x31		25K 59 30K	 40K		W18x35	[30] c=3/4		¥511 40K	35K	5' - 10"	W18x35 [30] d
44 54.2		W14x22	[10]	15K	5									נו		7' - 1"	TO SLAB 115' - 0"
₩ <u>18x35[1</u> 1 0K35k		K W18x35	تى - [10]	15K	зок <u>/</u>	W16x31	[14]	30K 2024x68	40K		W18x35	[30] c=3/4		40K [25]	35K		W18x35 [30] o
10K 35K 5' - 6" 14x22 [1	W21X44	W14x22	, - 2" 10]	W21x50	зок	W16x31	[14]	> 30K	40K		W18x35	[30] c=3/4		> 40K	35K	- ī-	W18x35 [30] o
			6' - 2"	15K X <u>5</u> 2	3015			Xigot 30K	 45K					115K	0514	"0 - "7	
-	15K	W14x22	[10]	15K		W16x31	[14]			20K	W18x35	[50] c=3/4	1	40K	35K		W16x31 [30]
	\uparrow	W14x22		15K	30K	W16x31	[14]	а 30К	W14x22	[10]	25K	W14x22	[16]	25K	35K	6' - 0"	W16x31 [30] d
			6' - 0"	R					15K	15K 741V	35K	32 S6.2		46x81W X06		6' - 0"	
40K 92	-	W14x22	[10] 15		_30K	W16x31	[14]	30K	W14x22	15K	⋬ ॱ ═══		[25]	25K m	35K		W18x35 [38
92.47CM 45K	15K	W14x22	.9 [10]		30K	W16x31	[14]	30K 30K	W14x22 15K	22 [10] [1]	V14x22 [10	$\begin{pmatrix} 34\\ 842 \end{pmatrix}$		41	 		
45K	_ _15K	W14x22	.+ 6. [10]	15K	30K	W16x31	[14]	30K	W14x22	15K	10K 10K <u>5'-7"</u> V14x22 [10	-1' - 0"					
ـــــــــــــــــــــــــــــــــــــ			6' - 4"	90K				<u> </u>	15K	15K		[_],					
45K	T	W14x22	[10]	15K	30K	W16x31	[14]	30K	W16x31 15K		W16x31 [1 40K/150K-F		 - 		, 		
45K	15K	W14x22	6, - 4 [10]		30K	W16x31	[14]	30K . 7	W14x22								
1021 4347CM 45K			6' - 4"	18x35 [18]	2014			V24x68 [2	15K	15K [1]	10K 10K	M22 [10]		\wedge			
45K		W14x22	[10] 15		30K	W16x31 _7' - 1" CONFIRM SUPPLIER			W14x22 15K	[10] 15K	V14x22 [10 10K 10K	13 (S4.			 		
45K	15K	W14x22	مت [10]	ک <u>ح</u> 15K		11 3/4" W16x31	[14]	یخ 35K	W14x22		<u>30K</u> [♀]	W18x35			30K		W18x35 [30] (
			6' - 0"	110K		[22] [4]			15K	15K T 15K					2514		
45K	15K	W14x22	. 0 -	15K	81- 6" CONFIRM WI	W16x31 32K W 1 0 3/4 2	16x31 [14]	35K	W14x22	[10] 15K	25K	W16x26	5 [16]	25K	35K		W16x31 [30]
45K		W14x22		15K	W16x31 [14]	- W16x31	[14]	35K	W14x22 15K	15K	25K	W16x26	5 [16]	25K	35K		W16x31 [30]
ین 45K		W14x22	.0 9 [10]	ال 15K	35K 51 35K 54.2 T	← YP W16x31	[14]	15 35K [9]		[10] [10] [10]	25K	W16x26	6 [16]	ଞ 25K ତ୍ରି	35K		W16x31 [30]
9277CM 45K	15K	W14x22	0" - 02 [10]	75 W24x62	35K	W16x31	[14]	95×42W 35K	15K W14x22	15K_99 M24x55 [10]	25K	ଞ W16x26	[16]	25K 25K	35K		W16x31 [30]
	-		- - - - -			TO SLAB 11	5' - 0"		15K	15K							
45K	15K	W14x22	[10]	15K	35K	W16x31	·	35K	W14x22 15K	[10] 15K	25K	W16x26		25K	35K		W16x31 [30]
35K	=15K	W14x22	0- 9 [10]	110K	35K	W16x31	[14]	35K	W14x22	Y001	25K	¥18x35		25K	_35K		W16x31 [30]
<u>×</u> 5' - 4"		-:	[10]	10K			['']	150K	15K	15K				150K			
W 14x22 [1 10K 10F	- 15K	₩14x22		15K	یہ 35K	W16x31	[14]		40K		W18x35	[30] c=3/4		40K	35K		W16x31 [30]
W 14x22 [1 10K 10K	^{0]} 15K	₩14x22	[10]	15K													














С			(D					$\left(\right)$	E	E		(E.8	(F			
,		13' - ()"	-		29' - 0				10' - ()"	· · · · ·	13' - 0"	10' -	0"	-			33' - 0"
35K		V14x22	[10] 15K	35K		W16x31	[14]		35K	W14x22	(10) [10]	25K	W18x3	35[16]	25K	_35K		W16x3	31 [30] c=1
5' - 4" , 5' - 4"			110K	+					150K	15K	15K				150K				
14722 110	15K	V14x22	[10] 15K	35K		W16x31	[14]			40K		W18x35	[30] c=3/4		40K	35K		W16x3	31 [30] c=1
14x22 [10]	•		[10] 15K	Δ	6' - 0"														
10K 10K	4'-9"		12511			W16x31	[14]	:	35K			W18x35	[30] c=3/4		40K 🞅			W16x3	31 [30] c=1
18x35 [10 10K=35K		V18x35	[10] <u>5</u> 15K 7		0. - 0.				W24x76	•-1 CS-1		1			W24x76	0514			
68 [24]		V14x22		35K	<u> </u>	W16x31	[14] TO SLA	B 115' - 0"		40K		W18x35	[30] c=3/4		40K	35K	T	W16x3 O SLAB 115'	31 [30] c=1
	15K + - - <u>-</u> -			35K	6 - 0	W16x31		P		40K		W18x35	[30] c=3/4		40K	35K			31 [30] c=1
8"		V14x22							150K							-			
ي 25K	دم تۍ 15K ۷	V14x22	[10] 15K	ل _{35K} کر	, •	W16x31	[14]		35K			W18x35	5 [50] c=1		40K	35K		W16x3	31 [30] c=1
Zok Zok		\sim		مر آ	6' - 0"	<u>n</u>			90K		10] 20K				[12]	30K			
45K	15K V	V14x22	[10] 15K	30K	<u> </u>	W16x31	[14]			15KW14x22	 [10] 15K 発		W16x26 [1	6] c=3/4	25K දූ බ	35K		W16x3	31 [30] c=1
[-	Ļ	6' - 0"				5] c=3/4		>	30K	51 S6.2		oek S	30k			
	15K V	V14x22	[10] 15K [27]	30K		W16x31	[14]		30K 달 30K 달	15KW14x22	[10] S2K	五 一 一 一 一 一 一 一 一 一 一 一 一	<u>W18x35</u>			30K		W1	8x35 [38]
M24x76		N4 4-200	W21x	2014	6' - 4"	W40-24	[4 4]		W21	45141414-00	[10] [N			41)		1- 0		(
45K		V14x22	[10] 15K	30K	=.	W16x31	[14]		30K	15KW14x22				S4.5					
45K	15K V	V14x22	[10] 15K	30K	6' - 4	W16x31	[14]		30K	15KW14x22	\$	Ś							
					-4 							10K 10K		<u> </u>					
45K	15K V	W14x22) [10] 15K	30K	-9	W16x31	[14]		ЗОК	15K W16x1	<u>کر کر از ان </u>	W16x31		 					
				Ī	- 4"				45K	۲ [^{15K} کچ	30K/150K-FT	ř A						
	15K V	V14x22	[10] 15K	30K	<u>6</u>	W16x31	[14]	3		15KW14x22	[10]								TYP 34
W24x55			WI18x35		6' - 4"				W24x68		15K 92 M	10K 10K 22X W14X22							S4
45K	15K V	V14x22	[10] 15K	30K		W16x31	[14]		30K	15KW14x22	[10]15K	W14x22 10K 10K		13		$\frac{1}{1}$			
60K			45K		6' - 4"				45K		25K		S	4.5					
50K	15K V	V14x22	[10] 15K	35K		W16x31	[14]			15KW14x22	[10]15K	Ļ	W18x35	[[16]	25K	30K	$\langle \cdot \rangle$	W18x35	5 [30] c=3/4
130K		7	254		7' - 6"				90K		90K			5	0- /		Ŭ		
50K	15K V	V14x22	[10] 15K	35K	_	W16x31	[14]		35K	15KW14x22	[10]15K	30K	W18x35	[16]	30K	40K		W18x3	5 [30] c=3/4
			W18		- 6"	TO SLAB 115' -	0"							5 7	0				
50K 1	<u>15K V</u>	V14x22	[10] 15K	35K		W16x31	[14]		35K 빈	15KW14x22	[10] ⁵ 15K [20]	30K	W18x35	[16]	30K 4	40K		W18x35	5 [30] c=3/4
×76 [67		<u> </u>	50K		6' - 0"				55 [50]		x55 [5			5	0 [02]				
20K W24x76	15K V	V14x22	-````	•		W16x31	[14]			15KW14x22	[10] X	30K	W18x35	[16]	30K 278		i	W18x38	5 [30] c=3/4
			35 [20]		7' - 0"									5			eS-1		
50K	15K V	V14x22	[10] 15K	35K		W16x31	[14]		_35K	15KW14x22	[10]15K	30K	W18x35	[16]	30K	40K		W18x3	5 [30] c=3/4
130K	ວ້		35 S4.5		7' - 0"			33 S4.5	90K		90K		52 S6.2	5	0		Ш		
	15K <u></u> V	V14x22	[10] 15K	25K		W16x31	[14]	34.3		10KW14x22	[10]10K	_20K	W18x35	[16]	20K	25K		W18x3	5 [30] c=3/4
	10K	W14x2	22 10K-							E		V	V18x40			F	*		W18x76
	11 14x22 1' - 5	M14x22 10		77	•					 		 		 					42 S6.3
6 1/2"-		44 59.2	CS-1 42 EQ																
	الج 10K		S4.7 章 10K							1 		1 							
	IUIX		IUN	8"															
	<u> </u>		17)																(
																			(





















56/S4.2 AND 51/S5.1 PROVIDE 22/S5.1.
















PROVIDE 22/S5.1.


 $\langle \rangle$








			E) (E	.3)	(E.8) (F		
13' - 0"		29' - 0"	10' - 0"	13' - 0"	10' - 0"		33' - 0"
		PROVIDE MC6x12 IN	<i>₹</i> •	f 	- 1 - 1		
10KSP	45K	BELOW STAIR STRINGERS 등 겉 축	10KSP	14 S6.2	KSP Y Yg		30KSP
W14x22 (+ 2 1/2")	10K	(+ 2 1/2")	10K W14x22 10K (+ 2 1/2")	(+	N16x40 10K + 2 1/2") 15K		W18x35
W14x22 (+ 2 1/2") 5" JOIST SEA]	(+ 2 1/2") 31 56 2 5		W21x44 (+ 2 1/2")			W21x44 (+ 2 1/2")
AT GRID C				30KSP	100 130'		<u>30KSP</u> کې 30KSP
12KSP	4	30KSP	 	30KSP 30KSP		k	30KSP
12K3F	W21x44	30KSP 88	34 S6.2	30K7			30K7
12K1		30K7		30K7		i	30K7
	101/		2 15K		ي ۲5K	 15K	
<u>W14x22</u> (+ 2 1/2") 10K1	10K	10K W14x22 10K (+ 2 1/2") 26K5 0	10KSP 2	W18x35 (+ 2 1/2")	22KSP		W16x26 (+ 2 1/2") 30KSP
(+ 2 1/2") 10K1	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	26K5	10KSP 10KSP 10KSP 10KSP 10KSP	10K	6x26	15K 1	W24x55
W14x22	10K	_10K10K10K	10K W14x22	10K W16		15K/15K	(+ 2 1/2") W21x44 15K/
(+ 2 1/2") 10K1	W21x44	(+ 2 1/2") 26K5		23			(+ 2 1/2")
10K1		26K5	(+ 2 1/2") 10K W12x19 10K	S5.5 S1 T			S5.5
		26K5	(+ 2 1/2") 				
10K1		26K5		 	- +		
10K1		26K5	10K W12x19 10K	7 1/2"			7
10K1	W16x26	26K5	(+ 2 1/2") 10K W12x19 10K	(+ 2 1/2")			
10K1		26K5	(+ 2 1/2") 10K⊴ _{W12x19} 10K	24			23
W14x22	<u>10</u> K	– HOIST BEAM 15K W16x26 15K	(+ 2 1/2") 适 10K10K	S5.5	15K	₽ ₽ 15K	S5.5
(+ 2 1/2")	EQ.	(+ 2 1/2")	+ (+ 2 1/2") کے ا	(+ 2, 7			(+ 2 1/2")
10K1	EQ EQ	52 62 10K W16x26 10K 8% 10 (+ 2 1/2") 10K 10K	10KSP		₩24x55 († 2 1/2") ₩	15K	W24x55 (+ 2 1/2")
S5.5 10K1	EQ	15K	0 10KSP		22KSP		30KSP
10K1		9' - 0" 26K5	10K1		22K4		30K7
10K1	W24x55	26K5	10K1	2 	29×77 22K4		30K7
10K1		26K5	10K1	·	22K4		30K7
10K1		26K5	10K1		22K4		30K7
W14x22	40K	ੂਟੋ 15K W14x22 15K	ੱਛ 10K W14x22 10K	S	33 6.2 W16x40 资	15K/20K	W16x26 15K/2
(+ 2 1/2")	35K	(+ 2 1/2") د 26K5	(+ 2 1/2") -	E● 26K7	(+ 2 1/2") ● (+ 2 1/2") ¥S		(+ 2 1/2") 26K7
	35						
10K1		26K5		26K7			26K7













												<u>_</u>	$\widehat{}$	\sim		$\overline{\gamma}$	\frown		$\overline{\gamma}$	$\widehat{}$	\frown	\sim	$\overline{\gamma}$
ĒŖ	EF.	W18	5F x35	ङ्ग् ₃₅	TE									34 \$5.8								F •	
70 ₀ 35K 724, 5' - 9"	7/2 m 🕖 5' - 5	9"	5' - 8"	5' - 9"	10K	45K 45K	4' - 7"	4' - 7"	W18x76	4' - 8"	4' - 7"	45K ¥01,¥07 4' - 8"	● <u>{</u> 15K/2 5' - 0"	25K	5'-0	"	W21x4 W21x4 Y5[//X51 5' - 0"	5' - 0"	4' - 2"	4' - 1 "	K/25K 15K/10K 4' - 2"	● 10K/20K 4' - 11"	4' - 10"
(+ 2 1/2") 18KSD		18KSP	18KSP		W16x40	(† 2 1/2) 18KSP	18KSP	18KSP	18KSP	18KSP	dSX81 RD-1	Jevin	(+ 2 1/2") 2014.5D		ZOKSP	20KSP		(+ 2 1/2) ЭЛК SD	18KSP	20KSP	16x40	(+ 2 1/2") 20KSP	20KSP
\sim	\downarrow		\sim	W27x8	10K		\checkmark	\searrow	50K	15K	W16x31	15K				21 42' - 0"				3		41	5
4'-6"					√ ₹ -		$\langle \rangle$	$\overline{\gamma}$		R	Tos'		→ 30K/20		<u>W16x</u>	40	10K 15K/15K	30K/20K				S5.7	
	11 56.3	14KSP	16K3		W 18X5U (+ 2 1/2")	16K3	* 16K3	16K3	1 6K3				Ed. Sol			tks A		(+ 2 1/2					
E COK			$\sum_{i=1}^{i}$		1 × 84		\sim	$\sum_{i=1}^{n}$			W16x31		30K		+ 	0	10K			_		4	
								,- ,	4' - 0"	 	C	123.5"					\bigcirc					BASKETBA 2,000 LBS	
<u>3' - 10</u>	" 																						
W18x40 (+ 2 1/2") 30KSD		30KSP	30KSP		30KSP	30KSP	30KSP	30KSP	30KSP	30KSP	30KSP	30KSP	30K2D		30KSP	30KSP 42' - 0"	30KSP			· _			
					_			RD-1		 											B 2	ASKETBALL ,000 LBS	
20K							-		-				33				<u>\$5.7</u>		60DLH18		60DLH18		60ULH18
<u> </u>				W2	7x84				1 7015			<u></u>	S5.8				<				- JOIST - JOIST CAME	DESIGNER WITH 1/2 ST BER TO ALLC	TO DESIGN TANDARD DW FOR
, 3' <u>-</u> 10					_			105 12. S	<u>1</u> 11	15K _		— — W18	x35 — -			- 5" 5' - 5"	· · · · · · · · · · · · · · · · · · ·] 15K			ROOF		
								×		15K 15K		W18 W18				29' -50"_ 4" 5'		15K 15K		<u>8' -</u> 0"		8' - 0"	8
W18x35 (+ 2 1/2") 28KSD		28KSP	28KSP		28KSP	28KSP	28KSP	28KSP		15K,05	5130 ⁻⁵	W18		<u> </u>		5' - 4"	× rc	8 137, 15K?*		3' - 0 1/4" 			
								42 \$57		15K		W18	x35	RD-1		4" 5' - 4 3/8"		15K ○				(4) BASKETBAL 2,000 LBS 	L
<u>کت</u> 45K				W24>	(68	•		€ Og	² ζ ₂ , ³ <i>ο</i> ₇ , 40K			W18				 5' - 5 ^{6' -} 6" 5' \$	3	15K 3 7 15K		· -		+	
		2.5K2 /1	2.5K2	W16x31	2.5K2	2.5K2	2.5K2/	2.5K2		-15K-		W18	x35		•	2- 2"		<u>−</u> 15K					
/						44 S5.8			158						12 S5.7		<u> </u>						
																						DRAWII BLOCK PRECA	IIT PER ELE NGS. PROV OUT IN WE ST DOUBLE 25/S4.9 —
										' 												' 	
	2	6' - 0")	18'	- 4"	(1	 *)	13' - 11"	(24' - 3'	1		(0	7'-6	 	<u>5' - 8"</u>	 	
										-			-						-	<i></i>		-	




NORTH


PROVIDE 22/S5.1.










56/S4.2 AND 51/S5.1 2 PROVIDE 22/S5.1.



























	SLAB ON GRADE SCHEDULE
MARK	DESCRIPTION
S-1	4" NORMAL WEIGHT CONCRETE SLAB-ON-GRADE W/ 6x6-W2.1xW2.1 WELDED WIRE REINF ON 15 MIL VAPOR BARRIER OVER 4" GRANULAR FILL
S-2	6" NORMAL WEIGHT CONCRETE SLAB-ON-GRADE W/ #4 @ 16" EW REINF ON 15 MIL VAPOR BARRIER OVER 4" GRANULAR FILL


















RELEASE FOR








360://13-20102-00 Lees Summit Middle School 4/13-20102-00_Lee's Summit Middle School 4_ST_


















20
_ST_20
ω, t
ō
с Чо
Ň
dle
Mio
nit
Ĩ
ິ
e's Sumr
Ψ
8
13-20102-00_L
01
3-7
4/1
shool 4/13
ç
1iddle Sch
ddl
Ξ
ц.
nn
ŝ
Lee
8
://13-20102-00 L
010
3-2
://1

COLUMN T PLATE . SEE BRACING	SHEAR CONNECTION PER STEEL SUPPLIER. GRAVITY REACTION IS SHOWN ON PLAN.	3/8" STIFFENER PLATE EACH SIDE WORKING POINT	9 3/16
IONS		CL OF BEAM	
EXTEND BASE PLATE AS REQUIRED TO ATTACH TO GUSSET PLATE. FINAL BAS PLATE SIZE PER STEEL SU	SE SLOT BRACE	STEEL COLUMN. SEE PLAN SLOT BRACE	
	STEEL BRACE. SEE ELEVATION	STEEL BRACE. SEE ELEVATIONS BOLTED CONNECTION	
ION-SHRINK GROUT	NOTE: MIRROR CONNECTION WHERE BRACE OCCURS ABOVE	GUSSET PLATE	90.00°
NG POINT OR BOLTS PER	TYP HSS BRACE CONNECTION DETAIL	MIRROR CONNECTION WHERE BRACE OCCURS ABOVE	
	S6.1 SCALE: 1" = 1'-0"	S6.1 SCALE: 1" = 1'-0"	


3/16 STEEL BEAM. SEE PLAN


> GUSSET PLATE SLOT BRACE


STEEL BRACE. SEE ELEVATIONS





I.
























(18)



I.