

HARDWARE SET 01

EACH TO HAVE:

QT		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
Y						
1	EA	CONT. HINGE	112XY EPT		628	IVE
1	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	ELEC PANIC HARDWARE	RX-LC-QEL-99-L-NL-06-CON 24 VDC		✓ 626	VON
1	EA	RIM CYLINDER	20-057 ICX		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	CUSH SHOE SUPPORT	4040XP-30 SRT		689	LCN
1	EA	BLADE STOP SPACER	4040XP-61 SRT		689	LCN
1	EA	RAIN DRIP	142AA		AA	ZER
1	EA	DOOR SWEEP	8197AA		AA	ZER
1	EA	THRESHOLD	65A-223		A	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	POWER SUPPLY	PS902 900-2RS-FA 120/240 VAC		✓ LGR	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1			WEATHERSTRIP BY DOOR/FRAME MANUFACTURER			
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ENTRY VIA VALID CARD READ. ALWAYS FREE FOR EGRESS.

EACH TO HAVE:

ALWAYS FREE EGRESS.

HARDWARE SET 02A

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW NRP		630	IVE
1	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	ELEC FIRE EXIT HARDWARE	RX-LC-QEL-99-L-NL-F-06-CON 24 VDC		✓ 626	VON
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	FLOOR STOP	FS444		626	IVE
1	EA	RAIN DRIP	142AA		AA	ZER
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	DOOR SWEEP	8197AA		AA	ZER
1	EA	THRESHOLD	65A-223		A	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	POWER SUPPLY	PS902 900-2RS-FA 120/240 VAC		✓ LGR	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA VALID CARD READ. ALWAYS FREE EGRESS.						

HARDWARE SET 02B

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW NRP		630	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	ELECTRIC STRIKE	6211 FSE 12/16/24/28 VAC/VDC		✓ 630	VON
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	RAIN DRIP	142AA		AA	ZER
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	DOOR SWEEP	8197AA		AA	ZER
1	EA	THRESHOLD	65A-223		A	ZER
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA VALID CARD READ.
ALWAYS FREE EGRESS FROM ROOFTOP.

EACH TO HAVE:

HARDWARE SET 02D

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW NRP		630	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	RAIN DRIP	142AA		AA	ZER
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	DOOR SWEEP	8197AA		AA	ZER
1	EA	THRESHOLD	65A-223		A	ZER
1	EA	DOOR CONTACT	679-05		⚡ WHT	SCE

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA KEY. ALWAYS FREE EGRESS FROM ROOFTOP.

HARDWARE SET 02E

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW NRP		630	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	RAIN DRIP	142AA		AA	ZER
1	SET	GASKETING	429AA-S		AA	ZER

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA KEY. ALWAYS FREE EGRESS FROM ROOFTOP.

HARDWARE SET 03

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW NRP		630	IVE
1	EA	INSTITUTION LOCK	ND82PD RHO		626	SCH
2	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	FLOOR STOP	FS444		626	IVE
1	EA	RAIN DRIP	142AA		AA	ZER
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	DOOR SWEEP	8197AA		AA	ZER
1	EA	THRESHOLD	65A-223		A	ZER
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE

HARDWARE SET 04

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1HW NRP		630	IVE
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	COORDINATOR	COR X FL		628	IVE
2	EA	MOUNTING BRACKET	MB		689	IVE
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
2	EA	PROTECTION PLATE	8400 10" X 1" LDW B-CS		630	IVE
1	EA	RAIN DRIP	142AA		AA	ZER
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	MEETING STILE	383AA		AA	ZER
2	EA	DOOR SWEEP	8197AA		AA	ZER
1	EA	THRESHOLD	65A-223		A	ZER
2	EA	DOOR CONTACT	679-05		WHT	SCE
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

HARDWARE SET 05

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1HW NRP		652	IVE
2	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	ELEC FIRE EXIT HARDWARE	RX-LC-QEL-9927-EO-F-LBR- 499F-CON 24 VDC		✓ 626	VON
1	EA	ELEC PANIC HARDWARE	RX-LC-QEL-9927-L-LBR-06- CON 24 VDC		✓ 626	VON
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✓ BLK	LCN
1	EA	PRESENCE SENSOR	SUPERSCAN			BEA
2	EA	ARMOR PLATE	8402 34" X 1" LDW B-CS		630	IVE
2	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	ASTRAGAL (SET)	8193AA		AA	ZER
4	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
2	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	POWER SUPPLY	PS904 900-4RL-FA		✓ LGR	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. VALID CARD READ UNLOCKS AND OPENS DOORS. INSIDE ACTUATOR OPENS DOORS. ALWAYS FREE EGRESS.

HARDWARE SET 06- Not Used

HARDWARE SET 07- Not Used

HARDWARE SET 08

EACH TO HAVE:

QT		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
Y						
2	EA	CONT. HINGE	224XY		628	IVE
2	EA	DUMMY PUSH BAR	330		626	VON
2	EA	TRIM	990-DT		626	VON
2	EA	DELAYED EGRESS MAG	M490DEP 12/24 VDC		✓ 628	SCE
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✓ BLK	LCN
1	EA	PRESENCE SENSOR	SUPERSCAN			BEA
2	EA	ARMOR PLATE	8402 34" X 1" LDW B-CS		630	IVE
2	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	ASTRAGAL (SET)	8193AA		AA	ZER
1	EA	MOTION SENSOR	SCANII 12/24 VDC		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: PULL SIDE: APPROACHING DOOR UNLOCKS MAGNETS ALLOWING ENTRY. PUSH SIDE: VALID CR TEMPORARILY DISABLES DELAYED EGRESS MAG LOCK ALLOWING EGRESS AND ACTUATOR TO FUNCTION. WITHOUT VALID CARD READ ALARM WILL SOUND WHEN PUSH PAD IS DEPRESSED, THE DEVICE WILL PREVENT EGRESS FOR 15 SECONDS. DEVICE WILL DISARM IMMEDIATELY UPON FIRE ALARM.

HARDWARE SET 08A

EACH TO HAVE:

QT		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
Y						
2	EA	CONT. HINGE	224XY		628	IVE
2	EA	DUMMY PUSH BAR	330		626	VON
1	EA	DELAYED EGRESS MAG	M490DEP 12/24 VDC		✓ 628	SCE
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✓ BLK	LCN
1	EA	PRESENCE SENSOR	SUPERSCAN			BEA
2	EA	ARMOR PLATE	8402 34" X 1" LDW B-CS		630	IVE
2	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	ASTRAGAL (SET)	8193AA		AA	ZER
1	EA	MOTION SENSOR	SCANII 12/24 VDC		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: SECURE SIDE: APPROACHING DOOR UNLOCKS MAGNETS ALLOWING ENTRY.
 UNSECURE SIDE: VALID CR TEMPORARILY DISABLES DELAYED EGRESS MAG LOCK ALLOWING
 EGRESS AND ACTUATOR TO FUNCTION. WITHOUT VALID CARD READ ALARM WILL SOUND
 WHEN PUSH PAD IS DEPRESSED, THE DEVICE WILL PREVENT EGRESS FOR 15 SECONDS.
 DEVICE WILL DISARM IMMEDIATELY UPON FIRE ALARM.

HARDWARE SET **08B**

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	224XY EPT		628	IVE
2	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
2	EA	ELEC FIRE EXIT HARDWARE	RX-LC-QEL-9927-EO-F-LBR- 499F-CON 24 VDC		✓ 626	VON
1	EA	DELAYED EGRESS MAG	M490DEP 12/24 VDC		✓ 628	SCE
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✓ BLK	LCN
1	EA	PRESENCE SENSOR	SUPERSCAN			BEA
2	EA	ARMOR PLATE	8402 34" X 1" LDW B-CS		630	IVE
2	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	ASTRAGAL (SET)	8193AA		AA	ZER
1	EA	MOTION SENSOR	SCANII 12/24 VDC		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: SECURE SIDE: APPROACHING DOOR UNLOCKS MAGNETS ALLOWING ENTRY.
 UNSECURE SIDE: VALID CR TEMPORARILY DISABLES DELAYED EGRESS MAG LOCK
 ALLOWING EGRESS AND ACTUATOR TO FUNCTION. WITHOUT VALID CARD READ ALARM WILL
 SOUND WHEN PUSH PAD IS DEPRESSED, THE DEVICE WILL PREVENT EGRESS FOR 15
 SECONDS. DEVICE WILL DISARM IMMEDIATELY UPON FIRE ALARM.

HARDWARE SET 09- Not Used

HARDWARE SET 10

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	ELEC FIRE EXIT HARDWARE	RX-LC-99-L-F-M996-06-FS-CON		✓ 626	VON
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA VALID CARD READ.
ALWAYS FREE EGRESS. DOOR TO UNLOCK UPON FIRE ALARM OR LOSS OF POWER.

HARDWARE SET 10A

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	ELEC FIRE EXIT HARDWARE	RX-LC-QEL-99-L-F-M996-06-FS- CON 24 VDC		✓ 626	VON
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✓ BLK	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA VALID CARD READ WHICH ALLOWS ACTUTOR TO OPEN DOOR ON UNSECURE SIDE. INSIDE ACTUATOR ALWAYS ACTIVE. ALWAYS FREE EGRESS. DOOR TO CLOSE, LATCH, AND UNLOCK UPON FIRE ALARM OR LOSS OF POWER.

HARDWARE SET 10B

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✎ 689	VON
1	EA	ELEC FIRE EXIT HARDWARE	RX-LC-QEL-99-L-NL-F-06-CON 24 VDC		✎ 626	VON
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✎	SCH
1	EA	DOOR CONTACT	679-05		✎ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA VALID CARD READ.
ALWAYS FREE EGRESS. DOOR TO UNLOCK UPON FIRE ALARM OR LOSS OF POWER.

HARDWARE SET 10C

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✎ 689	VON
1	EA	DELAYED FIRE EXIT HARDWARE	CX9975-L-BE-F-06-CON 24 VDC		✎ 626	VON
1	EA	MORTISE CYLINDER	20-059 X K510-730		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✎	SCH
1	EA	DOOR CONTACT	679-05		✎ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: PULL SIDE - DOOR NORMALLY CLOSED AND UNLOCKED. PUSH SIDE - VALID CARD READ TEMPORARILY DISABLES CX DEVICE ALLOWING EGRESS. WITHOUT VALID CARD READ ALARM WILL SOUND WHEN PUSH PAD IS DEPRESSED, THE DEVICE WILL PREVENT EGRESS FOR 15 SECONDS OR LESS. DEVICE WILL DISARM IMMEDIATELY UPON FIRE ALARM.

HARDWARE SET 10D

EACH TO HAVE:

QT		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
Y						
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✎ 689	VON
1	EA	DELAYED PANIC HARDWARE	CX9975-L-BE-06-CON 24 VDC		✎ 626	VON
1	EA	MORTISE CYLINDER	20-059 X K510-730		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✎	SCH
1	EA	DOOR CONTACT	679-05		✎ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: PULL SIDE - DOOR NORMALLY CLOSED AND UNLOCKED. PUSH SIDE - VALID CARD READ TEMPORARILY DISABLES CX DEVICE ALLOWING EGRESS. WITHOUT VALID CARD READ ALARM WILL SOUND WHEN PUSH PAD IS DEPRESSED, THE DEVICE WILL PREVENT EGRESS FOR 15 SECONDS OR LESS. DEVICE WILL DISARM IMMEDIATELY UPON FIRE ALARM.

HARDWARE SET 10E

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	DELAYED FIRE EXIT HARDWARE	CX99-L-F-06-CON 24 VDC		✓ 626	VON
1	EA	RIM CYLINDER	20-057 ICX		626	SCH
1	EA	MORTISE CYLINDER	20-059 X K510-730		626	SCH
2	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: PULL SIDE - DOOR NORMALLY CLOSED AND LOCKED. ENTRY VIA VALID CARD READ. PUSH SIDE - VALID CARD READ TEMPORARILY DISABLES CX DEVICE ALLOWING EGRESS. WITHOUT VALID CARD READ ALARM WILL SOUND WHEN PUSH PAD IS DEPRESSED, THE DEVICE WILL PREVENT EGRESS FOR 15 SECONDS OR LESS. DEVICE WILL DISARM IMMEDIATELY UPON FIRE ALARM.

HARDWARE SET 10F

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	DELAYED PANIC HARDWARE	CX9975-L-BE-06-CON 24 VDC		✓ 626	VON
1	EA	MORTISE CYLINDER	20-059 X K510-730		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	ELECTRIC STRIKE	6300 FSE 12/24 VAC/VDC		✓ 630	VON
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✓ BLK	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: PULL SIDE - DOOR NORMALLY CLOSED AND UNLOCKED. ACTUATOR OPENS DOOR. PUSH SIDE - VALID CARD READ TEMPORARILY DISABLES CX DEVICE ALLOWING EGRESS/ACUATOR. WITHOUT VALID CARD READ ALARM WILL SOUND WHEN PUSH PAD IS DEPRESSED, THE DEVICE WILL PREVENT EGRESS FOR 15 SECONDS OR LESS. DEVICE WILL DISARM IMMEDIATELY UPON FIRE ALARM.

HARDWARE SET 10G

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	ELEC FIRE EXIT HARDWARE	RX-LC-QEL-99-L-NL-F-06-CON 24 VDC		✓ 626	VON
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✓ BLK	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA VALID CARD READ.
ALWAYS FREE EGRESS. DOOR TO UNLOCK UPON FIRE ALARM OR LOSS OF POWER.

HARDWARE SET 10H

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		✓ 689	VON
1	EA	ELEC PANIC HARDWARE	RX-LC-QEL-99-L-NL-06-CON 24 VDC		✓ 626	VON
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✓ BLK	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	WIRE HARNESS	CON (VERIFY LENGTH REQUIRED)		✓	SCH
1	EA	DOOR CONTACT	679-05		✓ WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ACCESS VIA VALID CARD READ WHICH UNLOCKS AND OPENS DOOR. INSIDE ACTUATOR OPENS DOOR. ALWAYS FREE EGRESS.

HARDWARE SET 11

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	<u>FIRE EXIT HARDWARE</u> (PANIC HARDWARE)	<u>99-L-F-06</u> (99-L-06)		626	VON
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 12

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1HWSC		652	IVE
2	EA	FIRE EXIT HARDWARE	9927-EO-F-LBR-499F		626	VON
2	EA	SURFACE CLOSER	4040XP EDA		689	LCN
2	EA	PROTECTION PLATE	8400 10" X 1" LDW B-CS		630	IVE
2	EA	MAGNET	SEM7850 12V/24V/120V	 ✎	689	LCN
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	ASTRAGAL (SET)	8193AA		AA	ZER

HARDWARE SET 13

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HWSC		652	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	ELECTRIC STRIKE	6211 FSE 12/16/24/28 VAC/VDC	 ✎	630	VON
1	EA	SURFACE CLOSER	4040XP RW/PA		689	LCN
1	EA	ARMOR PLATE	8402 34" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	DOOR CONTACT	679-05	 ✎	WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ENTRY VIA VALID CARD READ. ALWAYS FREE FOR EGRESS.

HARDWARE SET 14

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	ELECTRIC STRIKE	6211 FSE 12/16/24/28 VAC/VDC	 ✎	630	VON
1	EA	SURFACE CLOSER	4040XP RW/PA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	DOOR CONTACT	679-05	 ✎	WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ENTRY VIA VALID CARD READ. ALWAYS FREE FOR EGRESS.

HARDWARE SET 14A

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW NRP		652	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	ELECTRIC STRIKE	6211 FSE 12/16/24/28 VAC/VDC	 ✎	630	VON
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	DOOR CONTACT	679-05	 ✎	WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ENTRY VIA VALID CARD READ. ALWAYS FREE FOR EGRESS.

HARDWARE SET 15

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HWSC		652	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	ELECTRIC STRIKE	6211 FSE 12/16/24/28 VAC/VDC	 ✎	630	VON
1	EA	OH STOP	90S		630	GLY
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	ARMOR PLATE	8402 34" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	DOOR CONTACT	679-05	 ✎	WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ENTRY VIA VALID CARD READ. ALWAYS FREE FOR EGRESS.

HARDWARE SET 16

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	ELECTRIC STRIKE	6211 FSE 12/16/24/28 VAC/VDC	 ✎	630	VON
1	EA	OH STOP	90S		630	GLY
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	DOOR CONTACT	679-05	 ✎	WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ENTRY VIA VALID CARD READ. ALWAYS FREE FOR EGRESS.

HARDWARE SET 17

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HWSC		652	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	ELECTRIC STRIKE	6211 FSE 12/16/24/28 VAC/VDC	 ✎	630	VON
1	EA	AUTO OPERATOR	SW200I		689	BES
1	EA	ACTUATOR, TOUCHLESS	8310-813	 ✎	BLK	LCN
1	EA	PRESENCE SENSOR	SUPERSCAN			BEA
1	EA	ARMOR PLATE	8402 34" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	DOOR CONTACT	679-05	 ✎	WHT	SCE
1	EA	NOTE	CARD ACCESS BY SECURITY			B/O
1	EA	NOTE	LOW VOLTAGE POWER BY SECURITY			B/O
1	EA	NOTE	WIRING DIAGRAM BY SECURITY			B/O

OPERATION: DOOR NORMALLY CLOSED AND LOCKED. ENTRY VIA VALID CARD READ, RELEASING ELECTRIC STRIKE AND INITIATING AUTO OPERATOR CYCLE. ALWAYS FREE FOR EGRESS. EGRESS BY AUTO OPERATOR BY PRESSING INTERIOR ACTUATOR, FIRST RELEASING ELECTRIC STRIKE THEN INITIATING AUTO OPERATOR CYCLE.

HARDWARE SET 18

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	OH STOP	90S		630	GLY
			(AT 1E-317A ONLY)			
1	EA	SURFACE CLOSER	4040XP RW/PA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 19

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1HW NRP		652	IVE
1	EA	CONST LATCHING BOLT	FB51T		630	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
2	EA	CYLINDER	BY OWNER		626	SCH
2	EA	OH STOP	90S		630	GLY
		(INACTIVE LEAF)				
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	ASTRAGAL (SET)	8193AA		AA	ZER

HARDWARE SET 19A

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1HW NRP		652	IVE
1	EA	CONST LATCHING BOLT	FB52		630	IVE
1	EA	STOREROOM LOCK	ND80LD RHO		626	SCH
2	EA	CYLINDER	BY OWNER		626	SCH
1	EA	COORDINATOR	COR X FL		628	IVE
2	EA	MOUNTING BRACKET	MB		689	IVE
2	EA	SURFACE CLOSER	4040XP CUSH		689	LCN
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
2	EA	ASTRAGAL (SET)	8193AA		AA	ZER

HARDWARE SET 20

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		630	IVE
1	EA	CLASSROOM LOCK	ND70LD RHO		626	SCH
1	EA	SURFACE CLOSER	4040XP RW/PA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 21

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		630	IVE
1	EA	CLASSROOM LOCK	ND70LD RHO		626	SCH
1	EA	OH STOP	90S		630	GLY
1	EA	SURFACE CLOSER	4040XP RW/PA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 22

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	ENTRANCE LOCK	ND53LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 22A

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	ENTRANCE LOCK	ND53LD RHO		626	SCH
1	EA	CYLINDER	BY OWNER		626	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 23

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	PIVOT SET	7255 SET		626	IVE
1	EA	HOSPITAL PRIVACY	ND44S RHO		626	SCH
1	EA	RESCUE STRIKE	455 5-3/4		26D	HAG
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	MEETING STILE	8136 6" (152MM) PSA (APPLY AT GAP CREATED BY LOCK/STRIKE)			ZER
2	EA	SITE SEAL	398V		V	ZER

HARDWARE SET 24

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	PRIVACY LOCK	L9040 06A 09-544 L283-722		626	SCH
1	EA	SURFACE CLOSER	4040XP RW/PA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 25

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	PRIVACY LOCK	L9040 06A 09-544 L283-722		626	SCH
1	EA	SURFACE CLOSER	4040XP CUSH		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 26

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	PASSAGE SET	ND10S RHO		626	SCH
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 26A

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HWSC		652	IVE
1	EA	PASSAGE SET	ND10S RHO		626	SCH
1	EA	OH STOP	90S		630	GLY
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 27- Not Used

HARDWARE SET 28

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	PIVOT SET	7215 SET		626	IVE
1	EA	INTERMEDIATE PIVOT	7215 INT		626	IVE
1	EA	PASSAGE SET	L9010 06A XL11-515		626	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
2	EA	KICK PLATE	8400 10" X 2" LDW B-NH-A		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 28A

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	PUSH/PULL LATCH	HL6 9010 2 3/4" A		630	SCH
1	EA	OH STOP	90S		630	GLY
			(OMIT AT 1E-154B)			
1	EA	SURFACE CLOSER	4040XP RW/PA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 29

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HWSC		652	IVE
1	EA	PUSH PLATE	8200 4" X 16"		630	IVE
1	EA	PULL PLATE	8303 10" 4" X 16"		630	IVE
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✍ BLK	LCN
1	EA	ARMOR PLATE	8402 34" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET **29A**

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HWSC		652	IVE
1	EA	PUSH/PULL LATCH	HL6 9010 2 3/4" A		630	SCH
1	EA	ELECTRIC STRIKE	6211 FSE 12/16/24/28 VAC/VDC		✍ 630	VON
1	EA	AUTO OPERATOR	SW200I		689	BES
2	EA	ACTUATOR, TOUCHLESS	8310-813		✍ BLK	LCN
1	EA	ARMOR PLATE	8402 34" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER
1	EA	POWER SUPPLY	PS902 900-4RL-FA 120/240 VAC		✍ LGR	SCE

HARDWARE SET 30

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1HW		652	IVE
1	EA	PUSH PLATE	8200 4" X 16"		630	IVE
1	EA	PULL PLATE	8303 10" 4" X 16"		630	IVE
1	EA	SURFACE CLOSER	4040XP RW/PA		689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	488SBR PSA		BR	ZER

HARDWARE SET 31

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	PIVOT SET	7255 SET		626	IVE
2	EA	PUSH PLATE	8200 4" X 16"		630	IVE
1	EA	CONCEALED CLOSER	6031 BUMP WMS		689	LCN
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS		630	IVE
2	EA	WALL STOP	WS406/407CCV		630	IVE

HARDWARE SET 32

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	SLIDING DOOR SYSTEM	EXAMSLIDE SYSTEM , SECTION 08 34 00			ADS
1	EA	CYLINDER	BY OWNER		626	SCH

NOTE: WITH OFFICE FUNCTION LOCKSET.

HARDWARE SET 33

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
---------	--	-------------	----------------	--	--------	-----

NOTE: ALL HARDWARE BY DOOR MANUFACTURER

HARDWARE SET 34

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CYLINDER	BY OWNER		626	SCH

NOTE: BALANCE OF HARDWARE BY DOOR MANUFACTURER

HARDWARE SET 35

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
---------	--	-------------	----------------	--	--------	-----

HARDWARE SET 36

EACH TO HAVE:

QT Y		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1			EXISTING DOOR, FRAME AND HARDWARE			