

PROJECT NAME: VALVOLINE INSTANT OIL
CHANGE

ADDRESS

HAZARDOUS MATERIALS INVENTORY STATEMENT SUMMARY

MATERIAL	STORED OR USED	TOTAL AMOUNT	MATERIAL	STORED OR USED	TOTAL AMOUNT	MATERIAL	STORED OR USED	TOTAL AMOUNT
COMBUSTIBLE LIQUIDS CLASS II	STORED USED	15 gal	Combination (IA, IB, IC)	STORED USED		UNSTABLE REACTIVE CLASS 4	STORED USED	
CLASS IIIA	STORED USED	5 gal	ORGANIC PEROXIDE Unclassified Detonable	STORED USED		CLASS 3	STORED USED	
CLASS IIIB	STORED USED	3505 gal	ORGANIC PEROXIDES CLASS I	STORED USED		CLASS 2	STORED USED	
COMBUSTIBLE FIBER (Loose)	STORED USED		CLASS II	STORED USED		CLASS 1	STORED USED	
(Baled)	STORED USED		CLASS III	STORED USED		WATER REACTIVE CLASS 3	STORED USED	
CRYOGENIC (Flammable)	STORED USED		CLASS IV	STORED USED		CLASS 2	STORED USED	
(Oxidizing)	STORED USED	7.32 gal	CLASS V	STORED USED		CLASS 1	STORED USED	
EXPLOSIVES	STORED USED		OXIDIZERS CLASS 1	STORED USED		CORROSIVE	STORED USED	11 gal
FLAMMABLE SOLID	STORED USED		CLASS 2	STORED USED		HIGHLY TOXIC	STORED USED	
FLAMMABLE GAS Gaseous	STORED USED		CLASS 3	STORED USED		TOXIC	STORED USED	12 gal
Liquefied	STORED USED		CLASS 4	STORED USED		AEROSOL LEVEL 2	STORED	
FLAMMABLE LIQUIDS CLASS IA	STORED USED	3 gal	OXIDIZER - GAS (Gaseous)	STORED USED		AEROSOL LEVEL 3	STORED	
CLASS IB	STORED USED		OXIDIZING GAS Liquefied	STORED USED				
CLASS IC	STORED USED		PYROPHORICS	STORED USED				

Note: Exceeding the maximum allowable quantities of hazardous materials will require that the facility meets requirements applicable to "H" hazardous occupancy