

LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS
207 SE DOUGLAS STREET
LEE'S SUMMIT, MISSOURI 64063-2372
(816) 969-1300
FAX (816) 969-1313
TDD (816) 969-7407

PLANS REVIEW CONDITIONS

Permit No:	PRCOM20122090	Date:	September 24, 2012
Project Title:	LEE'S SUMMIT R-7 WAREHOUSE	Applicant:	Falcon Fire Sprinkler
Location:	702 SE M 291 HWY LEES SUMMIT, MO 64063		1239 A Clay Street North Kansas City , MO 64116 (816) 734-0018
Type of Work:	Sprinkler Alteration		
Occupancy Group:	S-1		
Description:	ALATERATIONS TO FIRE SPRINKLER SYSTEM		
Construction Type:			
Map Page:	195M		

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review

Reviewed By: Jim Eden

Rejected

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans received September 14, 2012.

2. It is not clear by the drawings which rack groups have over 20 heads. Provide suprvised sectional valves in rack groups that have substantially more than 20 heads after modification.
Indicate which groups will have valves added.

3. 2006 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Call (816) 969-1300 to schedule testing and inspection.