



LEE'S SUMMIT, MISSOURI FIRE DEPARTMENT LOSS REDUCTION PROGRAM



NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

CHANGES

BUSINESS NAME	TRAFFIC LAW CENTER		
ADDRESS	705 SE MELODY LN, Unit:H, LEES SUMMIT, MO 64063		
OWNER/OPERATOR NAME	CALIFORNIA TIGERS LLC:	TELEPHONE	<NO PRIMARY PHONE>
ADDRESS	4400 SHAWNEE MISSION PKWY STE 209 SHAWNEE MISSION, KS 64063 Primary: <NO PRIMARY PHONE> Cell: <NO CELL PHONE>		
		Robin @ 314-600-8031	

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____

LOSS REDUCTION TYPE

<input checked="" type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: B	Map#: 195M	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT # PRCOM20130267

LOSS REDUCTION NARRATIVE

NO VIOLATIONS NOTED

ALL VIOLATIONS RESOLVED

Last Inspection 1st Inspection 3/1/13 2nd Inspection 3rd Inspection 4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Occupancy Inspection - Fire	Joe Dir	Temporary C of O	Friday, March 01, 2013
Corrective Action Required:			
1 - post the suite address "H" on the front and rear doors - remove latch bolt from rear door - exits lights at front and rear doors need to be illuminated with AC and DC power - emergency lighting in the office area needs to be illuminated with DC power			
DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
March 01, 2013	Joe Dir	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	