



# LEE'S SUMMIT, MISSOURI FIRE DEPARTMENT LOSS REDUCTION PROGRAM



## NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

### ☐ CHANGES

BUSINESS NAME	LIFE TRANSFORMATIONS FITNESS CENTER		
ADDRESS	3680 NE AKIN DR, Unit:130, LEES SUMMIT, MO 64064		
OWNER/OPERATOR NAME	ISEMAN CONSTRUCTION ENTERPRISES, INC.:	TELEPHONE	(816) 246-1464
ADDRESS	1270 NW MAIN		
	LEES SUMMIT, MO 64086		
	Primary: (816) 246-1464		
	Cell: <NO CELL PHONE>	Pat @	913-486-7383

## EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1.	
2.	
3.	
4.	

## LOSS REDUCTION TYPE

<input checked="" type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: A-4	Map#: 175H	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT # PRCOM20122713

## LOSS REDUCTION NARRATIVE

### ☐ NO VIOLATIONS NOTED

### ☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection 3/4/13

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Occupancy Inspection - Fire	Joe Dir	Temporary C of O	Monday, March 04, 2013
Corrective Action Required:			
1	mount fire extinguishers on a wall on a normal path of travel close to an exit with the top of the extinguisher no higher than 60" from the floor		
Alarm Test	Joe Dir	Passed	Wednesday, February 27, 2013
Sprinkler - Hydrostatic Test	Joe Dir	Not Required	Wednesday, February 27, 2013
Sprinkler - Flow Test	Joe Dir	Not Required	Wednesday, February 27, 2013

DATE OF REPORT March 04, 2013	INSPECTOR Joe Dir	PREVENTION FOLLOW-UP REQUIRED? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	RESPONSIBLE SIGNATURE