



# LEE'S SUMMIT, MISSOURI FIRE DEPARTMENT LOSS REDUCTION PROGRAM



## NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

### ☐ CHANGES

BUSINESS NAME	CVS Pharmacy		
ADDRESS	621 SW 3RD ST, LEES SUMMIT, MO 64063		
OWNER/OPERATOR NAME	TRI-C CONSTRUCTION COMPANY:	TELEPHONE	(330) 836-2722
ADDRESS	1765 MERRIMAN RD AKRON, OH 44313 Primary: (330) 836-2722 Cell: (330) 289-5383		

## EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1.	
2.	
3.	
4.	

## LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: M	Map#: 195F	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

## LOSS REDUCTION NARRATIVE

### ☐ NO VIOLATIONS NOTED

### ☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alarm Test	Joe Dir	Passed	Friday, August 03, 2012
Sprinkler - Hydrostatic Test	Joe Dir	Passed	Friday, July 27, 2012
Sprinkler - Flow Test	Joe Dir	Passed	Friday, August 03, 2012
Occupancy Inspection - Fire	Joe Dir	Temporary C of O	Tuesday, August 07, 2012
Corrective Action Required: 1 post the numeric address on the 3rd street side, readable from the roadway, contrasting color with the background			

replace the east mandoor exit/combo light

**Occupancy Inspection - Fire**

Joe Dir

Passed

Thursday, August 09, 2012

Corrective Action Required:

1 post the numeric address on the 3rd street side, readable from the roadway, contrasting color with the background

replace the east mandoor exit/combo light

DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
June 21, 2013	Config	<input type="checkbox"/> Yes <input type="checkbox"/> No	