

# LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS  
207 SE DOUGLAS STREET  
LEE'S SUMMIT, MISSOURI 64063-2372  
(816) 969-1300  
FAX (816) 969-1313  
TDD (816) 969-7407

## PLANS REVIEW CONDITIONS

Permit No:	PRCOM20110514	Date:	June 09, 2011
Project Title:	JIMMY JOHNS	Applicant:	
Location:	695 NW BLUE PKWY. LEES SUMMIT, MO 64086		ALLIANCE FIRE PROTECTION LLC 130 WEST 9TH AVE, STE 101 NORTH KANSAS CITY, MO 64116
Type of Work:	Sprinkler		
Occupancy Group:	B		
Description:	TENANT FINISH FOR SANDWICH SHOP. SPACE WAS PREVIOUSLY UNOCCUPIED. RESTROOMS INCLUDED ON THE SHELL BUILDING		
Construction Type:	Type VB (Unprotected)		
Map Page:	195A		

**Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.**

### **Sprinkler Plan Review**

**Reviewed By: Jim Eden**

**Released for Construction**

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans recieved May 27, 2011.

2. 2006 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Action required: Call (816) 969-1300 to schedule testing.