

LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS
207 SE DOUGLAS STREET
LEE'S SUMMIT, MISSOURI 64063-2372
(816) 969-1300
FAX (816) 969-1313
TDD (816) 969-7407

PLAN REVIEW CONDITIONS

November 02, 2012

FORT WAYNE MATADOR INC
185 NW SPANISH RIVER BLVD STE 100
BOCA RATON, FL 33431--4230
ALLIED RETAIL CONCEPTS LLC
6205 GODDARD ST
SHAWNEE, KS 66203

Permit No: PRCOM20121736
Project Title: BIG LOTS
Project Address: 901 SE LANGSFORD RD, LEES SUMMIT, MO 64063
Parcel Number: 61240180500000000
Location: SEC-05 TWP-47 RNG-31 PT OF NE 1/4 OF SE 1/4 DAF: BEG AT NE COR SD 1/4 1/4 TH
W 715' SD PT BEING TRU POB TH W 307' TO ELY ROW L M 291 HWY TH S 21.35' TH
S 47 DEG W 96.69' TH S 295.3' TH E 224.86'
Type of Work: CHANGE OF TENANT
Occupancy Group: MERCANTILE
Description: TENANT FINISH FOR MERCANTILE

The following is a list of requirements from the City of Lee's Summit that have not been satisfactorily addressed in the plans and specifications. Please contact the appropriate department regarding clarification of comments.

Codes Administration (816) 969-1200

Fire Department (816) 969-1300

Fire Plan Review

Reviewed By: Brian Austerman

Approved with Conditions

1. 2006 IFC 506.1- Where required. Where access to or within a structure or an area is restricted because of secured openings or where immediate access is necessary for life-saving or fire-fighting purposes, the fire code official is authorized to require a key box to be installed in an approved location. The key box shall be of an approved type and shall contain keys to gain necessary access as required by the fire code official.

Action Required: Call 816-969-1300 to obtain an application

2. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Action Required: This is deferred as it is a separate submittal

3. 2006 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall include, but not be limited to, all of the following: 1. A floor plan which indicates the use of all rooms. 2. Locations of alarm-initiating and notification appliances. 3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions.

Action Required: This is deferred as it is a separate submittal

Building Plan Review

Reviewed By: Michael Weisenborn

Approved

The approval of plans and specifications does not permit the violation of any section of the Building Codes or other City Ordinances or State Law.

The review conducted by the City of Lee's Summit Codes Administration Department shall not be construed as a structural review of the project.