LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS
207 SE DOUGLAS STREET
LEE'S SUMMIT, MISSOURI 64063-2372
(816) 969-1303
FAX (816) 969-1313
TDD (816) 969-7407

PLANS REVIEW CONDITIONS

Permit No: PRCOM20111941 Date: June 09, 2011

Project Title: EDWARD JONES FACILITY Applicant:

Location: 400 SW LONGVIEW BLVD.Unit:250. ALLIANCE FIRE PROTECTION LLC

LEES SUMMIT, MO 64081 130 WEST 9TH AVE, STE 101

Type of Work: Sprinkler Alteration NORTH KANSAS CITY, MO 640116

Occupancy Group: B

Description: TENANT FINISH
Construction Type: Type VB (Unprotected)

Map Page: 194E

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review Reviewed By: Jim Eden Released for Construction

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans received May 27, 2011.

2. Per the 2006 International Fire Code adopted by the City of Lee's Summit, sprinkler systems shall be designed to the 2002 edition of NFPA 13.

For information only.

3. 2006 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Call (816) 969-1300 to schedule tests.