LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS 207 SE DOUGLAS STREET LEE'S SUMMIT, MISSOURI 64063-2372 (816) 969-1300 FAX (816) 969-1313 TDD (816) 969-7607

PLANS REVIEW CONDITIONS

Permit No: PRCOM20122091 Project Title: LEE'S SUMMIT NORTH HIGH SCHOOL Location: 901 NE DOUGLAS ST, LEES SUMMIT, MO 64086 Type of Work: Occupancy Group: Е Description: ALTERATION TO EXISTING FIRE SPRINKLER SYSTEM Construction Type: Map Page: 195B

Date: September 20, 2012 Applicant:

Falcon Fire Sprinkler 1239 A Clay Street North Kansas City , MO 64116

Primary: <NO PRIMARY PHONE>

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review

Reviewed By: Jim Eden

Released for Construction

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans received Sept. 14, 2012.

2. 2006 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Call (816) 969-1300 tio schedule a visual inspection when the work is completed.

The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.