

PLAN REVIEW CONDITIONS

August 21, 2013

HY-VEE CONSTRUCTION
5605 NE 22ND ST
DES MOINES, IA 50313

Permit No: PRCOM20131754
Project Title: HY-VEE #2
Project Address: 310 SW WARD RD, LEES SUMMIT, MO 64081
Parcel Number: 62610023400000000
Location: WAL-MART TRACT A
Type of Work: ALTERATION COMMERCIAL
Occupancy Group: MERCANTILE
Description: CONSTRUCT A CASH ROOM TO ENCLOSE THE TIDAL MACHINE

The following is a list of requirements from the City of Lee's Summit that have not been satisfactorily addressed in the plans and specifications. Please contact the appropriate department regarding clarification of comments.

Codes Administration (816) 969-1200

Fire Department (816) 969-1300

Licensed Contractors	Reviewed By: Michael Weisenborn	Approved
Building Plan Review	Reviewed By: Michael Weisenborn	Approved
Fire Plan Review	Reviewed By: Brian Austerman	Approved with Conditions

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

PROVIDE SPRINKLER PLANS FOR APPROVAL

_____ Approved to issue per the listed conditions.
_____ Do not issue per the listed conditions.
_____ Approved to construct foundation only per the listed conditions.
_____ Requires Final Development Plan approval prior to issuing this building permit.

The applicant agrees to incorporate the aforementioned requirements into the project to conform to applicable City Codes and Ordinances.

Signature of Applicant

Date

Print Applicant Name

CompanyName

The approval of plans and specifications does not permit the violation of any section of the Building Codes or other City Ordinances or State Law.

The review conducted by the City of Lee's Summit Codes Administration Department shall not be construed as a structural review of the project.