

☐ **CHANGES**

<b>BUSINESS NAME</b>	SAINT LUKES EAST 4TH FLOOR SURGICAL ICU		
<b>ADDRESS</b>	110 NE SAINT LUKES BLVD, LEES SUMMIT, MO 64086		
<b>OWNER/OPERATOR NAME</b>	TURNER CONSTRUCTION CO:	<b>TELEPHONE</b>	(816) 283-0555
	2345 GRAND BOULEVARD STE 1000		
<b>ADDRESS</b>	KANSAS CITY, MO 64108		
	Primary: (816) 283-0555		
	Cell: (816) 215-0576		

**EMERGENCY CONTACT INFORMATION**

NAME	TELEPHONE
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____

**LOSS REDUCTION TYPE**

<input checked="" type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: I-2	Map#: 175X	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT # PRCOM20121257

**LOSS REDUCTION NARRATIVE**

☐ **NO VIOLATIONS NOTED**

☐ **ALL VIOLATIONS RESOLVED**

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
<b>Occupancy Inspection - Fire</b>	Joe Dir	Temporary C of O	Thursday, August 29, 2013
Corrective Action Required:			
1 Oxygen back-up room (1F151A) for 4th floor ICU			
-exhaust for the room needs to be enclosed in 1-hour protection from the room until it exits the building - property owner to verify that all the red outlets and switches supply power during a generator test.			
<b>Alarm Test</b>	Joe Dir	Passed	Wednesday, January 23, 2013
<b>Sprinkler - Hydrostatic Test</b>	Joe Dir	Failed	Friday, January 04, 2013
<b>Sprinkler - Flow Test</b>	Joe Dir	Passed	Wednesday, January 23, 2013

**Sprinkler - Hydrostatic Test**      Joe Dir      Passed      Monday, January 07, 2013

**Occupancy Inspection - Fire**      Brian Austerman      Passed      Friday, February 01, 2013

**Occupancy Inspection - Fire**      Joe Dir      Temporary C of O      Friday, March 22, 2013

**Occupancy Inspection - Fire**      Joe Dir      Temporary C of O      Monday, May 06, 2013

Corrective Action Required:

1      PRCOM20121257: Rooms 1A900B, 1A909A, 1A091, 1A090C, 1A090 southend are completed, only remaining room on this pwermit is Emerg.O2 room 1F151A which will be completed along with another permit held by JEDunn.

DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
August 29, 2013	Joe Dir	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	