

☐ **CHANGES**

BUSINESS NAME	INSTANT AUTO		
ADDRESS	2151 NE INDEPENDENCE AVE, LEES SUMMIT, MO 64064		
OWNER/OPERATOR NAME	MEYER BROTHERS BUILDING CO:	TELEPHONE	(816) 246-4800
	800 E 101ST TER, SUITE 120		
ADDRESS	KANSAS CITY, MO 64131		
	Primary: (816) 246-4800		
	Cell: <NO CELL PHONE> Brandon @ 816-564-0542		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____

LOSS REDUCTION TYPE

<input checked="" type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: B	Map#: 175U	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT # PRCOM20131231

LOSS REDUCTION NARRATIVE

☐ **NO VIOLATIONS NOTED**

☐ **ALL VIOLATIONS RESOLVED**

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alarm Test	Joe Dir	Passed	Thursday, December 19, 2013
Sprinkler - Flow Test	Joe Dir	Passed	Thursday, December 19, 2013
Occupancy Inspection - Fire	Joe Dir	Temporary C of O	Thursday, December 19, 2013
Corrective Action Required: 1 - obtain a alarm panel zone legend and place it in the fire alarm panel - obtain building access keys and place them in the knox box - place NFPA 704 placards/stickers with the proper MSDS hazard ratings on the exterior of the fluid storage door and the parts dept door - once mezzanine is installed finish sprinkler system under mezzanine - tag the sprinkler system riser with the in-service date			

DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
December 19, 2013	Joe Dir	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	