



PLAN REVIEW CONDITIONS

March 13, 2014

EVANS JOHN S &
208 SW ASPEN
LEES SUMMIT, MO 64064--1449

Permit No: PRCOM20140310
Project Title: DOMINO'S PIZZA
Project Address: 795 NE RICE RD, LEES SUMMIT, MO 64086
Parcel Number: 52840072900000000
Location: SU-NOR ADD 4TH PLAT LOT 4
Type of Work: CHANGE OF TENANT
Occupancy Group: BUSINESS
Description: NEW TENANT - SPACE PREVIOUSLY USED FOR OFFICE

The following is a list of requirements from the City of Lee's Summit that have not been satisfactorily addressed in the plans and specifications. Please contact the appropriate department regarding clarification of comments.

Codes Administration (816) 969-1200

Fire Department (816) 969-1300

Building Plan Review	Reviewed By: Joe Frogge	Pending
Fire Plan Review	Reviewed By: Brian Austerman	Rejected

1. Per local amendment Section 1008.1.9.3 is amended to read as follows:

[B] 1008.1.9.3 Locks and latches. Locks and latches shall be permitted to prevent operation of doors where any of the following exists:

1. Places of detention or restraint.
2. Where egress doors are used in pairs, approved automatic flush bolts shall be permitted to be used, provided that the door leaf having the automatic flush bolts has no doorknob or surfacemounted hardware.
3. Doors from individual dwelling or sleeping units of Group R occupancies having an occupant load of 10 or less are permitted to be equipped with a night latch, dead bolt or security chain, provided such devices are openable from the inside without the use of a key or tool.
4. Fire doors after the minimum elevated temperature

has disabled the unlatching mechanism in accordance with listed fire door test procedures

Door 1 shall have a thumb latch or panic hardware on the egress side of the door, keyed locks on the egress side are not permitted. As a result the sign that reads the door shall remain unlocked during business hours is not required.

2. 901.2 Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation

Provide hood plans including fire suppression system and location of manual pull.. K class extinguisher is to be mounted under the manual pull

3. 505.1 Address identification. New and existing buildings shall have approved address numbers, building numbers or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Where required by the fire code official, address numbers shall be provided in additional approved locations to facilitate emergency response. Address numbers shall be Arabic numbers or alphabetical letters. Numbers shall be a minimum of 4 inches (101.6 mm) high with a minimum stroke width of 0.5 inch (12.7 mm). Where access is by means of a private road and the building cannot be viewed from the public way, a monument, pole or other sign or means shall be used to identify the structure. Address numbers shall be maintained.

For information only, posting of address on exterior doors to be verified at inspection

4. 703.1 Maintenance.

The required fire-resistance rating of fire-resistance-rated construction (including walls, firestops, shaft enclosures, partitions, smoke barriers, floors, fire-resistive coatings and sprayed fire-resistant materials applied to structural members and fire-resistant joint systems) shall be maintained. Such elements shall be properly repaired, restored or replaced when damaged, altered, breached or penetrated. Openings made therein for the passage of pipes, electrical conduit, wires, ducts, air transfer openings and holes made for any reason shall be protected with approved methods capable of resisting the passage of smoke and fire. Openings through fire-resistance-rated assemblies shall be protected by self- or automatic-closing doors of approved construction meeting the fire protection requirements for the assembly.

For information only

The approval of plans and specifications does not permit the violation of any section of the Building Codes or other City Ordinances or State Law.

The review conducted by the City of Lee's Summit Codes Administration Department shall not be construed as a structural review of the project.

