

CODES ADMINISTRATION

PLAN REVIEW CONDITIONS

October 28, 2014

SRKO LLC
211 NW EXECUTIVE WAY STE H
LEES SUMMIT, MO 64063

Permit No: PRCOM20142708
Project Title: LEGACY PARK COMMUNITY CENTER INTERIOR ALTERATIONS
Project Address: 901 NE BLUESTEM DR, LEES SUMMIT, MO 64086
Parcel Number: 53800010401000000
Location: SEC-35 TWP-48 RNG-31 W 1/2 NE 1/4 & ALL NW 1/4 & W 1/2 SE 1/4 & SW 1/4 (EX PT DAF:
BEG SW COR SD SW 1/4 TH E 990' TH N 660' TH W 990' TH S 660' TO POB (EX PT IN RD)
Type of Work: ALTERATION COMMERCIAL
Occupancy Group: ASSEMBLY FOR WORSHIP, RECREATION OR AMUSEMENT
Description: INTERIOR ALTERATIONS - RENOVATE 3 COMMUNITY ROOMS TO BECOME CARDIO WORKOUT
ROOMS AND CONVERT WARMING KITCHEN INTO STORAGE ROOM - ALSO CONVERT 2ND
FLOOR STORAGE ROOM INTO RESTROOM

The following is a list of requirements from the City of Lee's Summit that have not been satisfactorily addressed in the plans and specifications. Please contact the appropriate department regarding clarification of comments.

Codes Administration (816) 969-1200

Fire Department (816) 969-1300

Licensed Contractors

Reviewed By: Joe Frogge

Rejected

1. Lee's Summit Code of Ordinance, Section 7-130.10 - Business License. It shall be unlawful for any person to engage in the construction contracting business without first obtaining a business license as required under the applicable provisions of Chapter 28 of the Lee's Summit Code of Ordinances.

Action required: Either a Class A or Class B license is required. Provide the name of the licensed general contractor.

2. No person, other than a licensed contractor or employees of a licensed contractor, shall engage in electrical, plumbing or mechanical business, construction, installation or maintenance unless duly licensed in accordance with this section. Excerpt from Sec. 7-130, Lees Summit Code of Ordinances.

Action required: MEP subcontractors are required to be listed on permit. Provide company names of MEP contractors.

Building Plan Review

Reviewed By: Joe Frogge

Approved

Fire Plan Review

Reviewed By: Brian Austerman

Approved

1. 2012 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall include, but not be limited to, all of the following: 1. A floor plan which indicates the use of all rooms. 2. Locations of alarm-initiating and notification appliances. 3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices

and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions.

PROVIDE STROBE IN RESTROOM, PROVIDE AS BUILTS FOR WORK DONE

2. 2012 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

PROVIDE AS BUILTS FOR MORK DONE

- _____ Approved to issue per the listed conditions.
- _____ Do not issue per the listed conditions.
- _____ Approved to construct foundation only per the listed conditions.
- _____ Requires Final Development Plan approval prior to issuing this building permit.

The applicant agrees to incorporate the aforementioned requirements into the project to conform to applicable City Codes and Ordinances.

_____	_____
Signature of Applicant	Date

_____	_____
Print Applicant Name	CompanyName

The approval of plans and specifications does not permit the violation of any section of the Building Codes or other City Ordinances or State Law.

The review conducted by the City of Lee's Summit Codes Administration Department shall not be construed as a structural review of the project.