

☐ **CHANGES**

BUSINESS NAME	JOHN CALVIN MANOR		
ADDRESS	308 NW MURRAY RD, LEES SUMMIT, MO 64081		
OWNER/OPERATOR NAME	4SIGHT GROUP LLC:	TELEPHONE	(816) 802-8400
ADDRESS	7920 WARD PARKWAY KANSAS CITY, MO 64114 Primary: (816) 802-8400 Cell: <NO CELL PHONE>		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____

LOSS REDUCTION TYPE

<input checked="" type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: R-2	Map#: 195E	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT # PRCOM20122246

LOSS REDUCTION NARRATIVE

☐ **NO VIOLATIONS NOTED**

☐ **ALL VIOLATIONS RESOLVED**

Last Inspection 1st Inspection 2nd Inspection 3rd Inspection 4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Occupancy Inspection - Fire	Jim Eden	Temporary C of O	Tuesday, November 11, 2014
Alarm Test	Jim Eden	Passed	Tuesday, November 11, 2014
Alarm Test	Joe Dir	Passed	Monday, November 17, 2014
Corrective Action Required: 1 - post the numeric address of building "308" on all four sides of the building - remove all dust covers from the corridor smoke detectors - terminatethe old wiring form the old corridor smoke detectors - mount the fire extinguisher in the corridor accessable from a 75' travel distance			
Occupancy Inspection - Fire	Joe Dir	Temporary C of O	Monday, November 17, 2014

Alarm Test

Joe Dir

Passed

Friday, November 21, 2014

Occupancy Inspection - Fire

Joe Dir

Not Ready

Friday, November 21, 2014

Corrective Action Required:

- 1 2nd floor west wing- all alarm activation and notification devices on 2nd floor west wing appeared appropriate at the time of testing
- keep all construction debris, materials, related items off stairways allowing for exiting from all corridors
 - remove dust covers from smoke detectors in the corridor
 - remove all construction related items from the corridors and exit ways
 - post the numeric address of 308 on all four sides of the building
 - west stairway egress lighting needs to illuminate on D/C power
 - don't corridor fire doors.

DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
November 21, 2014	Joe Dir	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	