



DEVELOPMENT SERVICES

| | |
|---|---|
| Building Permit - Commercial Project Title: ATTIC STORAGE OF LEES SUMMIT Work Desc: NEW COMMERCIAL | Permit No: PRCOM20191955 Date Issued: September 19, 2019 |
|---|---|

| | |
|---|--|
| Project Address: 920 NE DEERBROOK ST, LEES SUMMIT, MO 64086 Legal Description: DEERBROOK COMMERCIAL PARK, LOTS 3A & 3B---LOT 3B Parcel No: 52810013400000000 County: JACKSON | Permit Holder: STRICKLAND CONSTRUCTION CO INC 720 S ROGERS RD STE B OLATHE, KS 66062 |
|---|--|

| |
|---|
| Activities Included for this Project: zNew Commercial, License Tax, License Tax Credit, Above Ceiling Permit, Alarm Permit, Electrical Permit Commercial, Electrical Service Permit Commercial, Foundation Permit Commercial, Fire Rated Assemblies Permit, Gas Permit Commercial, Gas Service Permit Commercial, In-Wall Inspection Permit, Mechanical Permit Commercial, Plumbing Permit Commercial, Sprinkler Permit, Irrigation Permit, |
|---|

| | | |
|---|---|------------------------------|
| Construction Type: Type IIB (Unprotected) | Occupancy: STORAGE, MODERATE HAZARD Valuation: \$4,661,335.00 | Zoning District: CP-2 |
|---|---|------------------------------|

| | |
|--------------------------|--|
| Residential Area: | |
|--------------------------|--|

| | |
|------------------------|----------------|
| Commercial Area | 104655 sq. ft. |
|------------------------|----------------|

| | |
|----------------------------|--------------------|
| Issued By: _____ DME _____ | Date: Sep 19, 2019 |
|----------------------------|--------------------|

| |
|---|
| THIS PERMIT IS ISSUED IN RELIANCE UPON INFORMATION SUBMITTED BY THE APPLICANT. THE BUILDING OFFICIAL MAY SUSPEND OR REVOKE WHENEVER THE PERMIT IS ISSUED IN ERROR, OR ON THE BASIS OF INCORRECT INFORMATION SUPPLIED, OR IN VIOLATION OF ANY ADOPTED CODE, CITY ORDINANCE OR REGULATIONS. NOTICE: THE DISPOSAL OF DEMOLITION WASTE IS REGULATED BY THE DEPARTMENT OF NATURAL RESOURCES UNDER CHAPTER 260 RSMO. SUCH WASTE, IN TYPES AND QUANTITIES ESTABLISHED BY THE DEPARTMENT, SHALL BE TAKEN TO A DEMOLITION LANDFILL OR A SANITARY LANDFILL FOR DISPOSAL. |
|---|

CONDITIONS

One or more divisions have conditions that have not been addressed during the review period. The outstanding conditions provided below shall be met as indicated during the construction period.

| |
|------------------|
| Fire Plan Review |
|------------------|

1 2018 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall include, but not be limited to, all of the

following: 1. A floor plan which indicates the use of all rooms. 2. Locations of alarm-initiating and notification appliances. 3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions.

(Action Required)

Provide three sets of stamped shop drawings for the fire alarm system.

2 2018 IFC 505.1- Address numbers. New and existing buildings shall have approved address numbers, building numbers or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. In Multi-tenant commercial building where tenants have multiple entrances located on different sides of the building , each door shall be addressed. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches (102 mm) high with a minimum stroke width of 0.5 inch (12.7 mm).

(Verified At Inspection)

3 2018 IFC 506.1- Where required. Where access to or within a structure or an area is restricted because of secured openings or where immediate access is necessary for life-saving or fire-fighting purposes, the fire code official is authorized to require a key box to be installed in an approved location. The key box shall be of an approved type and shall contain keys to gain necessary access as required by the fire code official.

(Action Required)

Order a knox box,elevator knox box, and a key switch for the gate. Place order through Knoxbox.com. Placement for Knox box by FDC. Placement for elevator Knox box will be first floor next to elevator. Knox key switch placed by gate.

4 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

(Action Required)

Provide three sets of stamped shop drawings for fire sprinkler system. Class 1 standpipes will be required in the stairwells.

5 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

(Informational purposes)

Call (816)969-1300 to schedule testing. All life safety must pass before a final can be scheduled for occupancy.

6 2018 IFC 906.5- Conspicuous location. Portable fire extinguishers shall be located in conspicuous locations where they will be readily accessible and immediately available for use. These locations shall be along normal paths of travel, unless the fire code official determines that the hazard posed indicates the need for placement away from normal paths of travel.

(Verified At Inspection)

7 2018 IFC (B) 1023.9 Stairway identification signs. A sign shall be provided at each floor landing in an interior exit stairway and ramp connecting more than three stories designating the floor level, the terminus of the top and bottom of the interior exit stairway and ramp and the identification of the stair or ramp. The signage shall also state the story of, and the direction to, the exit discharge and the availability of roof access from the interior exit stairway and ramp for the fire department. The sign shall be located 5 feet (1524mm) above the floor landing in a position that is readily visible when the doors are in the open and closed positions. In addition to the stairway identification sign, a floor-level sign in raised characters and Braille complying with the ICC A1 17.1 shall be located at each floor-level landing adjacent to the door leading from the interior exit stairway and ramp into the corridor to identify the floor level.

(Verified At Inspection)

Label the corridor and the inside of stairway with floor designation.

8 2018 IFC (B) 1023.8 Discharge identification. An interior exit stairway and ramp shall not continue below its level of exit discharge to prevent persons from unintentionally continuing into levels below. Directional exit signs shall be provided as specified in Section 1011.

(Informational Purposes)

10 2018 IFC 1010.1.9 Door operations. Except as specifically permitted by this section, egress doors shall be readily openable from the egress side without the use of a key or special knowledge or effort.

(Informational Purposes)

| |
|----------------------|
| Building Plan Review |
|----------------------|

2 A License Tax application completed by the contractor must be submitted to the City of Lee's Summit, Codes Administration Department, and any applicable License Tax paid prior to issuing a building permit.

Action required: Comment is for informational purposes.

5/20/19 - acknowledged in letter.

3 Prior to the installation or construction of any elevator equipment, an elevator equipment permit shall be obtained from the Missouri Department of Public Safety or its authorized representative.

Action required: Comment is for informational purposes.

5/20/19 - acknowledged in letter.

4 Prior to the operation of any new elevator equipment or the issuance of the operating certificate, such elevator equipment shall be inspected by a licensed inspector. Testing must be performed in accordance with these rules and regulations. The testing must be witnessed by a licensed inspector. Contact the Lee's Summit Codes Administration.

Action required: Comment is for informational purposes.

5/20/19 - acknowledged in letter.

5 Elevator Safety Act and Rules 701.361 - Each privately owned or operated installation and each installation owned or operated by the state of Missouri or any political subdivision of the state shall have a certificate of inspection and meet the safety code promulgated pursuant to sections 701.350 to 701.380.

Action required: Comment is for informational purposes.

5/20/19 - acknowledged in letter.

7 Copies of the engineered building package were not provided at the time of permit application.

Action required: Provide engineered structural drawing package or request deferral.

5/20/19 - acknowledged in letter.

| |
|----------------------|
| Licensed Contractors |
|----------------------|

| | |
|--------------|--|
| Signature of | |
|--------------|--|

| | |
|------------------|---------------------------|
| Applicant: _____ | Date: _____ 9-19-19 _____ |
|------------------|---------------------------|

| | |
|-------------------|--|
| Print name: _____ | Company Name: ___STRICKLAND CONSTRUCTION |
|-------------------|--|

COMPANY