

DEVELOPMENT SERVICES

Building Permit - Commercial Project Title: SAINT LUKE'S EAST HOSPITAL I.R & X-RAY EQUIPMENT REPLACEMENT Work Desc: REPAIR REPLACE UPGRADE	Permit No: PRCOM20192581 Date Issued: October 10, 2019
--	---

Project Address: 80 NE SAINT LUKES BLVD, LEES SUMMIT, MO 64086 Legal Description: SAINT LUKES HOSPITAL OF LEES SUMMIT LOTS 1 & 2---LOT 1 Parcel No: 52440044000000000 County: JACKSON	Permit Holder: MCCARTHY BUILDING COMPANIES INC 1341 NORTH ROCK HILL RD ST LOUIS, MO 63124-1441
--	--

Activities Included for this Project: zRepair/Replace/Upgrade, Above Ceiling Permit, Alarm Permit, Electrical Permit Commercial, In-Wall Inspection Permit, Mechanical Permit Commercial, Plumbing Permit Commercial, Sprinkler Permit,
--

Construction Type: Not Applicable	Occupancy: INSTITUTIONAL, INCAPACITATED Valuation: \$254,500.00	Zoning District: CP-2
--	---	------------------------------

Residential Area:	
--------------------------	--

Commercial Area	675 sq. ft.
------------------------	-------------

Issued By: _____ KB _____	Date: Oct 10, 2019
---------------------------	--------------------

THIS PERMIT IS ISSUED IN RELIANCE UPON INFORMATION SUBMITTED BY THE APPLICANT. THE BUILDING OFFICIAL MAY SUSPEND OR REVOKE WHENEVER THE PERMIT IS ISSUED IN ERROR, OR ON THE BASIS OF INCORRECT INFORMATION SUPPLIED, OR IN VIOLATION OF ANY ADOPTED CODE, CITY ORDINANCE OR REGULATIONS. NOTICE: THE DISPOSAL OF DEMOLITION WASTE IS REGULATED BY THE DEPARTMENT OF NATURAL RESOURCES UNDER CHAPTER 260 RSMO. SUCH WASTE, IN TYPES AND QUANTITIES ESTABLISHED BY THE DEPARTMENT, SHALL BE TAKEN TO A DEMOLITION LANDFILL OR A SANITARY LANDFILL FOR DISPOSAL.

CONDITIONS

One or more divisions have conditions that have not been addressed during the review period. The outstanding conditions provided below shall be met as indicated during the construction period.

Fire Plan Review

1 2018 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall include, but not be limited to, all of the following: 1. A floor plan which indicates the use of all rooms. 2. Locations of alarm-initiating and notification appliances.

3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions.

(Informational Purposes)

Any modifications to the alarm system, provide three sets of PE stamped shop drawings.

2 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

(Informational Purposes)

Any modifications made to the fire sprinkler system, provide three sets of PE stamped shop drawings.

3 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

(Informational Purposes)

Call (816)969-1300 to schedule testing.

Building Plan Review

Licensed Contractors

Signature of Applicant: _____		Date: _____	
Print name: _____		Company Name: _____	