



LEE'S SUMMIT MISSOURI

Permit #PRSGN _____ - _____

SIGN PERMIT APPLICATION

Project Business Name: CVS #8557

Project Address/Location: 1900 E. Langsford Rd.

Applicant: Chris Lopez (Mid-America Sign, LLC)

Applicant's Address: 5822 Reeder St. Shawnee, KS

Applicant's Phone & Fax #: 913-439-1765

Applicant's Email Address: angie@mid-americasign.com

Type of Sign: Check only one

☐ Wall Sign (\$100)

☐ Temporary Sign (\$50)

☒ Monument/Detached Sign (\$100)

☐ Directional Sign (\$50)

Illumination: Specify whether the sign is illuminated

☒ Illuminated *

☐ Non-Illuminated

***NOTE:** IF BRANCH CIRCUIT IS NOT CURRENTLY AVAILABLE FOR ILLUMINATED SIGN, A LICENSED ELECTRICAL CONTRACTOR MUST OBTAIN ELECTRICAL PERMIT PRIOR TO INSTALLATION. ALL SIGNS INVOLVING INTERNAL LIGHTS OR OTHER ELECTRICAL DEVICES OR CIRCUITS SHALL DISPLAY A LABEL CERTIFYING IT AS BEING APPROVED BY THE UNDERWRITER'S LABORATORIES, INC.

Sign Dimensions and Setbacks for Wall and Monument/Detached Signs

Height of sign: 5.83 ft (X) Width of sign: 9.92 ft (=) Area of sign: 57.83 sq ft

Area of building façade/wall: _____ sq ft Total height of detached sign: 19.08 ft

Setbacks: front property line: 18 ft rear property line: _____ ft
side property line: _____ ft side property line: _____ ft

The applicant understands that this permit is issued only for work described here in and included in **accompanying plans and specifications**. All rights and privileges acquired under the provisions of this Ordinance, or any application thereto, are merely licenses revocable at any time by the Director of Development Services Department.

Signature of Applicant

Date

For City use only, do not write below this line.

Electrical Permit Required:

☐ N/A

☐ Yes

☐ No

Zoning: _____ Permit Fee: _____

Receipt #: _____

Signature of Plans Examiner

Approved: _____

Planning Division Approval Date

Remarks:

CVS/pharmacy
4-minute clinic
**GET YOUR
SHINGLES VACCINE
HERE**

10' 1"

Trim
2"

6'

5' 4"
v/o

9' 4" v/o

8557

19' 1"



Icon


CVS pharmacy
 Location: 1900 E Langford Rd
 Post # 0852
 Lees Summit, MO 64083
 Lee #
 File Path: 8557
 Add:ACCUIN/SC/CS pharmacy/locations 2019/952_8557 Lees Summit, MO, R4
 Learning prepared by:

Drozdova et al. • *Free*

CVS pharmacy

Row #	Height	Birth	Age by 10/1/99	Team	Row #	Height	Birth	Age by 10/1/99	Team	Row #	Height	Birth	Age by 10/1/99	Team	Row #	Height	Birth	Age by 10/1/99	Team
Row 1	316/151	08/08/79	NS	NS	Row 6	316/151	08/08/79	NS	NS	Row 11	316/151	08/08/79	NS	NS	Row 16	316/151	08/08/79	NS	NS
Row 2	317/151	08/19/79	NS	NS	Row 7	317/151	08/19/79	NS	NS	Row 12	317/151	08/19/79	NS	NS	Row 17	317/151	08/19/79	NS	NS
Row 3	318/149	09/30/79	NS	NS	Row 8	318/149	09/30/79	NS	NS	Row 13	318/149	09/30/79	NS	NS	Row 18	318/149	09/30/79	NS	NS
Row 4	319/150	10/17/79	NS	NS	Row 9	319/150	10/17/79	NS	NS	Row 14	319/150	10/17/79	NS	NS	Row 19	319/150	10/17/79	NS	NS
Row 5	320/150	10/07/80	NS	NS	Row 10	320/150	10/07/80	NS	NS	Row 15	320/150	10/07/80	NS	NS	Row 20	320/150	10/07/80	NS	NS
Row 6	321/150	10/07/80	NS	NS	Row 11	321/150	10/07/80	NS	NS	Row 16	321/150	10/07/80	NS	NS	Row 21	321/150	10/07/80	NS	NS
Row 7	322/150	10/07/80	NS	NS	Row 12	322/150	10/07/80	NS	NS	Row 17	322/150	10/07/80	NS	NS	Row 22	322/150	10/07/80	NS	NS
Row 8	323/150	10/07/80	NS	NS	Row 13	323/150	10/07/80	NS	NS	Row 18	323/150	10/07/80	NS	NS	Row 23	323/150	10/07/80	NS	NS
Row 9	324/150	10/07/80	NS	NS	Row 14	324/150	10/07/80	NS	NS	Row 19	324/150	10/07/80	NS	NS	Row 24	324/150	10/07/80	NS	NS
Row 10	325/150	10/07/80	NS	NS	Row 15	325/150	10/07/80	NS	NS	Row 20	325/150	10/07/80	NS	NS	Row 25	325/150	10/07/80	NS	NS
Row 11	326/150	10/07/80	NS	NS	Row 16	326/150	10/07/80	NS	NS	Row 21	326/150	10/07/80	NS	NS	Row 26	326/150	10/07/80	NS	NS
Row 12	327/150	10/07/80	NS	NS	Row 17	327/150	10/07/80	NS	NS	Row 22	327/150	10/07/80	NS	NS	Row 27	327/150	10/07/80	NS	NS
Row 13	328/150	10/07/80	NS	NS	Row 18	328/150	10/07/80	NS	NS	Row 23	328/150	10/07/80	NS	NS	Row 28	328/150	10/07/80	NS	NS
Row 14	329/150	10/07/80	NS	NS	Row 19	329/150	10/07/80	NS	NS	Row 24	329/150	10/07/80	NS	NS	Row 29	329/150	10/07/80	NS	NS
Row 15	330/150	10/07/80	NS	NS	Row 20	330/150	10/07/80	NS	NS	Row 25	330/150	10/07/80	NS	NS	Row 30	330/150	10/07/80	NS	NS
Row 16	331/150	10/07/80	NS	NS	Row 21	331/150	10/07/80	NS	NS	Row 26	331/150	10/07/80	NS	NS	Row 31	331/150	10/07/80	NS	NS
Row 17	332/150	10/07/80	NS	NS	Row 22	332/150	10/07/80	NS	NS	Row 27	332/150	10/07/80	NS	NS	Row 32	332/150	10/07/80	NS	NS
Row 18	333/150	10/07/80	NS	NS	Row 23	333/150	10/07/80	NS	NS	Row 28	333/150	10/07/80	NS	NS	Row 33	333/150	10/07/80	NS	NS
Row 19	334/150	10/07/80	NS	NS	Row 24	334/150	10/07/80	NS	NS	Row 29	334/150	10/07/80	NS	NS	Row 34	334/150	10/07/80	NS	NS
Row 20	335/150	10/07/80	NS	NS	Row 25	335/150	10/07/80	NS	NS	Row 30	335/150	10/07/80	NS	NS	Row 35	335/150	10/07/80	NS	NS
Row 21	336/150	10/07/80	NS	NS	Row 26	336/150	10/07/80	NS	NS	Row 31	336/150	10/07/80	NS	NS	Row 36	336/150	10/07/80	NS	NS
Row 22	337/150	10/07/80	NS	NS	Row 27	337/150	10/07/80	NS	NS	Row 32	337/150	10/07/80	NS	NS	Row 37	337/150	10/07/80	NS	NS
Row 23	338/150	10/07/80	NS	NS	Row 28	338/150	10/07/80	NS	NS	Row 33	338/150	10/07/80	NS	NS	Row 38	338/150	10/07/80	NS	NS
Row 24	339/150	10/07/80	NS	NS	Row 29	339/150	10/07/80	NS	NS	Row 34	339/150	10/07/80	NS	NS	Row 39	339/150	10/07/80	NS	NS
Row 25	340/150	10/07/80	NS	NS	Row 30	340/150	10/07/80	NS	NS	Row 35	340/150	10/07/80	NS	NS	Row 40	340/150	10/07/80	NS	NS
Row 26	341/150	10/07/80	NS	NS	Row 31	341/150	10/07/80	NS	NS	Row 36	341/150	10/07/80	NS	NS	Row 41	341/150	10/07/80	NS	NS
Row 27	342/150	10/07/80	NS	NS	Row 32	342/150	10/07/80	NS	NS	Row 37	342/150	10/07/80	NS	NS	Row 42	342/150	10/07/80	NS	NS
Row 28	343/150	10/07/80	NS	NS	Row 33	343/150	10/07/80	NS	NS	Row 38	343/150	10/07/80	NS	NS	Row 43	343/150	10/07/80	NS	NS
Row 29	344/150	10/07/80	NS	NS	Row 34	344/150	10/07/80	NS	NS	Row 39	344/150	10/07/80	NS	NS	Row 44	344/150	10/07/80	NS	NS
Row 30	345/150	10/07/80	NS	NS	Row 35	345/150	10/07/80	NS	NS	Row 40	345/150	10/07/80	NS	NS	Row 45	345/150	10/07/80	NS	NS
Row 31	346/150	10/07/80	NS	NS	Row 36	346/150	10/07/80	NS	NS	Row 41	346/150	10/07/80	NS	NS	Row 46	346/150	10/07/80	NS	NS
Row 32	347/150	10/07/80	NS	NS	Row 37	347/150	10/07/80	NS	NS	Row 42	347/150	10/07/80	NS	NS	Row 47	347/150	10/07/80	NS	NS
Row 33	348/150	10/07/80	NS	NS	Row 38	348/150	10/07/80	NS	NS	Row 43	348/150	10/07/80	NS	NS	Row 48	348/150	10/07/80	NS	NS
Row 34	349/150	10/07/80	NS	NS	Row 39	349/150	10/07/80	NS	NS	Row 44	349/150	10/07/80	NS	NS	Row 49	349/150	10/07/80	NS	NS
Row 35	350/150	10/07/80	NS	NS	Row 40	350/150	10/07/80	NS	NS	Row 45	350/150	10/07/80	NS	NS	Row 50	350/150	10/07/80	NS	NS
Row 36	351/150	10/07/80	NS	NS	Row 41	351/150	10/07/80	NS	NS	Row 46	351/150	10/07/80	NS	NS	Row 51	351/150	10/07/80	NS	NS
Row 37	352/150	10/07/80	NS	NS	Row 42	352/150	10/07/80	NS	NS	Row 47	352/150	10/07/80	NS	NS	Row 52	352/150	10/07/80	NS	NS
Row 38	353/150	10/07/80	NS	NS	Row 43	353/150	10/07/80	NS	NS	Row 48	353/150	10/07/80	NS	NS	Row 53	353/150	10/07/80	NS	NS
Row 39	354/150	10/07/80	NS	NS	Row 44	354/150	10/07/80	NS	NS	Row 49	354/150	10/07/80	NS	NS	Row 54	354/150	10/07/80	NS	NS
Row 40	355/150	10/07/80	NS	NS	Row 45	355/150	10/07/80	NS	NS	Row 50	355/150	10/07/80	NS	NS	Row 55	355/150	10/07/80	NS	NS
Row 41	356/150	10/07/80	NS	NS	Row 46	356/150	10/07/80	NS	NS	Row 51	356/150	10/07/80	NS	NS	Row 56	356/150	10/07/80	NS	NS
Row 42	357/150	10/07/80	NS	NS	Row 47	357/150	10/07/80	NS	NS	Row 52	357/150	10/07/80	NS	NS	Row 57	357/150	10/07/80	NS	NS
Row 43	358/150	10/07/80	NS	NS	Row 48	358/150	10/07/80	NS	NS	Row 53	358/150	10/07/80	NS	NS	Row 58	358/150	10/07/80	NS	NS
Row 44	359/150	10/07/80	NS	NS	Row 49	359/150	10/07/80	NS	NS	Row 54	359/150	10/07/80	NS	NS	Row 59	359/150	10/07/80	NS	NS
Row 45	360/150	10/07/80	NS	NS	Row 50	360/150	10/07/80	NS	NS	Row 55	360/150	10/07/80	NS	NS	Row 60	360/150	10/07/80	NS	NS
Row 46	361/150	10/07/80	NS	NS	Row 51	361/150	10/07/80	NS	NS	Row 56	361/150	10/07/80	NS	NS	Row 61	361/150	10/07/80	NS	NS
Row 47	362/150	10/07/80	NS	NS	Row 52	362/150	10/07/80	NS	NS	Row 57	362/150	10/07/80	NS	NS	Row 62	362/150	10/07/80	NS	NS
Row 48	363/150	10/07/80	NS	NS	Row 53	363/150	10/07/80	NS	NS	Row 58	363/150	10/07/80	NS	NS	Row 63	363/150	10/07/80	NS	NS
Row 49	364/150	10/07/80	NS	NS	Row 54	364/150	10/07/80	NS	NS	Row 59	364/150	10/07/80	NS	NS	Row 64	364/150	10/07/80	NS	NS
Row 50	365/150	10/07/80	NS	NS	Row 55	365/150	10/07/80	NS	NS	Row 60	365/150	10/07/80	NS	NS	Row 65	365/150	10/07/80	NS	NS
Row 51	366/150	10/07/80	NS	NS	Row 56	366/150	10/07/80	NS	NS	Row 61	366/150	10/07/80	NS	NS	Row 66	366/150	10/07/80	NS	NS
Row 52	367/150	10/07/80	NS	NS	Row 57	367/150	10/07/80	NS	NS	Row 62	367/150	10/07/80	NS	NS	Row 67	367/150	10/07/80	NS	NS
Row 53	368/150	10/07/80	NS	NS	Row 58	368/150	10/07/80	NS	NS	Row 63	368/150	10/07/80	NS	NS	Row 68	368/150	10/07/80	NS	NS
Row 54	369/150	10/07/80	NS	NS	Row 59	369/150	10/07/80	NS	NS	Row 64	369/150	10/07/80	NS	NS	Row 69	369/150	10/07/80	NS	NS
Row 55	370/150	10/07/80	NS	NS	Row 60	370/150	10/07/80	NS	NS	Row 65	370/150	10/07/80	NS	NS	Row 70	370/150	10/07/80	NS	NS
Row 56	371/150	10/07/80	NS	NS	Row 61	371/150	10/07/80	NS	NS	Row 66	371/150	10/07/80	NS	NS	Row 71	371/150	10/07/80	NS	NS
Row 57	372/150	10/07/80	NS	NS	Row 62	372/150	10/07/80	NS	NS	Row 67	372/150	10/07/80	NS	NS	Row 72	372/150	10/07/80	NS	NS
Row 58	373/150	10/07/80	NS	NS	Row 63	373/150	10/07/80	NS	NS	Row 68	373/150	10/07/80	NS	NS	Row 73	373/150	10/07/80	NS	NS
Row 59	374/150	10/07/80	NS	NS	Row 64	374/150	10/07/80	NS	NS	Row 69	374/150	10/07/80	NS	NS	Row 74	374/150	10/07/80	NS	NS
Row 60	375/150	10/07/80	NS	NS	Row 65	375/150	10/07/80	NS	NS	Row 70	375/150	10/07/80	NS	NS	Row 75	375/150	10/07/80	NS	NS
Row 61	376/150	10/07/80	NS	NS	Row 66	376/150	10/07/80	NS	NS	Row 71	376/150	10/07/80	NS	NS	Row 76	376/150	10/07/80	NS	NS
Row 62	377/150	10/07/80	NS	NS	Row 67	377/150	10/07/80	NS	NS	Row 72	377/150	10/07/80	NS	NS	Row 77	377/150	10/07/80	NS	NS
Row 63	378/150	10/07/80	NS	NS	Row 68	378/150	10/07/80	NS	NS	Row 73	378/150	10/07/80	NS	NS	Row 78	378/150	10/07/80	NS	NS
Row 64	379/150	10/07/80	NS	NS	Row 69	379/150	10/07/80	NS	NS	Row 74	379/150	10/07/80	NS	NS	Row 79	379/150	10/07/80	NS	NS
Row 65	380/150	10/07/80	NS	NS	Row 70	380/150	10/07/80	NS	NS	Row 75	380/150	10/07/80	NS	NS	Row 80	380/150	10/07/80	NS	NS
Row 66																			

Pg. 1

CUSTOM REPLACEMENT PAN FORMED FACE WITH ZIP TRACK INSERT

QTY: 2
CUSTOM LEXAN FACE (MORRY COLORED
3" FLANGE
3/8" DRAFT
1 3/4" PAN DEPTH
RADIUS RUBBING SENT TO ELK GROVE VILLAGE SHOP
LED CONVERSION

SCALE: 3/4"=1'-0"



EXISTING

**PROPOSED**