



EXIT

FE FIRE EXTINGUISHER - 2A10BC
VERIFY LOCATION WITH CITY & TENANT



<u>LEE'S SUMMIT, MISSOURI, BUILDING CODES</u>	
INTERNATIONAL BUILDING CODE	2018
INTERNATIONAL MECHANICAL CODE	2018
NATIONAL ELECTRICAL CODE	2017
INTERNATIONAL PLUMBING CODE	2018
INTERNATIONAL FIRE CODE	2018
INTERNATIONAL FUEL GAS CODE	2018
ICC/ANSI A117-1.2017, ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES	

SPACE	AREA	EXITS REQUIRED	EXITS PROVIDED	ESTIMATED OCCUPANT LOAD
TENANT B SALES:	1,012 SF	1	1	@ 60 PSF = 17
TENANT B STOCK:	356 SF	1	1	@ 300 PSF = 2
TOTAL:	1,368 SF			19

FIXTURE TYPE	REQUIRED	PROVIDED
WATER CLOSETS	1	1
URINALS	X	X
LAVATORIES	1	1
DRINKING FOUNTAINS	1	1
MOP SINK	1	1

TENANT B: 1,600 SF

1.AUTOMATIC SPRINKLER SYSTEM (YES)



**TENANT FINISH
SUPPLEMENT SUPERSTORE**
LEE'S SUMMIT, JACKSON COUNTY, MISSOURI, 64081

SUBMISSION DATES
06/12/20

SHEET TITLE
**TENANT B CODE PLANS &
RESTROOM ELEVATIONS**

PROJECT NUMBER
200179

SHEET NUMBER
A-101

FILE PATH: F:\1_Projects SDG\000000 Supplement Superstore\05_Drawings\Revit\200179 Supplement Superstore_detached.rvt
DATE: 6/17/2020 3:30:45 PM
DRAWN BY: [redacted]
CHECKED BY: [redacted]