S LEE'S SUMMIT M I S S O U R I

PUBLIC WORKS ENGINEERING DIVISION

Floodplain Development Permit

Date Issued: Tuesday, August 18, 2020
Project Address(es): 2020 SW HOOK RD, LEES SUMMIT, MO 64082 Legal Description: SEC-23 TWP-47 RNG-32SE 1/4 (EX ALL PTS IN ROW)
Elevation if 1% Base Flood: 954-956 Elevation of Proposed Development Site: 952-957 Elevation/Floodproofing Requirement:

Issued By: George Binger, P.E.	Date: Tuesday, August 18, 2020
City Engineer; Floodplain Administrator	

All provisions of City of Lee's Summit UDO Article 6, Division II, Floodplain Management Ordinance, shall be in compliance.

THIS PERMIT ISSUED WITH THE CONDITION THAT THE LOWEST FLOOR (INCLUDING BASEMENT FLOOR) OF ANY NEW OR SUBSTATNTIALLY-IMPROVED RESIDENTIAL BUILDING WILL BE ELEVATED _2_FEET ABOVE THE BASE FLOOD ELEVATION. IF THE PROPOSED DEVELOPMENT IS A NON-RESIDENTIAL BUILDING, THIS PERMIT IS ISSUED WITH THE CONDITION THAT THE LOWEST FLOOR (INCLUDING BASEMENT) OF A NEW OR SUBSTANTIALLY IMPROVED NON-RESIDENTIAL BUILDING WILL BE ELEVATED OR FLOODPROOFED _2_FEET ABOVE THE BASE FLOOD ELEVATION.

THIS PERMIT IS USED WITH THE CONDITION THAT THE DEVELOPER/OWNER WILL PROVIDE CERTIFICATION BY A REGISTERED ENGINEER, ARCHITECT, OR LAND SURVEYOR OF THE "AS-BUILT" LOWEST FLOOR (INCLUDING BASEMENT) ELEVATION OF ANY NEW OR SUBSTANTIALLY-IMPROVED BUILDING COVERED BY THIS PERMIT APPLICATION.

By acceptance of this permit, the permittee is subject to all requirements, duties and obligations set out in Article III of Chapter 26 of the City Code of Ordinances and the City of Lee's Summit Design and Construction Manuel. Both documents are available online on the City's website. If you need assistance obtaining access to these documents please call (816) 969-1800.

