



LOCATION MAP



1 845C
1 READY FOR SERVICE TRIGGER

- 1 LESMMOJ0006
F 2899 NE HAGAN RD
SAI2700-IDCFLP (1989) 45C
F 9,351-400
F PG1131,651-696
F 9,574-575
F FH1131,1-2
F PG1131,801-896
F 9,999-1000
F FH1131,101-102
F PG1131,1201-1250
F FH1131,201-240
F FH1131A,1-10
F FH1131,301-340
F FH1131A,11-20
F FH1131,10-50
F FH1144,51-60
F FH1144,151-160
F FH1131,3-5
F FH1131,103-105
F DD,418-425
F DPG1131,176-225
F FH1131A,21-50
2899H,1-1800 45C
DD.1-395 2 TEST 2899H, 176-200
25 COPPER DC CONFORMANCE TES



FIBER LOSS CALCULATOR				
# Feet	# Splices	# Terminations	Total Loss @ 1310 nm	Total Loss @ 1550 nm
9824	8	2	3.797	3.498

NO SWPPP REQUIRED

PERMISSION GRANTED BY LCON

SUPERINTENDENT CONTACT INFO:
KENT BILQUIST WARD DEVELOPMENT
C: 816-365-5929
O: 816-229-8115

CONTRACTOR COMPANY: CHC CONSULTING
CONTRACTOR NAME: ROSS SNYDER
CONTACT NUMBER: 816-877-6478

PLEASE CONTACT TYLER GRAEF @ 816-877-6478
OR TGRAEF@CHCCONSULTING.COM FOR ANY
QUESTION OR ISSUE REGARDING THE PROJECT

WIRECENTER: LEES SUMMIT
NPANNX: 816524



PROJECT # A01WXC9		DATE SVC REQ'D 08/24/2020	
DA 1133	GEO LOC EE4160	CLLI KSCYMO41	
PRIMARY ENGR.: SHEPARD, DARRIN W.			
ENGR. ID: DS616H		PERMIT REQ'D.	N
PHONE #: 8167720336		PRINT 1 OF 8	

1 (2014) 845C 1403'
5BQ2MT-144
L2012,297-300 NC NC
500FBR,5-48 NC NC
(C,49-52) <A01TVYT> 500FBR,73-76 NC
C,53-72 NC NC
L2012,361-364 NC NC
L2012,293-296 NC NC
(C,81-84) NC <A01WXC9> 500FBR,107-110
C,85-114 NC NC
500FBR,115-116 NC NC
C,117-118 NC NC
500FBR,119-120 NC NC
C,121-144 NC NC

2 (2013) 85C 100'
5BQ2MT-216
C,1-14 NC NC NC NC
500FBR,115-116 NC NC NC NC
C,17-48 NC NC NC NC
(C,49-52) (<A01TVYT> 500FBR,73-76) <A01TVYT> B,49-52 NC NC
C,53-72 NC NC NC NC
C,73-76 NC NC NC NC
C,77-80 NC NC NC NC
(C,81-84) NC NC (<A01WXC9> 500FBR,107-110) <A01WXC9> C,81-84
C,85-114 NC NC NC NC
C,115-116 NC NC NC NC
C,117-118 NC NC NC NC
L2008,119-120 NC NC NC NC
C,121-144 NC NC NC NC
C,145-154 NC NC NC NC
L2008,155-156 NC NC NC NC
C,157-166 NC NC NC NC
L2008,167-170 NC NC NC NC
C,171-216 NC NC NC NC

3 (2017) 85C 0'
5BQ2MT-216
L2012,217-300 NC
L2008,135-136 NC
E,87-88 NC
L2008,113-114 NC
A,91-92 NC
L2008,129-130 NC
L2008,117-120 NC
B,99-106 NC
L2008,155-156 NC
B,109-118 NC
L2008,167-170 NC
A,123-132 NC
500FBR,49-54 NC
A,139-144 NC
L2012,361-372 NC
L2012,373-396 NC
L2012,397-420 NC
L2012,421-432 NC

4 (2013) 85C 1544'
5BQ2MT-216
L2012,217-292 NC
B,77-80 NC
(B,81-84) NC
L2008,135-136 NC
E,87-88 NC
L2008,113-114 NC
A,115-116 NC
L2008,129-130 NC
L2008,117-120 NC
B,99-100 NC
500FBR,5-22 NC
L2008,167-170 NC
500FBR,27-48 NC
(A,145-148) <A01TVYT> 500FBR,73-76 NC
L2012,365-372 NC
A,157-168 NC
A,169-180 NC
L2012,397-420 NC
A,205-216 NC



FID: 15637538
1.553 K.F. TO CO

KV: 7.2
AERIAL:Y
BURIED:Y

ELECTRIC: Evergy
PH: (888) 471-5275

UNAFFECTED CABLES OMITTED
FOR PRINT CLARITY

CONTRACTOR COMPANY: CHC CONSULTING
CONTRACTOR NAME: ROSS SNYDER
CONTACT NUMBER: 816-877-6478

PLEASE CONTACT TYLER GRAEF @ 816-877-6478
OR TGRAEF@CHCCONSULTING.COM FOR ANY
QUESTION OR ISSUE REGARDING THE PROJECT

WIRECENTER: LEES SUMMIT
NPANNX: 816524

PROJECT # A01WXC9		DATE SVC REQ'D 08/24/2020	
DA 1133	GEO LOC EE4160	CLLI KSCYMO41	
PRIMARY ENGR.: SHEPARD, DARRIN W.			
ENGR. ID: DS616H		PERMIT REQ'D.	N
PHONE #: 8167720336		PRINT 3 OF 8	

1	(2013) 85C 0'		
	5BQ2MT-216		
	L2012,217-238	NC	NC
	B,23-24	NC	NC
	L2012,241-292	NC	NC
	B,77-80	NC	NC
	(B,81-84)	NC	<A01WXC9> 500FBR,107-110
	L2008,135-136	NC	NC
	E,87-88	NC	NC
	C,89-90	NC	NC
	A,91-92	NC	NC
	L2008,129-130	NC	NC
	A,95-100	NC	NC
	500FBR,5-22	NC	NC
	A,119-122	NC	NC
	500FBR,27-48	NC	NC
	(A,145-148)	<A01TVYT> 500FBR,73-76	NC
	L2012,365-372	NC	NC
	A,157-168	NC	NC
	A,169-180	NC	NC
	L2012,397-420	NC	NC
	A,205-216	NC	NC

2	(2015) 845C 2112'	
	5BQ2MT-144	
	A,1-86	
	E,87-88	
	A,89-140	
	L2012,285-288	

3	FUTURE FAP 1500A (2013) 85C
7	SEE COMPONENT DETAIL ON PRINT 5
8	SEE COMPONENT DETAIL ON PRINT 5

4	(2016) 845C 135'	
	5BQ2MT-072	
	C,1-66	
	L2012,283-284	
	C,69-72	



5	(2015) 845C 100'		
	5BQ2MT-072		
	(B,1-4)	<A01TVYT> 500FBR,73-76	NC
	B,5-8	NC	NC
	(B,9-12)	NC	<A01WXC9> 500FBR,107-110
	B,13-20	NC	NC
	500FBR,21-22	NC	NC
	B,23-24	NC	NC
	B,25-34	NC	NC
	500FBR,35-36	NC	NC
	B,37-54	NC	NC
	L2008,155-156	NC	NC
	B,157-172	NC	NC

6	(2012) 845C 1250'		
	5BQ2MT-024		
	(A,1-4)	<A01TVYT> 500FBR,73-76	NC
	(A,5-8)	NC	<A01WXC9> 500FBR,107-110
	L2008,125-128	NC	NC
	A,13-20	NC	NC
	500FBR,21-22	NC	NC
	L2008,119-120	NC	NC

CONTRACTOR COMPANY: CHC CONSULTING
CONTRACTOR NAME: ROSS SNYDER
CONTACT NUMBER: 816-877-6478

PLEASE CONTACT TYLER GRAEF @ 816-877-6478
OR TGRAEF@CHCCONSULTING.COM FOR ANY
QUESTION OR ISSUE REGARDING THE PROJECT

LOCATION MAP



UNAFFECTED CABLES OMITTED
FOR PRINT CLARITY

WIRECENTER: LEES SUMMIT
NPANNX: 816524

PROJECT # A01WXC9		DATE SVC REQ'D 08/24/2020	
DA 1133	GEO LOC EE4160	CLLI KSCYMO41	
PRIMARY ENGR.: SHEPARD, DARRIN W.			
ENGR. ID: DS616H		PERMIT REQ'D.	N
PHONE #: 8167720336		PRINT 4 OF 8	

7 (2006) 85C 12480'
5BQ2MT-072
L2008,1-36
L2008,121-124
A,41-44
A,45-46
L2008,131-132
L2008,49-50
A,51-52
L2008,167-170
L2008,57-60
L2008,207-212
A,67-68
L2008,69-72

8 (2006) 85C 0'
5BQ2MT-072
L2008,1-36
L2008,121-128
A,45-46
L2008,131-132
L2008,49-50
L2008,119-120
L2008,167-170
L2008,57-60
L2008,207-212
L2008,155-156
L2008,69-72

SITE ID:
COMMON ID:
CUST CLLI: LESNMO60

LCON:
PHONE:
ALCON:
PHONE:

WIRECENTER: LEES SUMMIT
NPANNX: 816524

CONTRACTOR COMPANY: CHC CONSULTING
CONTRACTOR NAME: ROSS SNYDER
CONTACT NUMBER: 816-877-6478

PLEASE CONTACT TYLER GRAEF @ 816-877-6478
OR TGRAEF@CHCCONSULTING.COM FOR ANY
QUESTION OR ISSUE REGARDING THE PROJECT

PROJECT # A01WXC9		DATE SVC REQ'D 08/24/2020	
DA 1133	GEO LOC EE4160	CLLI KSCYMO41	
PRIMARY ENGR.: SHEPARD, DARRIN W.			
ENGR. ID: DS616H		PERMIT REQ'D.	N
PHONE #: 8167720336		PRINT 5 OF 8	

1 01WWAL.01
LESNM060
I 2700-1-1 NE MCBAIN DR
OFWND-12-1000BC (PPA) 845C
500FBR,107-110
B,5-12

1 845C
OFWND-24-1000BC
1 EXEMPT MATERIAL ONLY
1 SVA ONLY - PLACE PEDESTAL

2 845C
CONT-PL-CABLE
1000 EXEMPT MATERIAL ONLY
1000 SVA ONLY - PLACE ITEM IN

PLASTIC TERM DOES NOT REQUIRE GRNDING

2 (PPA) 45C 912'
ANMW-25
2899H,176-200

3 3-5PR BSW 116'
(348' TOTAL)

3 645C
CONT-PL-CABLE
348 EXEMPT MATERIAL ONLY
348 SVA ONLY - ADDER: PLACING

4 360' INNERDUCT1-1.5 (PPA) 845C

5 90' 2"-SOC (2000) 845C

6 500' TRACESAFE WIRE
PID: 100090357

7 R 2700-1 NE MACBAIN DR
BBGNA-25-4 (PPA)45C

6 45C
BBGNA-25-4
1 EXEMPT MATERIAL ONLY
1 SVA ONLY - PLACE PEDESTAL


@CAB
LSSMMOAW
500 NE COLBERN RD B

5 845C
4 TESTING FIBER FACILITIES


RR: 01CAB3
PNL: 01
PINS: 107-110

@ CUST PREM
CLLI: LESNM060
2700 NE MCBAIN DR


4 845C
4 TESTING FIBER FACILITIES



LOCATION MAP



TELCO DETAIL



KV: 7.2
AERIAL:Y
BURIED:Y

ELECTRIC: Every
PH: (888) 471-5275
GAS: Spire Energy
PH: (800) 582-1234
WATER: Lee's Summit Water Utility
PH: (816) 969-1900

SUPERINTENDENT CONTACT INFO:
KENT BILQUIST WARD DEVELOPMENT
C: 816-365-5929
O: 816-229-8115

PERMIT REQ'D BY LEE'S SUMMIT, MO
ALL U/E & ROW TO BE SURVEYED & STAKED
BURY/BORE ALL FIBER CABLE AT 36" MIN
UNLESS OTHERWISE NOTED

CONTRACTOR COMPANY: CHC CONSULTING
CONTRACTOR NAME: ROSS SNYDER
CONTACT NUMBER: 816-877-6478

PLEASE CONTACT TYLER GRAEF @ 816-877-6478
OR TGRAEF@CHCCONSULTING.COM FOR ANY
QUESTION OR ISSUE REGARDING THE PROJECT

WIRECENTER: LEES SUMMIT
NPANNX: 816524

PROJECT # A01WXC9		DATE SVC REQ'D 08/24/2020	
DA 1133	GEO LOC EE4160	CLLI KSCYMO41	
PRIMARY ENGR.: SHEPARD, DARRIN W.			
ENGR. ID: DS616H		PERMIT REQ'D.	Y
PHONE #: 8167720336		PRINT 7 OF 8	