

RESIDENTIAL ENGINEERING SERVICES, LLC SHOP DRAWING / SUBMITTAL REVIEW

## **APPROVED**

SUBMITTAL WAS REVIEWED FOR DESIGN CONFORMITY AND GENERAL CONFORMANCE TO CONTRACT DOCUMENTS ONLY. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRING AND CORRELATING DIMENSIONS AT JOBSITE FOR TOLERANCE, CLEARANCE, QUANTITIES, FABRICATION PROCESSES AND
TECHNIQUES OF CONSTRUCTION, COORDINATION OF
HIS OR HER WORK WITH OTHER TRADES AND FULL
COMPLIANCE WITH CONTRACT DOCUMENTS.



	HANGER SCHEDULE	Quantity						
	LUS24	17	ege			МО		
	LUS26	0						
	HUS26	12						
<b>A</b>	HHUS26-2	0		Dr.				
_	HGUS26-2	0	S	Ric	lge		424	
	HGUS28-3	0	)MI	iorn	oric		746-	
	LTHJA26	0	HC	ıwt	Ark	ımi	85-7	506
	TJC37	2	SUMMIT HOMES	Lot 17 Hawthorn Ridge	3008 SW Arboridge	Summit	Chance 785-746-4240	Job # 400509
	TJC57	0	JMI	ot 17	800	ree's	nanc	# q
	HTS20	0	S	$\Gamma$	30	Le	C	Jo
of	Triangle denotes the left end of the Truss as it appears on the Engineered Drawings				ldress	State		
	provided.		er	me	e Ac		is l	20
	<del>-</del>	_	Customer	Job Name	Job Site Address	City,	Designer	8/18/2020



Unless otherwise specified by Engineer Of Record, Wheeler Lumber, LLC recommends an uplift connection at each bearing point per the following:

# of Uplift Connector 0 - 495: (1) H2.5A 495 - 990: (2) H2.5A 990 - 1245: (1) HTS20

Installation per Simpson Strong-Tie guidelines.

For Reactions greater than 1245#, refer to EOR.

HIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.

Wheeler Lumber 1959 Old Hwy 50 NE Waverly, KS 66871

Wall Heights 9-01-02 U.N.O. 8-01-02

RELEASE FOR CONSTRUCTION
AS NOTED ON PLANS REVIEW DEVELOPMENT SERVICES LEE'S SUMMIT, MISSOURI

1st Floor Truss Layout

Scale: 3/16'' = 1'


RESIDENTIAL ENGINEERING SERVICES, LLC SHOP DRAWING / SUBMITTAL REVIEW

## **APPROVED**

SUBMITTAL WAS REVIEWED FOR DESIGN CONFORMITY
AND GENERAL CONFORMANCE TO CONTRACT
DOCUMENTS ONLY. THE CONTRACTOR IS RESPONSIBLE
FOR CONFIRING AND CORRELATING DIMENSIONS AT
JOBSITE FOR TOLERANCE, CLEARANCE, QUANTITIES,
FABRICATION PROCESSES AND
TECHNIQUES OF CONSTRUCTION, COORDINATION OF
HIS OR HER WORK WITH OTHER TRADES AND FULL
COMPLIANCE WITH CONTRACT DOCUMENTS.

REVIEWED BY:
RESIDENTIAL ENGINEERING SERVICES, LLC

Brad-A. Huxol, P.F.



CONSTRUCTION
AS NOTED ON PLANS REVIEW
DEVELOPMENT SERVICES
LEE'S SUMMIT, MISSOURI

	HANGER SCHEDULE	Quantity						
	LUS24	17						
	LUS26	0						
	HUS26	12				MO		
_	HHUS26-2	0		lge	Dr.		0	
_	HGUS26-2	0	S	Ric	dge		424	
<b>\</b>	HGUS28-3	0	)MI	norn	ori		746-	
	LTHJA26	0	HC	awt	Ark	ımı	85-7	)506
	TJC37	2	MII	7 Hz	SW	Sun	e 7	40(
	TJC57	0	SUMMIT HOMES	Lot 17 Hawthorn Ridge	3008 SW Arboridge Dr.	Lee's Summit	Chance 785-746-4240	Job # 400509
_	HTS20	0	SI	Ľ	3(	ŭ	D D	Jo
of he	angle denotes the the Truss as it app Engineered Draw ovided.	ears on	Customer	Job Name	Job Site Address	City, State	Designer	8/18/2020

Unless otherwise specified by Engineer Of Record, Wheeler Lumber, LLC recommends an uplift connection at each bearing point per the following:

# of Uplift Connector 0 - 495: (1) H2.5A 495 - 990: (2) H2.5A 990 - 1245: (1) HTS20

Installation per Simpson Strong-Tie guidelines.

For Reactions greater than 1245#, refer to EOR.

us to root and root system are to see the world of the building designer. For general guidance regarding bracing, consult "Bracing of wood trusses" available from the Truss Plate Institute, \$83 DOnifrio Drive; Madison, WI 53179.

Shop Drawing Approval

HIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT.

VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.

Wheeler Lumber 1959 Old Hwy 50 NE Waverly, KS 66871



2nd Floor Truss Layout

Scale: 3/16'' = 1'