RESIDENTIAL ENGINEERING SERVICES, LLC SHOP DRAWING / SUBMITTAL REVIEW


APPROVED

SUBMITTAL WAS REVIEWED FOR DESIGN CONFORMITY AND GENERAL CONFORMANCE TO CONTRACT DOCUMENTS ONLY. THE CONTRACTOR IS RESPONSIBLE FOR CONFIRING AND CORRELATING DIMENSIONS AT JOBSITE FOR TOLERANCE, CLEARANCE, QUANTITIES, FABRICATION PROCESSES AND TECHNIQUES OF CONSTRUCTION, COORDINATION OF HIS OR HER WORK WITH OTHER TRADES AND FULL COMPLIANCE WITH CONTRACT DOCUMENTS.

REVIEWED BY:
RESIDENTIAL ENGINEERING SERVICES, LLC

RELEASE FOR CONSTRUCTION
AS NOTED ON PLANS REVIEW
DEVELOPMENT SERVICES
LEE'S SUMMIT, MISSOURI

10/12/2020



	HANGER SCHEDULE	Quantity						
	LUS24	0						
	LUS26	4						
	HUS26	11				MO		
_	HHUS26-2	2		lge	Dr.		0	
_	HGUS26-2	0	S	Ric	dge		424	
	HGUS28-3	0	MI)	norn	orie		746-	10
	LTHJA26	0	H	awt	Ark	ımi	85-7	329
	TJC37	0	MII) H	SW	Summit	e 7	400
	TJC57	0	SUMMIT HOMES	Lot 19 Hawthorn Ridge	3016 SW Arboridge Dr.	ree's	Chance 785-746-4240	Job # 400675
_	HTS20	0						
Triangle denotes the left end of the Truss as it appears on the Engineered Drawings					ldress	State		
provided.				1e	Ad		l .	20
			Customer	Job Name	Job Site Address	City,	Designer	9/29/2020



Unless otherwise specified by Engineer Of Record, Wheeler Lumber, LLC recommends an uplift connection at each bearing point per the following:

of Uplift Connector 0 - 495: (1) H2.5A 495 - 990: (2) H2.5A 990 - 1245: (1) HTS20

Installation per Simpson Strong-Tie guidelines.

For Reactions greater than 1245#, refer to EOR.

Wall Heights 9-01-02 U.N.O. 8-01-02 10-01-02 13-01-02

Wheeler Lumber 1959 Old Hwy 50 NE Waverly, KS 66871

HIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.



Roof Truss Layout Scale: 3/16" = 1'