




LEE'S SUMMIT MISSOURI

DEMOLITION PERMIT APPLICATION

TYPE	Commercial	<input type="checkbox"/>	Residential	<input checked="" type="checkbox"/>	Other	<input type="checkbox"/>
	Commercial Partial	<input type="checkbox"/>	Residential Partial	<input type="checkbox"/>		
DESCRIPTION OF WORK (attach additional pages if necessary)	Demo of House 900 NE Douglas st					
PROJECT INFORMATION	Most recent use of the structure:	Unkown	Plans being submitted:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
	Square feet of the structure/area being demolished:	1500	Private disposal system being removed:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
	Number of living units being demolished:	1	Underground fuel storage tanks being removed:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
	Number of stories:	1	Estimated cost of demolition:	\$12,769.00		
	Will a crane be utilized in the demolition work:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
PROJECT LOCATION AND OWNER	Project Address:	900 NE Douglas St				
	Name:	Philip Tucker	Phone #:	785-885-8075		
	Address:	104 Woodrock Lane AR 72756	Email:	pht04@sbcglobal.net		
APPLICANT (if different)	Business Name:				Phone #:	
	Contact Name:				Email:	
	Address:				State:	
	City:				Zip Code:	
CONTRACTOR (if different)	Business Name:	Temp Stop LLC	Phone #:	816-554-3352		
	Contact Name:	Frank Hale	Email:	frank@tempstop.com		
	Address:	331 NW Capital Dr	State:	Mo		
	City:	Lees Summit	Zip Code:	64086		
UTILITY DISCONNECTS (required for full demolition)	Spire Gas Approval:	Call 1-314-621-6960 for information.	Received by City Staff	<input type="checkbox"/>		
	Evergry Elec. Approval:	Call 1-888-471-5275 for information.	Received by City Staff	<input type="checkbox"/>		
	Water Approval:	City of Lee's Summit Water Department 816-969-1900	Received by City Staff	<input type="checkbox"/>		
	Sanitary Approval:		Received by City Staff	<input type="checkbox"/>		

PERMIT REQUIREMENTS	<ul style="list-style-type: none"> • The demolition of structures or buildings, partial or complete, shall require a demolition permit. The removal of one-story detached accessory structures used as tool and storage sheds, playhouses, and similar uses, provided the floor area does not exceed one hundred twenty (120) square feet does not require a demolition permit. • When requested by the Building Official, the applicant shall provide; a structural engineers report that describes the methods of demolition including all necessary shoring; plans and information necessary to determine no hazards will be created that endanger the occupants, adjoining properties or general public. • Gas and electric services must be properly abandoned and approved by the appropriate utility company prior to issuance of a permit for complete removal of a structure. Appropriate documentation from the electrical and gas companies documenting proper abandonment. • Water and sanitary services must be abandoned by the Water Utilities Department prior to issuance of a permit for complete removal of a structure. Contact Water Utilities at 816-969-1900 for additional information. • A right-of-way permit and possibly a traffic control permit are required for work located in the row-of-way. Contact the Public Works Department at 816-969-1800 for more information and permit requirements and issuance. • Applicant shall furnish a certificate of liability insurance for personal and property damage in a minimum amount of one hundred thousand dollars (\$100,000) injury each person, three hundred thousand dollars (\$300,000) each occurrence, and fifty thousand dollars (\$50,000) property damage.
INSPECTIONS	<ul style="list-style-type: none"> • Private disposal systems - The removal of private sanitary waste systems is regulated by the Department of Public Works, Jackson County Planning and Environmental Health. Please contact them at 816-881-4515 for further information. • Contact the City of Lee's Summit Fire Department, 816-969-1300, PRIOR to removal of any underground fuel storage • Demolition waste and the abatement of hazardous materials is regulated by the Missouri Department of Natural Resources. For information regarding demolition waste regulations contact the Hazardous Waste Program at 573-751-3176. For information regarding asbestos contact Air Pollution Control at 573-751-4817. Additional information can also be found at: http://dnr.mo.gov/env/cdwaste.htm • Burning of demolition waste of any kind is not allowed in the City of Lee's Summit. • The applicant shall remove all rubbish and materials and fill excavations to existing grade so that the premises are left in a safe and sanitary condition and can be maintained in accordance with the Property Maintenance Code within twenty-eight • A final inspection shall be scheduled after all work required by the demolition permit has been completed • Permits issued for demolition work shall be valid for a maximum duration of sixty (60) days.
OFFICE USE	<hr/> <hr/> <hr/>

AFFIDAVIT: I hereby certify that I have the authority to make the foregoing application, and that the application, to the best of my knowledge, is complete, correct, and that the permitted demolition will conform to the regulations in the Codes adopted by the City of Lee's Summit and all applicable ordinances.



 Signature of Owner or Authorized Agent

FRANK NALE

 Printed Name of Applicant

11-4-20

 Date of Application



Revised November 11, 2019



10/15/2020

FRANK@TEMPSTOP.COM

The meter/service has been removed from the following address (es).

Address	Date Removed
840 NE Douglas St 900 NE Douglas St Lee's Summit, MO	All addresses Removed 10/13/2020

If you have any questions, please call 471-KCPL or fax 737-7147.

Thank You,

Jana

Evergy



Spire Inc.
Mailing address
City, State Zip

October 15, 2020

City of Lee's Summit
City Hall
220 SE Green
Lee's Summit, MO 64063
816-969-1000

Dear City of Lee's Summit,

This is to notify you that we have abandoned the gas service to the address listed below on June 27, 2014.

900 NE DOUGLAS ST, LEE'S SUMMIT

Sincerely,

Mike Perkins
Supervisor - Maintenance Department

Jackson County Missouri
Public Works Department - Development Division
303 West Walnut Independence, MO 64050 - Phone: 816-881-4530

BUILDING PERMIT

Permit ID: **BP20200322**

Permission is hereby granted to: **PHILLIP TUCKER**

To: **Raze**

Structure or structures located (general location or street number)

900 DOUGLAS

Bldg Types: **Raze**

Zoning:

Fee Total: **\$50.00**

The applicant hereby agrees to abide by the terms of the permit application filed in the office of the Development Division of the Jackson County Public Works Department, and comply with the conditions of building codes, health laws, ordinances and regulations of the State of Missouri and Jackson County, Mo., and furthermore understands that any variance from the provisions of the above mentioned ordinances shall constitute cause for the cancellation of this permit.

This permit shall be null and void if the building or work authorized by this permit is not commenced within 180 days. Before such work can be commenced, the permit holder shall notify the Director of Public Works.

Permit Issued: 10/13/2020



A handwritten signature in black ink, appearing to be "D. S. S.", written over a horizontal line.

Administrator of Planning

A handwritten signature in blue ink, appearing to be "D. Tucker", written over a horizontal line.

Permit Technician

October 19, 2020

Frank Hale, President
Temp-Stop, LLC
Frank@tempstop.com

Re: 900 NE Douglas St. Asbestos Testing
Lee's Summit, MO 64086
KCTE Project Number E20-20-122

Mr. Hale,

Kansas City Testing and Engineering, LLC (KCTE) completed sampling of suspected asbestos-containing materials at the referenced location on October 9, 2020. The sampling was performed in general accordance with our proposal #EP20-20-242 by Lauren Robertson, a State of Missouri licensed asbestos inspector. Three samples were taken for each homogenous building material that considered to be a suspect asbestos-containing material (ACM). Analysis of the collected samples by polarized light microscopy (PLM) in compliance with the EPA Interim Method for the Determination of Asbestos in Bulk Insulation Samples (as found in 40 CFR, Part 763, Subpart E, Appendix E) was performed by ACT, an accredited laboratory located in Lenexa, KS.

Samples taken of suspect ACM included: transite siding shingles, tar paper, window glazing, asphalt roof shingles, sheet vinyl flooring, linoleum flooring, roof flashing, drywall, sink undercoating, furnace vibration dampening cloth, and cloth wire sheathing. Asbestos was detected in the **transite siding, loose transite tiles, roof vent flashing, sheet vinyl flooring, and furnace vibration dampening cloth**. Please see attached sampling log and PLM analysis results for further details including material type, location, asbestos content, and estimated quantity. A figure is also attached that lays out the floor plan of the structure and where the identified ACM is located.

In addition to asbestos sampling, an inventory was taken of the household hazardous waste (HHW) within the structure. The following HHW was identified:

- 1 Fluorescent light tube
- 1 Fluorescent light ballast
- 1 Refrigerator
- 3 AC window units

If you have any questions concerning the work performed, please do not hesitate to contact us at (785) 979-8039 or spencer.setka@kctestng.com.

Respectfully submitted,



Spencer Setka, GIT
Project Manager



Ron Wood, RG
Environmental Services Manager

Attachments: Sampling Log, ACT Sample Analysis Results, Chain of Custody, ACM Location Figures

Asbestos Containing Material ●

Note: Exterior siding contained asbestos

SAMPLE ID	MATERIAL	COLOR	SAMPLE RESULT	LOCATION	ESTIMATED QUANTITY
TS-1	SIDING	BLU-GREY	CHIRASOTILE 18%	EXTERIOR	1598SF
TS-2			CHIRASOTILE 18%		
RF-1	ROOF FLASHING	BLACK	CHIRASOTILE 18%	ROOF	28'
RF-2			CHIRASOTILE 15%		
RF-3			CHIRASOTILE 15%		
TV-1	FLOOR VINYL	VT FLOW	CHIRASOTILE 65% (BACKING)	ENTRY	15SF
TV-2			CHIRASOTILE 65% (BACKING)		
TV-3			CHIRASOTILE 65% (BACKING)		
TV-4	LOOR TILES	GREY	CHIRASOTILE 18%	REAR LIVING ROOM	58'
TV-5			CHIRASOTILE 18%		
TV-6			CHIRASOTILE 18%		
DC-1	MOHAWK DAMPENING CLOTH	TAN	CHIRASOTILE 90%	BASEMENT HVAC	1
DC-2			CHIRASOTILE 90%		
DC-3			CHIRASOTILE 90%		




Figure 1
 Asbestos Location Map
 900 N.E. Douglas Street
 Lee's Summit, MO
 Project No. E20-20-122

KANSAS CITY
 TESTING & ENGINEERING, LLC
 1141 SW Boulevard
 Kansas City, Kansas 66103
 www.kctesting.com



Asbestos Chain of Custody / Analysis Request

1 of 3

Lab Report No.:
B 74331

Customer:	KOTE	Contact:	Lauren Robertson
Address:		Phone:	417.483-7621
City/State/Zip:	Kansas City, MO		
Email:	lauren.robertson@kctesting.com		

PLM
<input checked="" type="checkbox"/> Bulk
<input type="checkbox"/> Wipe

PCM
NIOSH Method 7400

Project: ~~810 NE Douglas St.~~
900 NE Douglas St.
Project No.: E20-20-122 PO No.:

Collected by: C.R.
Date: 10-9-2020

Turnaround Time
Rush/Same Day *
24 Hour

*Call for availability

Report results via:
Phone
Email <input checked="" type="checkbox"/>

Date Required: _____

**Composite result if Sheetrock/Joint compound sample is positive _____

Sample No.	Material Type	ACT Lab ID
TS-1	Transite Siding	B74331-1
TS-2	↓	-2
TS-3	↓	-3
TP-1	Siding paper	-4
TP-2	↓	-5
TP-3	↓	-6
WG-1	Window Glaze	-7
WG-2	↓	-8
WG-3	↓	-9
AS-1	Shingles	-10
AS-2	↓	-11
AS-3	↓	-12

Sample No.	Material Type	ACT Lab ID
AS1-1	Shingles	B74331-13
AS1-2	↓	-14
AS1-3	↓	-15
RTP-1	Roof tar paper	-16
RTP-2	↓	-17
RTP-3	↓	-18
RF-1	Roof flashing	-19
RF-2	↓	-20
RF-3	↓	-21
DN-1	Daywall	-22
DN-2	↓	-23
DN-3	↓	-24

Relinquished by: JL Patton Date/Time: 10/12/20 12:36 Received by: Ami Van Date/Time: 10/12/20

Sample Condition: Acceptable _____ Other _____

Comments/Instructions
900 NE Douglas labeled bag

ACT

Environmental

14953 W. 101st Terrace, Lenexa, KS 66215
(913) 492-1337

Asbestos Chain of Custody / Analysis Request

2 of 3

Lab Report No.:
B-74331

Customer:	KC Testing	Contact:	L. Robertson
Address:		Phone:	417-483-7621
City/State/Zip:	KC, Kansas		
Email:	lauren.robertson@kc-testing.com		

PLIM
<input checked="" type="checkbox"/> Bulk
<input type="checkbox"/> Wipe

PCM
NIOSH Method 7400

Project: ~~870 NE Douglas St~~
 900 NE Douglas St
 Project No.: E20-20-122 PO No.:

Collected by: L. Robertson
 Date: 10-9-2020

*Call for availability

Report results via:
 Phone: _____ Email:

**Composite result if Sheetrock/Joint compound sample is positive _____

Date Required: _____

Sample No.	Material Type	ACT Lab ID
FV1	Floor Vinyl	B74331-25
FV2	↓	-26
FV3	↓	-27
FV1-1	Floor Vinyl	-28
FV1-2	↓	-29
FV1-3	↓	-30
FL1	Floor Linoleum	-31
FL2	↓	-32
FL3	↓	-33
FV2-1	Floor Vinyl	-34
FV2-2	↓	-35
FV2-3	↓	-36

Sample No.	Material Type	ACT Lab ID
BBM-1	Baseboard/mastic	B74331-37
BBM-2	↓	-38
BBM-3	↓	-39
TT-1	Loose tiles	-40
TT-2	↓	-41
TT-3	↓	-42
SU-1	Sink undercoat	-43
SU-2	↓	-44
SU-3	↓	-45
DC-1	Dampening cloth	-46
DC-2	↓	-47
DC-3	↓	-48

Relinquished by	Date/Time	Received by	Date/Time
L. Robertson	10/12/20 12:30	Jamie Dean	10/12/20

Sample Condition: Acceptable Other _____

900 NE Douglas Bag

Comments/Instructions

TABLE D-1
ASBESTOS SAMPLE RESULTS

900 N.E. DOUGLAS STREET

SAMPLE ID	MATERIAL	COLOR	SAMPLE RESULT	LOCATION	ESTIMATED QUANTITY
TS-1	SIDING	BLUE/GREY	CHRYSOTILE 18%	EXTERIOR	1500SF
TS-2			CHRYSOTILE 18%		
TS-3			CHRYSOTILE 18%		
TP-1	SIDING PAPER	BLACK	ND	EXTERIOR	1500SF
TP-2					
TP-3					
WG-1	WINDOW GLAZE	WHITE	ND	EXTERIOR LIVING ROOM WINDOW	10 TOTAL
WG-2					
WG-3					
AS-1	ASPHALT SHINGLES	WHITE	ND	ROOF	900SF
AS-2					
AS-3					
ASI-1	ASPHALT SHINGLES	GREEN	ND	ROOF	900SF
ASI-2					
ASI-3					
RTP-1	ROOF TAR PAPER	BLACK	ND	ROOF	900SF
RTP-2					
RTP-3					
RF-1	ROOF FLASHING	BLACK	CHRYSOTILE 15%	ROOF	2SF
RF-2			CHRYSOTILE 15%		
RF-3			CHRYSOTILE 15%		
DW-1	DRYWALL	OFF WHITE	ND	THROUGHOUT MAIN FLOOR	1000SF
DW-2					
DW-3					
FV-1	FLOOR VINYL	YELLOW	CHRYSOTILE 65% (BACKING)	ENTRY	12SF
FV-2			CHRYSOTILE 65% (BACKING)		
FV-3			CHRYSOTILE 65% (BACKING)		
FV1-1	FLOOR VINYL	YELLOW	ND	KITCHEN	86SF
FV1-2					
FV1-3					
FL-1	FLOOR LINOLEUM	BLACK	ND	KITCHEN	86SF
FL-2					
FL-3					
FV2-1	FLOOR VINYL	WHITE	ND	BATHROOM	22SF
FV2-2					
FV2-3					
BBM-1	BASEBOARD, MASTIC	BLACK BASEBOARD, YELLOW MASTIC	ND	BATHROOM	13LF
BBM-2					
BBM-3					
TT-1			CHRYSOTILE 18%		

TABLE D-1
ASBESTOS SAMPLE RESULTS

SAMPLE ID	MATERIAL	COLOR	SAMPLE RESULT	LOCATION	ESTIMATED QUANTITY
TT-2	LOOSE TILES	GREY	CHRYSOTILE 18%	PILE IN LIVING ROOM	5SF
TT-3			CHRYSOTILE 18%		
SU-1	SINK UNDERCOAT	BLACK	ND	KITCHEN SINK	1 DOUBLE SINK
SU-2					
SU-3					
DC-1	FURNACE DAMPENING CLOTH	TAN	CHRYSOTILE 90%	BASEMENT HVAC	1
DC-2			CHRYSOTILE 90%		
DC-3			CHRYSOTILE 90%		
WW-1	WIRE WRAP	BLACK	ND	ALL ELECTRICAL WILRE- LIVING ROOM	UNKNOWN
WW-2					
WW-3					

Notes

- ID Identification
- NA Not applicable
- ND None detected

ACT

14953 W. 101st Terrace
Lenexa, Kansas 66215
913-492-1337

October 14, 2020

KC Testing & Engineering
1308 Adams
Kansas City, KS 66103

PROJECT: 900 NE Douglas St.
REPORT NO. B-74331

Enclosed please find results for bulk samples submitted to our laboratory for asbestos analysis from the above referenced project.

The asbestos analysis was performed using Polarized Light Microscopy (PLM) with dispersion staining in accordance with the required EPA Interim Method for the Determination of Asbestos in Bulk Insulation Samples, as found in 40 CFR, Part 763, Subpart E, Appendix E.

The asbestos fiber type and percentage are reported. The method of measurement is based on calibrated visual estimation. The data provided herein is related only to those samples submitted for analysis. Samples comprised of **greater than one percent (1%) asbestos** are to be considered an asbestos containing material.

Verification by PLM point counting is available upon request. Due to limitations of the PLM microscope and the matrix of floor tile, any floor tile sample found to contain NO asbestos may be verified by TEM analysis upon the client's request. An additional fee will apply.

If samples submitted are not homogeneous, sub-samples of the components are analyzed separately as layers. A composite result may be requested.

This report may not be used by the client to claim product endorsement by NIST, NVLAP or any agency of the U.S. Government. This report shall not be reproduced, except in full, without the written approval of ACT.

If you have any questions, please contact me at 913-492-1337.

Respectfully submitted,



Tami L. Van
Laboratory Director



TESTING

NVLAP Lab Code: 101649-0

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>1 / B74331-1</u>		Location of Material: <u>Siding</u>		
Layer No.: _____		Description of Material: <u>Gray fibrous cementitious / paint</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	18			Bulk/Binder 82

Sample No./Lab ID: <u>2 / B74331-2</u>		Location of Material: <u>Siding</u>		
Layer No.: _____		Description of Material: <u>Gray fibrous cementitious / paint</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	18			Bulk/Binder 82

Sample No./Lab ID: <u>3 / B74331-3</u>		Location of Material: <u>Siding</u>		
Layer No.: _____		Description of Material: <u>Gray fibrous cementitious / paint</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	18			Bulk/Binder 82

Sample No./Lab ID: <u>4 / B74331-4</u>		Location of Material: <u>Siding paper</u>		
Layer No.: _____		Description of Material: <u>Black tarry fibrous</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	85	Bulk/Binder 15

Sample No./Lab ID: <u>5 / B74331-5</u>		Location of Material: <u>Siding paper</u>		
Layer No.: _____		Description of Material: <u>Black tarry fibrous</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	85	Bulk/Binder 15

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>6 / B74331-6</u>		Location of Material: <u>Siding paper</u>		
Layer No.: _____		Description of Material: <u>Black tarry fibrous</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	85	Bulk/Binder 15

Sample No./Lab ID: <u>7 / B74331-7</u>		Location of Material: <u>Window glaze</u>		
Layer No.: _____		Description of Material: <u>White/gray brittle chalky</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Sample No./Lab ID: <u>8 / B74331-8</u>		Location of Material: <u>Window glaze</u>		
Layer No.: _____		Description of Material: <u>White/gray brittle chalky</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Sample No./Lab ID: <u>9 / B74331-9</u>		Location of Material: <u>Window glaze</u>		
Layer No.: _____		Description of Material: <u>White/gray brittle chalky</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Sample No./Lab ID: <u>10 / B74331-10</u>		Location of Material: <u>Shingle</u>		
Layer No.: _____		Description of Material: <u>Black fibrous tar / rocks</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Fibrous glass	15	Bulk/Binder 85

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>11 / B74331-11</u>		Location of Material: <u>Shingle</u>	
Layer No.: _____		Description of Material: <u>Black fibrous tar / rocks</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Fibrous glass	15
		Bulk/Binder	85

Sample No./Lab ID: <u>12 / B74331-12</u>		Location of Material: <u>Shingle</u>	
Layer No.: _____		Description of Material: <u>Black fibrous tar / rocks</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Fibrous glass	15
		Bulk/Binder	85

Sample No./Lab ID: <u>13 / B74331-13</u>		Location of Material: <u>Shingle</u>	
Layer No.: _____		Description of Material: <u>Black fibrous tar / rocks</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Cellulose	60
		Bulk/Binder	40

Sample No./Lab ID: <u>14 / B74331-14</u>		Location of Material: <u>Shingle</u>	
Layer No.: _____		Description of Material: <u>Black fibrous tar / rocks</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Cellulose	60
		Bulk/Binder	40

Sample No./Lab ID: <u>15 / B74331-15</u>		Location of Material: <u>Shingle</u>	
Layer No.: _____		Description of Material: <u>Black fibrous tar / rocks</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Cellulose	60
		Bulk/Binder	40

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>16 / B74331-16</u>		Location of Material: <u>Siding paper</u>	
Layer No.: _____		Description of Material: <u>Black tarry fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	Bulk/Binder 15
		85	

Sample No./Lab ID: <u>17 / B74331-17</u>		Location of Material: <u>Siding paper</u>	
Layer No.: _____		Description of Material: <u>Black tarry fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	Bulk/Binder 15
		85	

Sample No./Lab ID: <u>18 / B74331-18</u>		Location of Material: <u>Siding paper</u>	
Layer No.: _____		Description of Material: <u>Black tarry fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	Bulk/Binder 15
		85	

Sample No./Lab ID: <u>19 / B74331-19</u>		Location of Material: <u>Roof flashing</u>	
Layer No.: _____		Description of Material: <u>Black brittle fibrous tar</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	15		Bulk/Binder 85

Sample No./Lab ID: <u>20 / B74331-20</u>		Location of Material: <u>Roof flashing</u>	
Layer No.: _____		Description of Material: <u>Black brittle fibrous tar</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	15		Bulk/Binder 85

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: 21 / B74331-21
 Layer No.: _____

Location of Material: Roof flashing
 Description of Material: Black brittle fibrous tar

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	15			Bulk/Binder 85

Sample No./Lab ID: 22 / B74331-22
 Layer No.: _____

Location of Material: Drywall
 Description of Material: White chalky/brown fibrous/paint

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	12	Bulk/Binder 88

Sample No./Lab ID: 23 / B74331-23
 Layer No.: _____

Location of Material: Drywall
 Description of Material: White chalky/brown fibrous/paint

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	12	Bulk/Binder 88

Sample No./Lab ID: 24 / B74331-24
 Layer No.: _____

Location of Material: Drywall
 Description of Material: White chalky/brown fibrous/paint

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	12	Bulk/Binder 88

Sample No./Lab ID: 25 / B74331-25
 Layer No.: 1

Location of Material: Floor vinyl
 Description of Material: Tan flat smooth pliable

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: 25 / B74331-25
 Layer No.: 2

Location of Material: Backing
 Description of Material: Off-white compact fibrous

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	65			Bulk/Binder 35

Sample No./Lab ID: 26 / B74331-26
 Layer No.: 1

Location of Material: Floor vinyl
 Description of Material: Tan flat smooth pliable

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Sample No./Lab ID: 26 / B74331-26
 Layer No.: 2

Location of Material: Backing
 Description of Material: Off-white compact fibrous

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	65			Bulk/Binder 35

Sample No./Lab ID: 27 / B74331-27
 Layer No.: 1

Location of Material: Floor vinyl
 Description of Material: Tan flat smooth pliable

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Sample No./Lab ID: 27 / B74331-27
 Layer No.: 2

Location of Material: Backing
 Description of Material: Off-white compact fibrous

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	65			Bulk/Binder 35

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>28 / B74331-28</u>		Location of Material: <u>Floor vinyl</u>	
Layer No.: <u>1</u>		Description of Material: <u>Brown flat smooth pliable</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			Bulk/Binder 100

Sample No./Lab ID: <u>28 / B74331-28</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Gray compact fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose 65 Fibrous glass 10	Bulk/Binder 25

Sample No./Lab ID: <u>29 / B74331-29</u>		Location of Material: <u>Floor vinyl</u>	
Layer No.: <u>1</u>		Description of Material: <u>Brown flat smooth pliable</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			Bulk/Binder 100

Sample No./Lab ID: <u>29 / B74331-29</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Gray compact fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose 65 Fibrous glass 10	Bulk/Binder 25

Sample No./Lab ID: <u>30 / B74331-30</u>		Location of Material: <u>Floor vinyl</u>	
Layer No.: <u>1</u>		Description of Material: <u>Brown flat smooth pliable</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			Bulk/Binder 100

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>30 / B74331-30</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Gray compact fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	25
		Fibrous glass	65
			10

Sample No./Lab ID: <u>31 / B74331-31</u>		Location of Material: <u>Floor linoleum</u>	
Layer No.: <u>1</u>		Description of Material: <u>Gray/brown flat thin hard</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			100

Sample No./Lab ID: <u>31 / B74331-31</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Black tarry fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	20
		Hair	75
			5

Sample No./Lab ID: <u>32 / B74331-32</u>		Location of Material: <u>Floor linoleum</u>	
Layer No.: <u>1</u>		Description of Material: <u>Gray/brown flat thin hard</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			100

Sample No./Lab ID: <u>32 / B74331-32</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Black tarry fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	20
		Hair	75
			5

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>33 / B74331-33</u>		Location of Material: <u>Floor linoleum</u>	
Layer No.: <u>1</u>		Description of Material: <u>Gray/brown flat thin hard</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED			
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 100

Sample No./Lab ID: <u>33 / B74331-33</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Black tarry fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Cellulose 75	
		Hair 5	
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 20

Sample No./Lab ID: <u>34 / B74331-34</u>		Location of Material: <u>Floor vinyl</u>	
Layer No.: <u>1</u>		Description of Material: <u>White flat smooth pliable</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED			
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 100

Sample No./Lab ID: <u>34 / B74331-34</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Gray compact fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Cellulose 65	
		Fibrous glass 10	
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 25

Sample No./Lab ID: <u>35 / B74331-35</u>		Location of Material: <u>Floor vinyl</u>	
Layer No.: <u>1</u>		Description of Material: <u>White flat smooth pliable</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED			
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 100

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>35 / B74331-35</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Gray compact fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Cellulose	65
		Fibrous glass	10
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 25

Sample No./Lab ID: <u>36 / B74331-36</u>		Location of Material: <u>Floor vinyl</u>	
Layer No.: <u>1</u>		Description of Material: <u>White flat smooth pliable</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED			
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 100

Sample No./Lab ID: <u>36 / B74331-36</u>		Location of Material: <u>Backing</u>	
Layer No.: <u>2</u>		Description of Material: <u>Gray compact fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Cellulose	65
		Fibrous glass	10
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 25

Sample No./Lab ID: <u>37 / B74331-37</u>		Location of Material: <u>Baseboard</u>	
Layer No.: <u>1</u>		Description of Material: <u>Brown/black flat smooth rubbery</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED			
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 100

Sample No./Lab ID: <u>37 / B74331-37</u>		Location of Material: <u>Adhesive</u>	
Layer No.: <u>2</u>		Description of Material: <u>Brown brittle</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED			
			<u>Non-Fibrous Percentage</u>
			Bulk/Binder 100

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>38 / B74331-38</u>		Location of Material: <u>Baseboard</u>	
Layer No.: <u>1</u>		Description of Material: <u>Brown/black flat smooth rubbery</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			Bulk/Binder 100

Sample No./Lab ID: <u>38 / B74331-38</u>		Location of Material: <u>Adhesive</u>	
Layer No.: <u>2</u>		Description of Material: <u>Brown brittle</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			Bulk/Binder 100

Sample No./Lab ID: <u>39 / B74331-39</u>		Location of Material: <u>Baseboard</u>	
Layer No.: <u>1</u>		Description of Material: <u>Brown/black flat smooth rubbery</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			Bulk/Binder 100

Sample No./Lab ID: <u>39 / B74331-39</u>		Location of Material: <u>Adhesive</u>	
Layer No.: <u>2</u>		Description of Material: <u>Brown brittle</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED			Bulk/Binder 100

Sample No./Lab ID: <u>40 / B74331-40</u>		Location of Material: <u>Loose tile</u>	
Layer No.: _____		Description of Material: <u>Gray fibrous cementitious</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	18		Bulk/Binder 82

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>41 / B74331-41</u>		Location of Material: <u>Loose tile</u>		
Layer No.: _____		Description of Material: <u>Gray fibrous cementitious</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	18			Bulk/Binder 82

Sample No./Lab ID: <u>42 / B74331-42</u>		Location of Material: <u>Loose tile</u>		
Layer No.: _____		Description of Material: <u>Gray fibrous cementitious</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	18			Bulk/Binder 82

Sample No./Lab ID: <u>43 / B74331-43</u>		Location of Material: <u>Sink undercoat</u>		
Layer No.: _____		Description of Material: <u>Black tar</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Sample No./Lab ID: <u>44 / B74331-44</u>		Location of Material: <u>Sink undercoat</u>		
Layer No.: _____		Description of Material: <u>Black tar</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Sample No./Lab ID: <u>45 / B74331-45</u>		Location of Material: <u>Sink undercoat</u>		
Layer No.: _____		Description of Material: <u>Black tar</u>		
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED				Bulk/Binder 100

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: 46 / B74331-46
 Layer No.: _____

Location of Material: Dampening cloth
 Description of Material: Brown compact woven fibrous

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	90			Bulk/Binder 10

Sample No./Lab ID: 47 / B74331-47
 Layer No.: _____

Location of Material: Dampening cloth
 Description of Material: Brown compact woven fibrous

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	90			Bulk/Binder 10

Sample No./Lab ID: 48 / B74331-48
 Layer No.: _____

Location of Material: Dampening cloth
 Description of Material: Brown compact woven fibrous

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
CHRYBOTILE	90			Bulk/Binder 10

Sample No./Lab ID: 49 / B74331-49
 Layer No.: _____

Location of Material: Wire wrap
 Description of Material: Gray/brown woven fibrous

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	60	Bulk/Binder 20
		Fibrous glass	20	

Sample No./Lab ID: 50 / B74331-50
 Layer No.: _____

Location of Material: Wire wrap
 Description of Material: Gray/brown woven fibrous

<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Fibrous Percentage</u>
NONE DETECTED		Cellulose	60	Bulk/Binder 20
		Fibrous glass	20	

Asbestos Bulk Analysis Laboratory Report

Client Name: KC Testing & Engineering
 Project Name: 900 NE Douglas St.

REPORT NO.: B-74331
 RUSH TAT _____

Date collected: 10/9/2020
 Collected by: L. Robertson
 ANALYST: Tami Van

Submitted by: L. Robertson
 Date sample submitted: 10/12/2020
 Analysis date: 10/14/2020

Sample No./Lab ID: <u>51 / B74331-51</u>		Location of Material: <u>Wire wrap</u>	
Layer No.: _____		Description of Material: <u>Gray/brown woven fibrous</u>	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
NONE DETECTED		Cellulose	60
		Fibrous glass	20
			Bulk/Binder 20

Sample No./Lab ID: _____		Location of Material: _____	
Layer No.: _____		Description of Material: _____	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
			Bulk/Binder

Sample No./Lab ID: _____		Location of Material: _____	
Layer No.: _____		Description of Material: _____	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
			Bulk/Binder

Sample No./Lab ID: _____		Location of Material: _____	
Layer No.: _____		Description of Material: _____	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
			Bulk/Binder

Sample No./Lab ID: _____		Location of Material: _____	
Layer No.: _____		Description of Material: _____	
<u>Asbestos Fiber Type</u>	<u>Percentage</u>	<u>Non-Asbestos Fiber Type</u>	<u>Percentage</u>
			Bulk/Binder

TABLE D-1
ASBESTOS SAMPLE RESULTS


840 N.E. DOUGLAS STREET					
SAMPLE ID	MATERIAL	COLOR	SAMPLE RESULT	LOCATION	ESTIMATED QUANTITY
ST-1	STAIR TREAD	BROWN	ND	STAIRS TO BASEMENT	308F
ST-2					
ST-3					
SU-1	SINK UNDERCOAT	BLACK	CHRYSOTILE 3%	KITCHEN DOUBLE SINK	1 SINK
SU-2					
SU-3					
DW-1	DRYWALL	WHITE	ND	THROUGHOUT	1200SF
DW-2					
DW-3					
VFT-1	9x9 VINYL FLOOR TILE	RED TILE, YELLOW MASTIC	ND	ENTRY	12SF
VFT-2					
VFT-3					
BVF-1	VINYL FLOOR	GREEN MUILT	ND	1ST FLOOR BATH	36SF
BVF-2					
BVF-3					
BBM-1	BASEBOARD, MASTIC	BROWN BASEBOARD, TAN MASTIC	ND	1ST FLOOR BATH	30LF
BBM-2					
BBM-3					
BVFI-1	VINYL FLOOR	CREAM	ND	2ND FLOOR BATH	22SF
BVFI-2					
BVFI-3					
BBM1-1	BASEBOARD, MASTIC	DARK BROWN BASEBOARD, BROWN MASTIC	ND	2ND FLOOR BATH	8LF
BBM1-2					
BBM1-3					
CTI-1	CEILING TEXTURE	WHITE	ND	2ND FLOOR THROUGHOUT	295SF
CTI-2					
CTI-3					
RS2-1	ROOF SHINGLE	BLACK/GREY	ND	GARAGE ROOF	525SF
RS2-2					
RS2-3					
WG-1	WINDOW GLAZE	WHITE	ND	EXTERIOR HOUSE WINDOWS, EXTERIOR GARAGE WINDOWS	16 TOTAL
WG-2					
WG-3					
TP-1	TAR PAPER	BLACK	ND	EXTERIOR UNDER SIDING	1800SF
TP-2					
TP-3					
RS-1	ROOF SHINGLE	GREY	ND	ROOF	1120SF
RS-2					
RS-3					
RS1-1					

TABLE D-1
ASBESTOS SAMPLE RESULTS

RSI-2	ROOF SHINGLE	TAN	ND	ROOF	1120SF
RSI-3					
TPI-1					
TPI-2	TAR PAPER	BLACK	ND	ROOF TAR PAPER UNDER SHINGLES	1120SF
TPI-3					
CC-1					
CC-2	CHIMNEY CAULK	BLACK	ND	CHIMNEY VENT (EXTERIOR)	88F
CC-3					
RM-1					
RM-2	ROOF MATERIAL (RUBBER)	BLACK	ND	W. SIDE OF 2ND FLOOR ROOF	510SF
RM-3					
RP-1					
RP-2	ROOF PAPER	BLACK	ND	W. SIDE OF 2ND FLOOR ROOF	510SF
RP-3					
CT-1					
CT-2	CEILING TILE	WHITE	ND	BASEMENT	300SF
CT-3					
SL-1					
SL-2	STAIR LINOLEUM	RED/BROWN	ND	BASEMENT STAIRS, KITCHEN, FRONT ENTRY	150SF
SL-3					

Notes

- ID Identification
- NA Not applicable
- ND None detected



MISSOURI DEPARTMENT OF NATURAL RESOURCES
 AIR POLLUTION CONTROL PROGRAM
**ASBESTOS NESHAP NOTIFICATION OF DEMOLITION
 AND RENOVATION**

FOR OFFICE USE ONLY	
DATE RECEIVED	POSTMARK
CHECK DATE	CHECK NUMBER
CHECK AMOUNT	NOTIFICATION NUMBER

There is a \$100 review fee for this notification. Processing will be delayed if notification is received without payment.

1. TYPE OF NOTIFICATION

O - ORIGINAL C - CANCELLED R - REVISION, WRITE REVISION NUMBER _____

2. FACILITY INFORMATION (IDENTIFY OWNER, REMOVAL CONTRACTOR AND OTHER OPERATOR)

OWNER'S NAME Philip Tucker	ADDRESS 104 Woodrock Lane		
CITY Rogers	STATE AK	ZIP CODE 72756	EMAIL ph404@sbcglobal.net
CONTACT	TITLE owner	TELEPHONE NUMBER WITH AREA CODE 785-885-8075	

ASBESTOS REMOVAL CONTRACTOR N/A	ADDRESS		
CITY	STATE	ZIP CODE	EMAIL
CONTACT	TITLE	TELEPHONE NUMBER WITH AREA CODE	

DEMOLITION CONTRACTOR TEMP STOP LLC	ADDRESS 331 NW Capital Drive		
CITY Lees Summit	STATE MO	ZIP CODE 64086	EMAIL Frank@tempstop.com
CONTACT FRANK HALE	TITLE President	TELEPHONE NUMBER WITH AREA CODE 816 554 3352	

3. TYPE OF OPERATION
 D - DEMO O - ORDERED DEMO R - RENOVATION E - EMERGENCY RENOVATION

4. IS ASBESTOS PRESENT?

YES NO LIST TYPE(S) OF ASBESTOS MATERIAL TO BE REMOVED
Transite Siding

5. FACILITY DESCRIPTION

BUILDING NAME Single Family Home	ADDRESS 900 N. E Douglas St		
CITY Lees Summit	COUNTY SACKSON	STATE MO	ZIP CODE 64086
SITE LOCATION			
BUILDING SIZE < 1500 sq feet	NUMBER OF FLOORS 3	AGE IN YEARS ≈ 50	
PRESENT USE Single Family Home	PRIOR USE Same		

6. PROCEDURE, INCLUDING ANALYTICAL METHOD, IF APPROPRIATE, USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL. INCLUDE A COPY OF THE ASBESTOS INSPECTION.

7. APPROXIMATE AMOUNT OF ASBESTOS, INCLUDING: A. REGULATED ACM (RACM) B. CATEGORY I ACM C. CATEGORY II ACM	RACM TO BE REMOVED	NONFRIABLE ASBESTOS MATERIAL TO BE REMOVED		NONFRIABLE ASBESTOS MATERIAL NOT TO BE REMOVED	
		CAT I	CAT II	CAT I	CAT II
PIPES (LINEAR FEET)					
SURFACE AREA (SQUARE FEET)	Exterior Siding	1500			
VOL. RACM OFF FACILITY COMPONENT (CUBIC FEET)					

8. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY)			
START: 11-9-20	COMPLETION: 11-30-20		
9. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY)			
START:	COMPLETION:	WEEKDAY WORK HOURS	WEEKEND WORK HOURS
10. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK AND METHOD(S) TO BE USED			
11. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE.			
will remove sink by hand			
12. WASTE TRANSPORTER			
NAME Temp Stop LLC	ADDRESS 331 NW Capital Drive		
CITY Lees Summit	STATE MO	ZIP CODE 64086	
CONTACT PERSON	TELEPHONE NUMBER WITH AREA CODE		
13. WASTE DISPOSAL SITE			
NAME Pink Hills Acres	LOCATION		
CITY Blue Springs	STATE MO	ZIP CODE 64014	
TELEPHONE NUMBER WITH AREA CODE 816-229-6395			
14. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, IDENTIFY THE AGENCY BELOW.			
NAME	TITLE		
AGENCY			
DATE OF ORDER (MM/DD/YY) INCLUDE A COPY OF THE ORDER.		DATE ORDERED TO BEGIN (MM/DD/YY)	
15. FOR EMERGENCY RENOVATIONS			
DATE AND HOUR OF EMERGENCY			
DESCRIPTION OF THE SUDDEN, UNEXPECTED EVENT			
EXPLANATION OF HOW THE EVENT CAUSED UNSAFE CONDITIONS OR WOULD CAUSE EQUIPMENT DAMAGE OR AN UNREASONABLE FINANCIAL BURDEN			
16. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLLED, PULVERIZED OR REDUCED TO POWDER.			
17. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ON-SITE DURING THE DEMOLITION OR RENOVATION AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS (REQUIRED 1 YEAR AFTER PROMULGATION).			
SIGNATURE OF OWNER/OPERATOR			DATE
SIGNATURE OF OWNER/OPERATOR			DATE
10-27-20			