

CITY OF LEE'S SUMMIT
Development Services Department
220 SE Green Street
Lee's Summit, MO 64063
(816)969-1200
DEVSERVICES.CITYOFLS.NET

Inspection Summary

Permit #: PRCOM20182611
Address: 901 NW WARD RD, LEES SUMMIT, MO 64086

This work has been inspected and the inspection results noted below. Please schedule inspections once all corrective actions have been completed. Do not cover any work until approved.

| Inspection: | Inspector: | Outcome: | Date: |
|---------------------------------|-----------------|----------|----------------------------|
| Miscellaneous Inspection | Michael Harkins | Failed | Tuesday, December 01, 2020 |

Corrective Action Required:

| | | |
|---|--------------------------|--|
| 1 | Miscellaneous Correction | 901 ward bldg #4 PRCOM20182611 misc inspection 4th floor Secure windows at all stair landings Handrails in all stairways Fire extinguisher cabinets throughout Elevator equipment room cover plate Remove dust covers smokes corridor 400 ok 402 complete deck rail 404 bad GFCI between stove & refer 405 bath exhaust fan obstruction 406 ok 407 fire caulk ceiling mech room, entry door won't latch 408 fire caulk line set ceiling mech room 410 fire caulk line set ceiling mech room 412 entry door won't latch 3rd floor not ready 300 deadbolt deck door won't throw 301 ok 302 deadbolt deck door won't fully extend |
|---|--------------------------|--|

303 provide deadbolt bed deck door, GFCI above toilet hot neutral reverse
304 missing deck rail
Room next to elevator open j box, door casing
305 ok

12/01/2020

Address exterior doors

Signage throughout

306 ok

307 AFCI #18 won't trip on test

308 fire caulk ceiling mech room

309 anti tip device range

310 fire caulk ceiling mech room

311 ok

312 ok

313 provide spark rings electrical boxes at stairway side, fire caulk tape mech
room ceiling

314 fire caulk ceiling mech room

214 fire caulk ceiling mech room

213 spark rings

212 anti tip range, fire caulk mech closet ceiling

211 cover plate bathroom vanity, fire caulk mech ceiling

210 ok

209 fire caulk mech room ceiling

208 ok

207 ok

206 ok

205 ok

204 guardrail deck, fire caulk mech room ceiling

203 ok

202 ok

201 ok

200 ok

Comments: