

---

**DEVELOPMENT SERVICES**

<b>Building Permit - Commercial</b> <b>Project Title:</b> LEES SUMMIT POLICE DEPARTMENT - INTERIOR ALTERATIONS AND ADDING FLOOR SPACE TO UPPER LEVEL <b>Work Desc:</b> ALTERATION COMMERCIAL	<b>Permit No:</b> PRCOM20204028 <b>Date Issued:</b> January 04, 2021
--	---

<b>Project Address:</b> 10 NE TUDOR RD, LEES SUMMIT, MO 64086  <b>Legal Description:</b> NEW LEES SUMMIT POLICE & COURT FACILITY---LOT 1A (EX THAT PT TAKEN FOR ROW)  <b>Parcel No:</b> 52900043700000000  <b>County:</b> JACKSON	<b>Permit Holder:</b> TURNER CONSTRUCTION COMPANY 1220 WASHINGTON STE 1000 KANSAS CITY, MO 64105
---	---

<b>Activities Included for this Project:</b> License Tax, License Tax Credit, Alarm Permit, Electrical Permit Commercial, Foundation Permit Commercial, Mechanical Permit Commercial, Plumbing Permit Commercial, zAlteration Commercial,
---

THIS PERMIT IS ISSUED IN RELIANCE UPON INFORMATION SUBMITTED BY THE APPLICANT. THE BUILDING OFFICIAL MAY SUSPEND OR REVOKE WHENEVER THE PERMIT IS ISSUED IN ERROR, OR ON THE BASIS OF INCORRECT INFORMATION SUPPLIED, OR IN VIOLATION OF ANY ADOPTED CODE, CITY ORDINANCE OR REGULATIONS. NOTICE: THE DISPOSAL OF DEMOLITION WASTE IS REGULATED BY THE DEPARTMENT OF NATURAL RESOURCES UNDER CHAPTER 260 RSMO. SUCH WASTE, IN TYPES AND QUANTITIES ESTABLISHED BY THE DEPARTMENT, SHALL BE TAKEN TO A DEMOLITION LANDFILL OR A SANITARY LANDFILL FOR DISPOSAL.
---

**CONDITIONS**

**One or more divisions have conditions that have not been addressed during the review period. The outstanding conditions provided below shall be met as indicated during the construction period.**

Licensed Contractors
----------------------

Building Plan Review
----------------------

Fire Plan Review
------------------

1 2018 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall include, but not be limited to, all of the following: 1. A floor plan which indicates the use of all rooms. 2. Locations of alarm-initiating and notification appliances. 3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions.

(Action Required)

Provide PE stamped electronic shop drawings for any modifications to the fire alarm system to  
mike.weissenbach@cityofls.net

Note: Fire alarm to be operational during construction

2        2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

(Action Required)

Provide PE stamped electronic shop drawings for any modifications to the fire sprinkler system to  
mike.weissenbach@cityofls.net

Note: Fire sprinkler system to be operational during construction.

3        2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

(Informational Purposes)

Call (816)969-1300 to schedule testing.

Signature of

Applicant: \_\_\_\_\_

Date: \_\_\_\_\_

Print name: \_\_\_\_\_

Company Name: \_\_\_\_\_