



# LEE'S SUMMIT MISSOURI



## FIRE DEPARTMENT

### NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	FIRESTONE		
ADDRESS	3561 SW MARKET ST, Unit:IR, LEES SUMMIT, MO 640823561 SW MARKET ST, LEES SUMMIT, MO 64082		
OWNER/OPERATOR NAME	ROBINSON E L JR & LETHA M - TRUSTEES:	TELEPHONE	<NO PRIMARY PHONE>
ADDRESS	37004 E CLINE RD LONE JACK, MO 64070 Primary: <NO PRIMARY PHONE> Cell: <NO CELL PHONE>		

### EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____

### LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: S-1	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

### LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alarm Test	Michael Weissenbach	Passed	Tuesday, March 02, 2021
Sprinkler - Hydrostatic Test	Michael Weissenbach	Passed	Monday, January 04, 2021

<b>Sprinkler - Flow Test</b>				Michael Weissenbach	Passed	Tuesday, March 02, 2021
DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?		RESPONSIBLE SIGNATURE		
March 02, 2021	Michael Weissenbach	<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>				