

DEVELOPMENT SERVICES

PLAN REVIEW CONDITIONS

April 23, 2021

ELEVATE DESIGN & BUILD LLC
1040 SW LUTTRELL STE E1
BLUE SPRINGS, MO 64015

Permit No: PRCOM20211884
Project Title: ELEVATE DESIGN + BUILD
Project Address: 350 SW LONGVIEW BLVD, LEES SUMMIT, MO 64081
Parcel Number: 62420090300000000
Location / Legal: TOWER PARK COMMERCIAL PHASE 1---LOT 2
Description:
Type of Work: CHANGE OF TENANT
Occupancy Group:
Description: TENANT FINISH FOR CONSTRUCTION AND DESIGN OFFICE

Revisions Required

One or more departments have not approved the permit and the following is a list of requirements from the City of Lee's Summit that have not been satisfactorily addressed in the plans and specifications. Please address the comments as requested and provide three (3) copies of any revised sheets and/or additional information. Please contact the appropriate department regarding clarification of comments.

Development Services Department (816) 969-1200

Fire Department (816) 969-1300

Licensed Contractors

Reviewed By: Joe Frogge

Approved

Building Plan Review

Reviewed By: Joe Frogge

Rejected

1. Inadequate information to complete review.

Action required: Provide complete MEP designs or detailed scopes of work.

Fire Plan Review

Reviewed By: Michael Weissenbach

Approved with Conditions

1. 2018 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall include, but not be limited to, all of the following: 1. .A floor plan which indicates the use of all rooms. 2. Locations of alarm-initiating and notification appliances. 3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions.

(Action Required)

Any modifications to the fire alarm system, provide PE stamped electronic shop drawings to mike.weissenbach@cityofls.net

DEVELOPMENT SERVICES

2. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

(Action Required)

Any modifications to the fire sprinkler system, provide PE stamped electronic shop drawings to mike.weissenbach@cityofls.net

3. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

(Informational Purposes)

Call (816)969-1300 to schedule testing if applicable.

4. (Informational Purposes)

Existing emergency/exit lighting to be fully operational during the occupancy inspection.

The review conducted by the City of Lee's Summit Development Services Department shall not be construed as a structural review of the project.