



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	ST LUKE'S EAST HOSPITAL FLEX CAPACITY ADDITION		
ADDRESS	80 NE SAINT LUKES BLVD, LEES SUMMIT, MO 64086100 NE SAINT LUKES BLVD, LEES SUMMIT, MO 64086		
OWNER/OPERATOR NAME	MCCOWN GORDON CONSTRUCTION LLC:	TELEPHONE	(816) 960-1111
ADDRESS	850 MAIN ST KANSAS CITY, MO 64105 Primary: (816) 960-1111 Cell: (816) 401-5144		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____

LOSS REDUCTION TYPE

☐ Occupancy	☐ Semi-Annual	☐ Annual	☐ Life Safety	☐ Sprinkler	☐ Hazardous Material Permit
☐ Complaint	☐ Explosive Storage	☐ UST	☐ Post-Incident	☐ Open Burning	☐ Other
CLASS: I-2	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Sprinkler - Hydrostatic Test	Michael Weissenbach	Passed	Tuesday, April 07, 2020
Alarm Test	Michael Weissenbach	Partial	Tuesday, October 27, 2020
Sprinkler - Hydrostatic Test	Craig Hill	Passed	Friday, September 11, 2020

Sprinkler - Hydrostatic Test	Michael Weissenbach	Partial	Tuesday, October 20, 2020
Sprinkler - Hydrostatic Test	Michael Weissenbach	Passed	Monday, November 02, 2020
Alarm Test	Michael Weissenbach	Partial	Thursday, December 10, 2020
Occupancy Inspection - Fire	Michael Weissenbach	Partial	Monday, November 02, 2020
Occupancy Inspection - Fire	Michael Weissenbach	Partial	Monday, December 14, 2020
Alarm Test	Michael Weissenbach	Partial	Tuesday, January 19, 2021
Occupancy Inspection - Fire	Michael Weissenbach	Partial	Thursday, January 21, 2021
Alarm Test	Michael Weissenbach	Partial	Thursday, April 08, 2021
Sprinkler - Flow Test	Michael Weissenbach	Passed	Tuesday, January 19, 2021
Occupancy Inspection - Fire	Michael Weissenbach	Partial	Thursday, April 08, 2021
Alarm Test	Craig Hill	Failed	Tuesday, May 11, 2021
Sprinkler - Hydrostatic Test	Michael Weissenbach	Passed	Thursday, April 08, 2021
Alarm Test	Craig Hill	Passed	Tuesday, May 11, 2021
DATE OF REPORT May 11, 2021	INSPECTOR Craig Hill	PREVENTION FOLLOW-UP REQUIRED? ☐ Yes ☐ No	RESPONSIBLE SIGNATURE