



# LEE'S SUMMIT MISSOURI



## FIRE DEPARTMENT

### NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

<b>BUSINESS NAME</b>	MILAN LASER HAIR REMOVAL
<b>ADDRESS</b>	1728 NW CHIPMAN RD, LEES SUMMIT, MO 64081
<b>OWNER/OPERATOR NAME</b>	Goebel and Company DBA Goebel Mitts Construction: <b>TELEPHONE</b> (913) 787-1738
<b>ADDRESS</b>	6600 College Blvd. Suite 320 Overland Park , KS 66211 Primary: (913) 787-1738 Cell: <NO CELL PHONE>

### EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	
2. _____	
3. _____	
4. _____	

### LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: B	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

### LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
<b>Alarm Test</b>	Craig Hill	Passed	Monday, May 24, 2021
<b>Sprinkler - Hydrostatic Test</b>	Michael Weissenbach	Not Required	Monday, May 24, 2021
<b>Sprinkler - Flow Test</b>	Michael Weissenbach	Not Required	Monday, May 24, 2021

DATE OF REPORT May 24, 2021	INSPECTOR Craig Hill	PREVENTION FOLLOW-UP REQUIRED? <input type="checkbox"/> Yes <input type="checkbox"/> No	RESPONSIBLE SIGNATURE