
CL.1/BR.1 FACE LIT CHANNEL LETTERS W/ S/F PUSH THROUGH BURGER W/DRIVE THRU - WALL MOUNTED (Qty 1)

ALLOWABLE SQUARE FOOTAGE: 130.00 SF PROPOSED SQUARE FOOTAGE: 75.80 SF



DESIGN SPECIFICATIONS IBC 2012 with MO amendments ASCE 7-10 Minimum Design Loads for Buildings & Other Stru ACI 318-14 Building Code Requirements for Structural Co ANSI/AISC 360-10 Specification for Stuctural Steel Building **DESIGN LOADS** Vult = 115 mph Wind Exposure Risk Cat. Grnd. Snow Pg = 20 psf OF MISS

MURDOCH ENGINEERING **MURDOCH** NUMBER PE-2014038163 Jere Murdoch, PE Professional Engineer


TONAL

LETTER SECTION SCALE: 1 1/2" = 1'-0"

MO PE Lic. #2014038163

EAST EXTERIOR ELEVATION

SCALE: 1/8" = 1'-0" BEHIND PARAPET RACEWAY 24'-9 1/2" 21'-6" 5'- 0 1/4" FRONT VIEW SIDE VIEW SCALE: 1/4" = 1'-0" SCALE: 1/4" = 1'-0"



SPECIFICATIONS

1. ILLUMINATED CHANNEL LETTERS W/ A-1 FACES W/ 1ST SURFACE PER VINYL V-2 WHITE LED ILLUMINATION. ALUMINUM RETURNS & 1" JEWELITE TRIMCAP PAINTED P-2. STAND-OFFS PTD P-5

2. S/F LED ILLUMINATED ROUTED & PUSHED THRU FACE A-2. ACRYLIC CABINET PAINTED P-2, WITH 1/2" PUSH THRU CLEAR ACRYLIC FACE. 1ST & 2ND SURFACE VINYL V-1 VERTICAL SUPPORT PAINTED P-5

3. BEHIND PARAPET RACEWAY REQUIRED - PTD P-5

COLORS/FINISHES


P-2 SW 7069 - IRON ORE - MATTE FINISH A-1 .1875" THICK WHITE ACRYLIC FACE

A-2 CLEAR ACRYLIC

V-1 3M 3630-106 BRILLIANT GREEN - TRANS VINYL (1ST & 2ND SURFACE)

V-2 PERF VINYL TO MATCH SW 7069 IRON ORE

P-5 SW 7005 - PURE WHITE - MATTE FINISH ISOMETRIC VIEW



JONES SIGN
Your Vision. Accomplished.

WWW.JONESSIGN.COM

050000 B40	REV.	DATE	BY	DESCRIPTION	CLIENT APPROVAL	DATE
JOB #: 250360-R10	1	01.19.21	SW	REVISED PER REQUESTED CHANGE	1	
	2	01.21.21	AR	REVISE PER COMMENTS		
DATE: 12.14.2020	3	02.03.21	AR	REVISE PER MARK-UPS	LANDLORD ARRESTAL	DATE
	4	02.12.21	AR	REVISE PER MARK-UPS	LANDLORD APPROVAL	DATE
DESIGNER: S. Wiands	5	04.16.21	SW	REVISE PER MARK-UPS		
	6	04.23.21	SW	REVISE PER MARK-UPS		
SALES REP:	7	05.04.21	SW	REVISE PER MARK-UPS		
	8	05.20.21	SW	UPDATE ELEVATIONS AND VARIOUS	QC	
PROJ MGR: S. KOSTKA	9	05.21.21	SW	UPDATE PER REQUEST		
TROUMER. C. ROOTRA	10	06.09.21	SW	REVISED PER REQUEST		


	SHAKE SHACK
١	

SHAKE SHACK 2051 NW LOWENSTEIN DR LEE'S SUMMIT, MO 64081

SHEET NUMBER

DESIGN PHASE: CONCEPTUAL


CL.1/BR.1 FACE LIT CHANNEL LETTERS W/ S/F PUSH THROUGH BURGER - WALL MOUNTED (Qty 1)




	050000 D40	REV. DATE BY DESCRIPTION	CLIENT APPROVAL DATE			SHEET NUMBER
	JOB #: 250360-R10	1 01.19.21 SW REVISED PER REQUESTED CHANGE			SHAKE SHACK	
JONES SIGN	DATE: 12.14.2020	2 01.21.21 AR REVISE PER COMMENTS 3 02.03.21 AR REVISE PER MARK-UPS	LANDLORD APPROVAL DATE		2051 NW LOWENSTEIN DR	
	DESIGNER: S. Wiands	4 02.12.21 AR REVISE PER MARK-UPS 5 04.16.21 SW REVISE PER MARK-UPS 6 04.23.21 SW REVISE PER MARK-UPS	LANDLORD APPROVAL DATE	ISHAKE SHACK	LEE`S SUMMIT, MO 64081	1 1 1
WWW.JONESSIGN.COM	SALES REP:	7 05.04.21 SW REVISE PER MARK-UPS 8 05.20.21 SW UPDATE ELEVATIONS AND VARIOUS	QC			1
	PROJ MGR: S. KOSTKA	9 05.21.21 SW UPDATE PER REQUEST 10 06.09.21 SW REVISED PER REQUEST			DESIGN PHASE: CONCEPTUAL	

CL.2/BR.2 FACE LIT CHANNEL LETTERS W/ S/F PUSH THROUGH BURGER W/DRIVE THRU (Qty 1)

ALLOWED SQUARE FOOTAGE: 117.00 SF PROPOSED SQUARE FOOTAGE: 83.64 SF



NORTH EXTERIOR ELEVATION SCALE: 1/8" = 1'-0"



SPECIFICATIONS

- 1. ILLUMINATED CHANNEL LETTERS W/ A-1 FACES W/ 1ST SURFACE PER VINYL V-2 WHITE LED ILLUMINATION. ALUMINUM RETURNS & 1" JEWELITE TRIMCAP PAINTED P-2. STAND-OFFS PTD P-2
- 2. S/F LED ILLUMINATED ROUTED & PUSHED THRU FACE A-2. ACRYLIC CABINET PAINTED P-2, WITH 1/2" PUSH THRU CLEAR ACRYLIC FACE. 1ST & 2ND SURFACE VINYL V-1 VERTICAL SUPPORT PAINTED P-2

COLORS/FINISHES

P-2 SW 7069 - IRON ORE - MATTE FINISH


A-1 .1875" THICK WHITE ACRYLIC FACE


A-2 CLEAR ACRYLIC

V-1 3M 3630-106 BRILLIANT GREEN - TRANS VINYL (1ST & 2ND SURFACE)

V-2 PERF VINYL TO MATCH SW 7069 IRON ORE

P-5 SW 7005 - PURE WHITE - MATTE FINISH







0.50000 D.40	REV.	DATE	BY	DESCRIPTION	CLIENT APPROVAL	DATE
JOB #: 250360-R10	- 1	01.19.21	SW	REVISED PER REQUESTED CHANGE		57.1.2
	2	01.21.21	AR	REVISE PER COMMENTS		
DATE: 12.14.2020	3	02.03.21	AR	REVISE PER MARK-UPS		
	4	02.12.21	AR	REVISE PER MARK-UPS	LANDLORD APPROVAL	DATE
DESIGNER: S. Wiands	5	04.16.21	SW	REVISE PER MARK-UPS		
	6	04.23.21	SW	REVISE PER MARK-UPS		
SALES REP:	7	05.04.21	SW	REVISE PER MARK-UPS		
07 (220 1 (2) .	8	05.20.21	SW	UPDATE ELEVATIONS AND VARIOUS	QC	
PROJ MGR: S. KOSTKA	9	05.21.21	SW	UPDATE PER REQUEST		
NOS MON. S. NOSTINA	10	06.09.21	SW	REVISED PER REQUEST		


SHAKE SHACK

SHAKE SHACK 2051 NW LOWENSTEIN DR LEE'S SUMMIT, MO 64081

SHEET NUMBER

DESIGN PHASE: CONCEPTUAL

CL.2 FACE LIT CHANNEL LETTERS (Qty 1)



		DESIG	IN SPI	ECIFICATION	ONS
	IBC	2012	with	МО	amendments
	1005	7.40			
	ASCE	/-10	Minimum	Design Loads for	Buildings & Other Structures
	ACI	318-14	Building (Code Requirement	ts for Structural Concrete
	ANSI/AISC	360-10	Specifica	tion for Stuctural S	Steel Buildings
		[DESIG	N LOADS	
	Wind	Vult =	115	mph	
	Exposure	C			
	Risk Cat.	H			
OF MISSOL	Grnd. Snow	Pg =	20	psf	
OF MIG.					
01 111350	N.		I	MURD	OCH
	$N \lesssim$			NEER	
JERE \	C V	SIGN S	TRUCT	URE ROFES	SSIONALS

MURDOCH NUMBER PE-2014038163

JONAL ET

Jere Murdoch, PE Professional Engineer MO PE Lic. #2014038163

> **LETTER SECTION** SCALE: 1 1/2" = 1'-0"

JONES SIGN Your Vision. Accomplished. WWW.JONESSIGN.COM

JOB #: **250360-R10** DATE: 12.14.2020 02.03.21 DESIGNER: S. Wiands SALES REP: PROJ MGR: S. KOSTKA

CLIENT APPROVAL DATE LANDLORD APPROVAL 02.12.21 AR REVISE PER MARK-UPS 04.16.21 SW REVISE PER MARK-UPS
04.23.21 SW REVISE PER MARK-UPS
05.04.21 SW REVISE PER MARK-UPS 05.20.21 SW UPDATE ELEVATIONS AND VARIOUS
05.21.21 SW UPDATE PER REQUEST 06.09.21 SW

SHAKE SHACK

SHAKE SHACK 2051 NW LOWENSTEIN DR LEE'S SUMMIT, MO 64081

DESIGN PHASE: CONCEPTUAL


SHEET NUMBER

BR.2 S/F PUSH THROUGH BURGER (Qty 1) DESIGN SPECIFICATIONS IBC 2012 with MO amendments ASCE 7-10 Minimum Design Loads for Buildings & Other Struc ACI 318-14 Building Code Requirements for Structural Concrete $ANSI/AISC\ 360\text{-}10\ \text{Specification for Stuctural Steel Buildings}$ WHITE LED'S PRINCIPAL STREET FIGHTER MINI 3500K ATTACHED TO BACKS WITH VHB TAPE **DESIGN LOADS** Vult = 115 mph Wind Exposure Risk Cat. Grnd. Snow Pg = 20 psf FACE / RETURNS TO BE 1 1/2" WHITE ACRYLIC OF MISS W/ CENTER "HOGGED" OUT AND MURDOCH ENGINEERING SHOULDER CUT TO ACCEPT BACKS **JERE** MURDOCH SHOULDER CUT CLEAR ACRYLIC 1/2" PROJECTION ROUTED/PUSH THRU BURGER 1ST & 2ND SURFACE 3M 3630-106 **NUMBER** PE-2014038163 Jere Murdoch, PE Professional Engineer STONAL MO PE Lic. #2014038163 **LETTER SECTION** SCALE: 1 1/2" = 1'-0" 1/8" ALUMINUM BACKS ATTACH TO VERTICAL SUPPORTS WITH COUNTERSUNK SCREWS ACCESS COVER ON TOP OF RACEWAY 1" X 1" ALUM. VERTICAL SUPPORTS WELDED TO PLATE #8 TYPE "F" PAN HEAD SCREWS 4" X 3" X 1/8" THK. TUBE RACEWAY WELDED TO PLATE 3/8" Ø THRU BOLT INTO C-CHANNEL W/ POWER SUPPLY ON BOTTOM OF RACEWAY MINIMAL EXPOSED SHAFT. MIN. (1) @ 24" O.C. 60W / 120-277 3/8" THK. X 7" PLATE DISCONNECT SWITCH C12X20.7 C-CHANNEL (BY G.C.) **BURGER SECTION** SCALE: 3" = 1'-0" CLIENT APPROVAL DATE SHEET NUMBER JOB #: 250360-R10 SHAKE SHACK

JONES SIGN 2051 NW LOWENSTEIN DR DATE: 12.14.2020 02.03.21 SHAKE SHACK LANDLORD APPROVAL LEE'S SUMMIT, MO 64081 02.12.21 AR REVISE PER MARK-UPS DESIGNER: S. Wiands Your Vision. Accomplished. 04.16.21 04.23.21 SW REVISE PER MARK-UPS 05.04.21 SW REVISE PER MARK-UPS SALES REP: WWW.JONESSIGN.COM 05.20.21 SW UPDATE ELEVATIONS AND VARIOUS
05.21.21 SW UPDATE PER REQUEST DESIGN PHASE: CONCEPTUAL PROJ MGR: S. KOSTKA 06.09.21 SW

DS.1 ILLUMINATED POST AND PANEL (Qty 2)

SQUARE FOOTAGE: 5.0



SPECIFICATIONS

- 1. ALUMINUM SIGN CABINET PAINTED P-3
- 2. ROUTED ALUMINUM FACES PAINTED P-3
- 3. 3/4" WHITE ACRYLIC BACK-UP A-1 W/ VINYL APPLIED 1ST & 2ND SURFACE TO ARROW V-2
- 4. 2" SQ. TUBE SUPPORTS PAINTED P-3
- 5. 3500K PRINCIPAL QUIK MOD LED

COLORS/FINISHES

P-3 RAL #9004 BLACK - MATTE FINISH

V-2 3M 3630-106 BRILLIANT GREEN - TRANS VINYL (1ST & 2ND SURFACE)

A-1 3/4" WHITE ACRYLIC

	100 // 250260 D40	REV. DATE BY DESCRIPTION	CLIENT APPROVAL DATE		CHAKE CHACK	SHEET NUMBER
	JOB #: 250360-R10	1 01.19.21 SW REVISED PER REQUESTED CHANGE			SHAKE SHACK	
JONES SIGN	DATE: 12.14.2020	2 01.21.21 AR REVISE PER COMMENTS 3 02.03.21 AR REVISE PER MARK-UPS	LANDLORD APPROVAL DATE		2051 NW LOWENSTEIN DR	
Your Vision. Accomplished.	DESIGNER: S. Wiands	4 02.12.21 AR REVISE PER MARK-UPS 5 04.16.21 SW REVISE PER MARK-UPS 6 04.23.21 SW REVISE PER MARK-UPS	LANDLORD APPROVAL DATE	SHAKE SHACK	LEE`S SUMMIT, MO 64081	80
WWW.JONESSIGN.COM	SALES REP:	7 05.04.21 SW REVISE PER MARK-UPS 8 05.20.21 SW UPDATE ELEVATIONS AND VARIOUS	QC			0.0
	PROJ MGR: S. KOSTKA	9 05.21.21 SW UPDATE PER REQUEST 10 06.09.21 SW REVISED PER REQUEST			DESIGN PHASE: CONCEPTUAL	

DS.2 ILLUMINATED POST AND PANEL (Qty 1)

SQUARE FOOTAGE: 5.0 EA.



SPECIFICATIONS

- 1. ALUMINUM SIGN CABINET PAINTED P-3
- 2. ROUTED ALUMINUM FACES PAINTED P-3
- 3. WHITE ACRYLIC BACK-UP A-1 W/ VINYL APPLIED 1ST & 2ND SURFACE TO NO ENTRY V-5
- 4. 2" SQ. TUBE SUPPORTS PAINTED P-3

COLORS/FINISHES

P-3 RAL #9004 BLACK - MATTE FINISH

V-5 3M 3630-33 RED VINYL

A-1 3/4" WHITE ACRYLIC

5. 3500K PRINCIPAL QUIK MOD LED

	JONES SIGN
ı	Your Vision, Accomplished,

WWW.JONESSIGN.COM

JOB #: **250360-R10** DATE: 12.14.2020

DESIGNER: S. Wiands SALES REP: PROJ MGR: S. KOSTKA


REV.	DATE	BY	DESCRIPTION	
1	01.19.21	SW	REVISED PER REQUESTED CHANGE	
2	01.21.21	AR	REVISE PER COMMENTS	
3	02.03.21	AR	REVISE PER MARK-UPS	
4	02.12.21	AR	REVISE PER MARK-UPS	
5	04.16.21	SW	REVISE PER MARK-UPS	
6	04.23.21	SW	REVISE PER MARK-UPS	
7	05.04.21	SW	REVISE PER MARK-UPS	
8	05.20.21	SW	UPDATE ELEVATIONS AND VARIOUS	
9	05.21.21	SW	UPDATE PER REQUEST	
10	06 09 21	SW	REVISED PER RECUEST	

CLIENT APPROVAL DATE	
LANDLORD APPROVAL DATE	SHAKE SHAC
QC	

SHAKE SHACK 2051 NW LOWENSTEIN DR LEE'S SUMMIT, MO 64081


SHEET NUMBER

DESIGN PHASE: CONCEPTUAL



REFACE D/F PYLON (Qty 2 FACES)

PROPOSED SQUARE FOOTAGE: 43.5 SF EA



14'-8 1/2" CUT SIZE 14'-7" V.O. SHAKE SHACK 1/2" CUT

SIDE VIEW SCALE: 1/4" = 1'-0" **FRONT VIEW** SCALE: 1/4" = 1'-0"

SPECIFICATIONS

- 1. ALUMINUM SIGN CABINET PAINTED P-3
- 2. ROUTED ALUMINUM FACES PAINTED P-3
- 3. 3/4" WHITE ACRYLIC BACK-UP A-1 4. 3/4" CLEAR ACRYLIC W/ APPLIED 1ST & 2ND

SURFACE TO BURGER V-2

COLORS/FINISHES

P-3 RAL #9004 BLACK - MATTE FINISH

V-2 3M 3630-106 BRILLIANT GREEN - TRANS VINYL (1ST & 2ND SURFACE)

A-1 3/4" WHITE ACRYLIC

A-2 3/4" CLEAR ACRYLIC



WWW.JONESSIGN.COM

SAL

050000 B40	REV.	DATE	BY	DESCRIPTION
ов #: 250360-R10	1	01.19.21	SW	REVISED PER REQUESTED CHANGE
	2	01.21.21	AR	REVISE PER COMMENTS
ATE: 12.14.2020	3	02.03.21	AR	REVISE PER MARK-UPS
	4	02.12.21	AR	REVISE PER MARK-UPS
ESIGNER: S. Wiands	5	04.16.21	SW	REVISE PER MARK-UPS
	6	04.23.21	SW	REVISE PER MARK-UPS
ALES REP:	7	05.04.21	SW	REVISE PER MARK-UPS
TELOTTEI.	8	05.20.21	SW	UPDATE ELEVATIONS AND VARIOUS
ROJ MGR: S. KOSTKA	9	05.21.21	SW	UPDATE PER REQUEST
NOU WIGH. S. NOSTRA	10	06.09.21	SW	REVISED PER REQUEST

CLIENT APPROVAL	DATE	
LANDLORD APPROVAL	DATE	SHAKESH
QC		

FRONT VIEW SCALE: 1/2" = 1'-0"

SHAKE SHACK 2051 NW LOWENSTEIN DR LEE'S SUMMIT, MO 64081

DESIGN PHASE: CONCEPTUAL

SHEET NUMBER

FC.1 / FC.1a EXTERIOR BAND OF LETTERS W/ BACKER PANEL (Qty 2 Sets)

SQUARE FOOTAGE FC.1: 43.6 SQUARE FOOTAGE FC.1a: 43.6



EAST EXTERIOR ELEVATION SCALE: 1/8" = 1'-0"



SOUTH EXTERIOR ELEVATION


SCALE: 1/8" = 1'-0"




FC.2/FC.3 EXTERIOR BAND OF LETTERS W/ BACKER PANEL (Qty 1 Sets)

SQUARE FOOTAGE FC.2: 39.4 SQUARE FOOTAGE FC.3: 48.43


FC.2



NORTH EXTERIOR ELEVATION SCALE: 1/8" = 1'-0"





WEST EXTERIOR ELEVATION SCALE: 1/8" = 1'-0"



FC.1 / FC.1a / FC.2 / FC.3 EXTERIOR BAND OF LETTERS W/ BACKER PANEL (Qty 3 Sets)

SQUARE FOOTAGE FC.1: 43.6 SQUARE FOOTAGE FC.2: 48.43 SQUARE FOOTAGE FC.1a: 8.75 SQUARE FOOTAGE FC.3: 39.4





EXTERIOR-WORK SCOPE

- 30" H CHANNEL LETTERS/30" PUSH THRU BURGER W/DRIVE THRU WALL MOUNTED (QTY 1)
- CL.2 BR.2 30" H CHANNEL LETTERS/30" PUSH THRU BURGER W/DRIVE THRU (QTY 1)
- FC.1 10" EXTERIOR SIGN BAND FCO'S
- FC.2 10" EXTERIOR SIGN BAND FCO'S
- FC.3 10" EXTERIOR SIGN BAND FCO'S
- DS.1 ILLUMINATED DIRECTIONAL SIGN (QTY 2)
- DS.2 ILLUMINATED DIRECTIONAL SIGN (QTY 1)
- VI.1 ADDRESS VINYL (QTY 2)
- TP.1 D/F PYLON REFACE (QTY 2)
- PB.1 PRESALE MENU BOARD (QTY 2)
- EMB.1 EXTERIOR MENU BOARD (QTY 2)
- **CB.1** CLEARANCE BAR (QTY 2)
- DRIVE THRU CANOPY (QTY 2)
- PP.1 CURBSIDE P/U PLACARD FOR P&P (QTY 4)

CODE ALLOWANCE

ALLOW 2 ATTACHED SIGNS PER TENANT @ 10% OF BUILDING FACADE.
DIRECTIONAL SIGNS ALLOWED @ 6SF AND 30" OAH.



JONES SIGN
Your Vision. Accomplished.

WWW.JONESSIGN.COM

| REV. | DATE | BY | DESCRIPTION | DATE | BY | DESCRIPTION | DATE | DATE

SHAKE SHACK

SHAKE SHACK 2051 NW LOWENSTEIN DR LEE'S SUMMIT, MO 64081

0.1

SHEET NUMBER

DESIGN PHASE: CONCEPTUAL