PROJECT COORD. NOTES

- THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL INSPECTIONS AND APPROVALS REQUIRED DURING THE COURSE OF THE WORK. ALL CONTRACTORS FOR THIS WORK ARE REQUIRED TO HAVE INSURANCE OF THE TYPES AND LIMITS SPECIFIED BY THE LANDLORD AND BRAND PARTNER.
- IF REQUIRED BY LEASE AGREEMENT: THE GENERAL CONTRACTOR SHALL PROVIDE SCHEDULING AND/OR COORDINATION WITH THE LANDLORD'S FIELD REPRESENTATIVE FOR THE FOLLOWING INSTALLATIONS OR PROCEDURES:
- A. INSTALLATIONS OF CONDUIT AND PIPING IN OR BELOW THE FLOOR SLAB. B. CONNECTIONS TO DOMESTIC WATER, SANITARY AND GREASE WASTE, SANITARY VENT,
- AND SMOKE/FIRE ALARM'S C. INSTALLATION OF PRIMARY DUCTWORK, VAV BOX AND CONTROLS.
- D. PROGRAMMING OF THE VAV BOX CONTROL AND SENSORS.
- E. ANY WORK REQUIRED AT THE LANDLORD'S SWITCHGEAR. F. HARDWARE AND SOFTWARE MODIFICATIONS TO COMPLETE THE INTERFACE WITH LANDLORD'S BASE BUILDING LIFE SAFETY SYSTEM.
- G. UPON SUBSTANTIAL COMPLETION OF BRAND PARTNER'S WORK IN THE PREMISES. BRAND PARTNER AND HIS CONTRACTOR MUST SCHEDULE WITH THE LANDLORD'S FIELD REPRESENTATIVE TO CONDUCT A FINAL INSPECTION AND PREPARE A PUNCHLIST WHICH ENUMERATES ANY AREAS OF CONSTRUCTIONS, FIXTURING LIGHTING OR LAMPING, MERCHANDISING, ETC., THAT ARE NOT IN ACCORDANCE WITH THE LANDLORD-APPROVED PLANS OR LEASE. THE STOREFRONT BARRICADE MAY NOT BE REMOVED UNTIL THIS INSPECTION AND ANY CORRECTIONS HAVE BEEN
- H. LANDLORD'S CONDITIONS IN THE SHOPPING CENTER TENANT DESIGN GUIDE HANDBOOK SHALL BE PART OF ANY CONTRACT AND/OR AGREEMENT ENTERED INTO BY THE GENERAL CONTRACTOR. THE GENERAL CONTRACTOR SHALL SCHEDULE A PRE-CONSTRUCTION MEETING WITH THE ABOVE NOTED LANDLORD CONTACT PRIOR
- PROVIDE PROPERTY MANAGER REQUIRED PROOF OF BUILDER RISK INSURANCE AND DAMAGE DEPOSIT PRIOR TO BEGINNING ANY DEMOLITION OR CONSTRUCTION
- CONTRACTOR SHALL REPORT TO THE ARCHITECT ANY ERRORS, INCONSISTENCIES, OR OMISSIONS HE MAY DISCOVER PRIOR TO COMMENCING WORK.

DIMENSIONS TAKE PRECEDENCE OVER DRAWINGS - DO NOT SCALE

- ALL DIMENSIONS ARE FROM FACE OF SHEATHING UNLESS NOTED OTHERWISE THE CONTRACTOR SHALL BE RESPONSIBLE FOR SUPERVISING AND DIRECTING THE WORK USING HIS BEST SKILL AND ATTENTION. HE SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES. THE BRAND PARTNER RESERVES THE RIGHT TO ALLOW ASSIGNED VENDORS IN CONNECTION WITH THE WORK. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR COORDINATING THE WORK OF ALL SUBCONTRACTORS. INCLUDING THE VENDORS ASSIGNED BY THE BRAND PARTNER. WITH THE BRAND PARTNER. UPON REQUEST THE CONTRACTOR SHALL PROVIDE NECESSARY FIELD DIMENSIONS AND INFORMATION TO ALL THE BRAND PARTNER ASSIGNED VENDORS AND/OR FABRICATORS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE COORDINATION.
- SCHEDULING, AND SUPERVISION OF ALL BRAND PARTNER SUPPLIED AND INSTALLED GENERAL CONTRACTOR TO COORDINATE LOCATION OF TRASH DUMPSTER WITH
- SAW CUTS: WHENEVER POSSIBLE ALL SAW CUTS SHALL BE LOCATED INSIDE THE
- PROPOSED COOKING AND SERVICE AREAS SCHEDULED FOR FLOOR TILE AND SHALL NOT OCCUR IN PROPOSED SEATING AREAS OR PASSAGEWAYS PARTIAL PLANS: THE CONSTRUCTION DOCUMENTS AS DEFINED BY THE DRAWING INDEX ARE ALL NECESSARY TO DEFINE THE TOTAL PROJECT. PARTIAL PLANS SHOULD NOT BE ISSUED BY THE BRAND PARTNER OR THE GENERAL CONTRACTOR FOR
- BIDDING OR CONSTRUCTION. THE CONTRACTOR SHALL PROVIDE WOOD BLOCKING AS REQUIRED FOR MOUNTING TABLES, SHELVING, CABINETS, AND ANY OTHER EQUIPMENT NOT SPECIFICALLY MENTIONED. ALL WOOD SHALL BE NON-COMBUSABLE AS PER LOCAL AUTHORITY
- HAVING JURISDICTION. EXISTING UTILITY SERVICES SHOWN TO REMAIN, REROUTE AS REQUIRED TO CONCEAL THE SERVICE IN WALLS AND ABOVE CEILING.
- TEMPORARY ENCLOSURES SHALL BE PROVIDED BY THE CONTRACTOR OVER AND/OR AROUND ANY EXTERIOR OPENINGS AS NECESSARY FOR THE PROPER INSTALLATION OF ANY PORTION OF WORK IN CONJUNCTION WITH THE LANDLORD'S STANDARD
- GENERAL CONTRACTOR SHALL FURNISH AND INSTALL REQUIRED ROOF OPENING FRAMING FOR SCHEDULED HVAC AND EXHAUST UNITS. FOR STRUCTURAL SUPPORT OF EQUIPMENT AND SUPPORT OF ROOF OPENINGS, REFER TO STRUCTURAL
- GENERAL CONTRACTOR SHALL FURNISH AND INSTALL REQUIRED ROOF DOCUMENTATION FOR THE MODIFICATION OF EXISTING ROOF AS APPLICABLE PER THE BRAND PARTNER'S LEASE. THE LANDLORD SHALL BE CONTACTED TO OBTAIN ALL REQUIREMENTS FOR LISTED SUBCONTRACTORS WITH WARRANTY WORK FOR THE SPECIFIED ROOFING SYSTEM
- ALL IX WOOD TRIM AS NOTED SHALL BE OF A CLEAR, MODIFY STAIN GRADE PINE. CONTRACTOR SHALL CONTACT THE LANDLORD DURING THE BIDDING PHASE OF THE PROJECT FOR ANY REQUIREMENTS FOR THE FIRE ALARM SYSTEMS. THESE SYSTEMS IF REQUIRED, SHALL BE INCLUDED IN THE BID & CONSTRUCTION FOR THIS PROJECT.
- A. THE CONTRACT FORM SHALL BE A "STANDARD" FORM OF AGREEMENT BETWEEN CONTRACTOR AND BRAND PARTNER OF THE CONSTRUCTION BUILDING'S A.I.A. **DOCUMENT FORM A-101 CURRENT EDITION**
- B. GENERAL CONDITIONS OF THE CONTRACT: A.I.A. DOCUMENT A-201, GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION, 1997 EDITION, IS HEREBY MADE A REQUIREMENT OF THE CONTRACT DOCUMENTS. A COPY IS ON FILE WITH THE ARCHITECT FOR THE CONTRACTOR TO REVIEW. SUBSTITUTIONS:
- A. NO MATERIAL SUBSTITUTIONS SHALL BE PERMITTED AFTER THE CONTRACTOR HAS BEEN AWARDED JOB, SUBSTITUTIONS SHALL BE EQUAL OR BETTER IN THE OPINION OF THE BRAND PARTNER PRIOR TO AWARD. B. SPECIFIED PRODUCTS HAVE BEEN USED IN PREPARING THESE DOCUMENTS TO
- ESTABLISH MINIMUM QUALITIES WHICH SUBSTITUTIONS MUST MEET TO BE CONSIDERED ACCEPTABLE. THE BURDEN OF PROOF OF EQUALITY RESTS WITH THE CONTRACTOR. ADEQUATE SUPPORTING INFORMATION MUST ACCOMPANY ALL SUBSTITUTION SUBMITTALS, WHICH MUST BE SUBMITTED TO THE PROJECT COORDINATOR FOR APPROVAL
- MECHANICAL. ELECTRICAL AND PLUMBING: THE GENERAL CONTRACTOR SHALL FIELD VERIFY THE EXISTING UTILITIES FOR COORDINATION WITH THE MECHANICAL. ELECTRICAL, AND PLUMBING DRAWINGS PRIOR TO THE START OF WORK, THE CONTRACTOR SHALL PROVIDE AN ALTERNATE BID TO REUSE EXISTING AIR HANDLERS AND COMPRESSORS OR ROOF-TOP PACKAGE UNITS. THE TOTAL HAVC LOAD SHALL MATCH THE SPECIFIED TOTAL LOAD ON THE MECHANICAL DRAWINGS. THE CONTRACTOR SHALL CONTACT THE MECHANICAL ENGINEER WITH THE EXISTING LOAD INFORMATION FOR APPROVAL
- WINGSTOP STANDARDS: THE WINGSTOP STANDARD DESIGN, INCLUDING BUT NOT LIMITED TO: LIGHTING, SEATING, PAINT SELECTION, KITCHEN EQUIPMENT, FLOORING, WALL FINISHES, COUNTER HEIGHTS, SIGNAGE, AND ALL OTHER ELEMENTS AS NOTED AND INCLUDED IN THESE CONTRACT DOCUMENTS ARE AS PER THE WINGSTOP RESTAURANT;S, INC. FRANCHISE AGREEMENT. ANY REVISIONS TO THESE DOCUMENTS OR FIELD CHANGES TO THIS DESIGN SHALL ONLY OCCUR UPON WRITTEN APPROVALS OF WINGSTOP RESTAURANTS, INC.
- THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING THE EXTERIOR GREASE INTERCEPTOR IN A MANNER THAT DOES NOT INTERFERE WITH ANY EXISTING SETBACKS, EASEMENTS, UNDERGROUND UTILITIES, OR OTHER SITE FEATURES. THE HOOD AND WALK-IN COOLER/FREEZER SUPPLIER SHALL SUBMIT SHOP DRAWINGS
- TO WINGSTOP RESTAURANTS, INC. FOR REVIEW PRIOR TO FABRICATION. THE GENERAL CONTRACTOR SHALL VERFIY FIELD CONDITIONS FOR THE HOOD EXHAUST DUCT AND WALK-IN COOLER/FREEZER AND COORDINATE WITH THE KITCHEN EQUIPMENT SUPPLIER PRIOR TO FABRICATION ND INSTALLATION.

FIRE DEPARTMENT

- ALL LIFE-SAFETY SYSTEMS SHALL BE DESIGNED PER APPLICABLE FIRE PREVENTION CODE.
- FIRE EXTINGUISHER REQUIREMENTS SHALL BE AS DETERMINED BY FIELD INSPECTION AND NFPA 10. THE CONTRACTOR SHALL SUPPLY ALL FIRE EXTINGUISHERS.
- BUILDING ADDRESS NUMBERS SHALL BE PROVIDED ON THE FRONT OF THE BUILDING AND SHALL BE VISIBLE AND LEGIBLE FROM THE PUBLIC RIGHT-OF-WAY, SAID NUMBERS SHALL CONTRAST VISUALLY WITH THEIR BACKGROUND. ADDRESS NUMBERS SHALL BE PROVIDED BY THE CONTRACTOR.
- POST "NO PARKING FIRE LANE" SIGNS ALONG VEHICULAR ACCESS ROADS.


NOTES TO BIDDERS

. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING THE EXTERIOR GREASE INTERCEPTOR AND MUST FIELD VERIFY ALL SITE CONDITIONS DURING THE BIDDING PHASE OF THE PROJECT AND ASSIGN ALL APPLICABLE COSTS. THE LOCATION SHALL NOT INTERFERE WITH ANY EXISTING SETBACKS, EASEMENTS, UNDERGROUND UTILITIES, OR OTHER SITE FEATURES.

NOTES

- ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL CODE ORDINANCES AND LAWS.
- THE CONTRACTOR SHALL VISIT THE JOB SITE, VERIFY EXISTING CONDITIONS, AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO SUBMITTING A BID AND/OR BEGINNING ANY CONSTRUCTION WORK.
- ALL WORK, WHEN COMPLETED, SHALL CONFORM TO THE GOVERNING JURISDICTIONAL ACCESSIBILITY STANDARDS.
- THE CONTRACTOR SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES FOUND BETWEEN THE CONTRACT DOCUMENTS FOR RESOLUTION.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING A COMPLETE AS-BUILT SET OF CONSTRUCTION DRAWINGS AT THE JOB SITE AND TURNING THE AS-BUILT DRAWINGS OVER TO THE OWNER UPON COMPLETION OF THE PROJECT.
- REFER TO INDIVIDUAL DRAWINGS WITHIN THIS SET OF CONSTRUCTION DOCUMENTS FOR ADDITIONAL GENERAL NOTES.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THOROUGHLY CLEANING THE COMPLETED JOB SITE PRIOR TO TURNING THE PROPERTY OVER TO THE OWNER
- IN THE EVENT THAT THE CONTRACTOR, OR SUBCONTRACTOR AT ANY TIER, DETERMINES THAT SOME PORTION OF THE DRAWINGS, SPECIFICATIONS, OR OTHER CONTRACT DOCUMENTS REQUIRES CLARIFICATION OR INTERPRETATION BY THE ARCHITECT, THE CONTRACTOR SHALL SUBMIT A REQUEST FOR INFORMATION IN WRITING TO THE ARCHITECT.
- REQUESTS FOR INFORMATION MAY ONLY BE MADE BY THE GENERAL CONTRACTOR. THE CONTRACTOR SHALL CLEARLY AND CONCISELY SET FORTH THE ISSUE FOR WHICH CLARIFICATION IS SOUGHT AND WHY A RESPONSE IS NEEDED FROM THE ARCHITECT AND/OR CONSULTANTS. IN THE REQUEST FOR INFORMATION, THE CONTRACTOR SHALL SET FORTH AN UNDERSTANDING OF THE REQUIREMENT, ALONG WITH A REASON WHY SUCH AN UNDERSTANDING WAS REACHED. THE ARCHITECT WILL REVIEW THE REQUEST FOR INFORMATION TO DETERMINE IF IT IS A REQUEST FOR INFORMATION WITHIN THE MEANING OF THIS TERM. IF THE ARCHITECT DETERMINES THAT IT IS NOT A REQUEST FOR INFORMATION, IT WILL BE RETURNED TO THE CONTRACTOR, UNREVIEWED AS TO CONTENT, FOR RESUBMITTAL IN THE PROPER FORM AND THE PROPER MANNER.
- RESPONSES TO REQUESTS FOR INFORMATION SHALL BE ISSUED UPON RECEIPT. BUT NO LATER THAN FIVE WORKING DAYS OF RECEIPT OF THE REQUEST, UNLESS THE ARCHITECT DETERMINES THAT A LONGER PERIOD OF TIME IS NEEDED IN ORDER TO PROVIDE AN ADEQUATE RESPONSE. IF A LONGER PERIOD OF TIME IS DETERMINED NECESSARY BY THE ARCHITECT, THE ARCHITECT WILL, WITHIN FIVE WORKING DAYS OF THE RECEIPT OF THE REQUEST FOR INFORMATION, NOTIFY THE CONTRACTOR OF THE ANTICIPATED RESPONSE TIME.
- 11. IF THE CONTRACTOR SUBMITS A REQUEST FOR INFORMATION WITH FIVE WORKING DAYS OR LESS FLOAT ON THE CURRENT PROJECT SCHEDULE, THE CONTRACTOR SHALL NOT BE ENTITLED TO ANY TIME EXTENSION DUE TO THE TIME IT TAKES THE ARCHITECT TO RESPOND TO THE REQUEST FOR INFORMATION, PROVIDED A RESPONSE IS GIVEN WITHIN FIVE WORKING DAYS AS SET FORTH ABOVE.
- 12. RESPONSES FROM THE ARCHITECT WILL NOT CHANGE ANY REQUIREMENTS OF THE CONTRACTOR DOCUMENTS. IN THE EVENT THAT THE CONTRACTOR BELIEVES A RESPONSE TO A REQUEST FOR INFORMATION WILL CAUSE A CHANGE TO REQUIREMENTS OF THE CONTRACT DOCUMENTS, THE CONTRACTOR SHALL IMMEDIATELY GIVE WRITTEN NOTICE TO THE ARCHITECT AND THE OWNER STATING THAT THE CONTRACTOR CONSIDERS THE RESPONSE TO BE A CHANGE ORDER. FAILURE TO GIVE SUCH WRITTEN NOTICE IMMEDIATELY SHALL WAIVE THE CONTRACTOR'S RIGHT TO SEEK ADDITIONAL
- 13. THE CONSTRUCTION SHALL NOT RESTRICT A FIVE-FOOT CLEAR AND UNOBSTRUCTED ACCESS TO ANY WATER OR POWER DISTRIBUTION FACILITIES (POWER POLES, PULL-BOXES, TRANSFORMERS, VAULTS, PUMPS, VALVES, METERS, APPURTENANCES, ETC.) OR TO THE LOCATION OF THE HOOK-UP. THE CONSTRUCTION SHALL NOT BE WITHIN TEN FEET OF ANY POWER LINES-WHETHER OR NOT THE LINES ARE LOCATED ON THE PROPERTY. FAILURE TO COMPLY MAY CAUSE CONSTRUCTION DELAYS AND/OR ADDITIONAL
- 14. PROVIDE ULTRA FLUSH WATER CLOSETS OR ALL NEW CONSTRUCTION. EXISTING POWER HEADS AND TOILETS MUST BE ADAPTED FOR LOW WATER
- 15. A COPY OF THE VALID EVALUATION REPORT AND/OR CONDITIONS OF LISTING SHALL BE MADE AVAILABLE AT THE JOB SITE.
- 16. OBTAIN SEPARATE PERMIT FOR RETAINING WALLS OR BLOCK FENCE WALLS. GRADING WORK, ELECTRICAL, PLUMBING, AND SIGNAGE.

SYMBOLS LEGEND




FIRE NOTES

2018 IFC 505.1- Address numbers. New and existing buildings shall have approved address numbers, building numbers or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. In Multi-tenant commercial building where tenants have

multiple entrances located on different sides of the building , each door shall be addressed. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches (102 mm) high with a minimum stroke width of 0.5 inch (12.7 mm). (Verified At Inspection)

2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

2018 IFC 904.11.5- Portable fire extinguishers for commercial cooking equipment. Portable fire extinguishers shall be provided within a 30-foot (9144 mm) travel distance of commercial-type cooking equipment. Cooking equipment involving vegetable or animal oils and fats shall be protected by a







LEE'S SUMMIT, MO (GL#Y175)

CODE INFORMATION

2018 International Plumbing Code with City Amendments

NOT TO SCALE

	 Mechanical Code: Electrical Code: Fuel Gas Code: 	2018 International Mechanical Code wit 2017 National Electrical Code with City 2018 International Fuel Gas Code with	Amendments						
	 Fire Prevention Code: Accessibility Code: 	2018 International Fire Code with City A 2009 ICC/ANSI A117.1							
A.)	CHAPTER 3: USE & OCC	CUPANCY CLASSIFICATION:							
•	Group: B (Business) Area: 1,369 square feet								
	o Area: 1,369	square reet							
B.)	CHAPTER 5: GENERAL BUILDING HEIGHTS & AREAS:								
:	Existing Building Area: 11,200 square feet Existing Use(s): B (Business), M (Mercantile) Proposed Use(s): B (Business), M (Mercantile)								
:									
•	Most Restrictive Use: M (Mercantile) Allowable Height (40 ft): 1 Story Allowable Area (M): 9,000 square feet								
•									
•									
•	Area Modification: o Frontage Increase:								
	o Frontage increase: $I_f = (F/P - 0.25) \times W/30$								
	y - (t*/t - 0.25) \(^{1}\) \(^								
	$I_f = 0.75$								
	o Area Increase:								
	$A_a = [\{A_i + (A_i \times I_j)\} + (A_i \times I_j)]$								
	$A_a = [(9,000 + (9,000 \times 0.75)) + (9,000 \times 0)]$								
	$A_a = 15,750$								
	Full Building Automatic Fire Sprinkler System: No								
•	Nonseparated Occupancies								
۵)	CHAPTER 6: TYPES OF	CONSTRUCTION							
C.)	Type: VB	CONSTRUCTION:							
	Required Fire-Resistive Ratings:								
	Building Element			Rating					
	Structural Frame			0					
	Bearing Walls – Exterior	r		0					
	Bearing Walls – Interior			0					
	Nonbearing Walls – Ext			0					
	Nonbearing Walls – Inte	erior		0					
	Floor Construction 0 Roof Construction 0								
	1001 Construction								
D.)	CHAPTER 8: INTERIOR	FINISHES:							
•		Ceiling Finish Classifications:		Finish Classification					
	Exit Enclosures & Exit Passageways A Corridors B								
	Rooms & Enclosed Spa	ces		C					
E.)	CHAPTER 10: MEANS O								
•		Minimum Number Of Exits Required = 1 Required, 1 Provided							
•		Minimum Exit Width Required: Minimum Exit Width For Other Egress Components = 5.8", 36" Minimum Provided							
	Maximum Common Path of Egress Travel Allowed = 100'-0" Maximum Maximum Common Path of Egress Travel Allowed = 100'-0" Maximum								
•		ance Allowed = 200'-0" Maximum							
•	Occupant Load Calculatio	ns:							
	Function Of Space	Area Of Space	Floor Area In Sa	Occupant Load					

665 square feet

177 square feet 140 square feet

CHAPTER 29: PLUMBING FIXTURE REQUIREMENTS:

Male Occupant Load (29 / 2): 15 Female Occupant Load (29 / 2): 15

Lavatory
Urinal (Optional)

* 1 Service Sink Required

PROJECT TEAM

BRAND PARTNER / OWNER

ATTN: CHARLES LOFLIN

PROJECT COORDINATOR

ARCHITEC

MATTHEW M. WILKUS ARCHITECT 15 NINTH AVENUE NORTH HOPKINS, MINNESOTA 55343 PHONE NO.: (952) 941-8660 FAX NO.: (952) 941-2755 ATTN: JIM SULTANY M.E.P. ENGINEER

CASE ENGINEERING, INC **796 MERUS COURT** FENTON, MO 63026 PHONE NO.: (636) 349-1600 FAX NO.: (636) 349-1730 ATTN: JOHN VIRTUDAZO

SAN ANTONIO WINGS, INC 510 PORTLAND SAN ANTONIO, TX 78216 PHONE NO.: (210) 602-8412

WINGSTOP RESTAURANTS, INC 15505 WRIGHT BROTHERS DRIVE ADDISON, TX 75001 PHONE NO.: (972) 686-6500 FAX NO.: (972) 686-6502 ATTN: TODD BRIN

CASE ENGINEERING, INC 796 MERUS COURT FENTON, MO 63026 PHONE NO.: (636) 349-1600 FAX NO.: (636) 349-1730 ATTN: DINO CHIRCO

				◬	Λ		SHEET DESCRIPTION	
					Λ	A0.0	SHEET INDEX	
ARCHITECTURAL								
						B1.0	INTERIOR ACCESSIBILITY	
						B2.0	ACCESSIBILITY & ENLARGED RESTROOM PLA	
						A0.1	ARCHITECTURAL DEMO PLAN	
						A1.0	ARCHITECTURAL FLOOR PLAN	
						A1.1	FLOOR FINISH PLAN & DETAILS	
						A2 N	REELECTED CEILING PLAN & DETAILS	

A5.0 SALES COUNTER PLAN & DETAILS A6.0 WALL SECTIONS & DETAILS

EQ2 INTERIOR EQUIPMENT ELEVATIONS

H2 HOOD DRAWINGS H3 HOOD DRAWINGS H4 HOOD DRAWINGS H5 HOOD DRAWINGS

STRUCTURAL ENGINEER

SHEET INDEX

| A2.0 | REFLECTED CEILING PLAN & DETAILS A3.0 INTERIOR ELEVATIONS

A3.1 DECOR ELEVATIONS A4.0 FINISH, DOOR, & HARDWARE SCHEDULES

KITCHEN EQUIPMENT EQ1 EQUIPMENT PLAN

EQ3 EQUIPMENT DATA ELEVATIONS H1 HOOD DRAWINGS

MECHANICAL

M1 | MECHANICAL PLAN M2 | MECHANICAL DETAILS / SCHEDULES M3 | MECHANICAL SPECIFICATIONS

M4 MECHANICAL SPECIFICATIONS

P1 | SANITARY PLAN P2 WATER & GAS PLAN P3 RISER DIAGRAMS P4 PLUMBING DETAILS P5 PLUMBING SPECIFICATIONS

ELECTRICAL E1 LIGHTING PLAN
E2 POWER PLAN

E3 | ELECTRICAL SPECIFICATIONS STRUCTURAL S1 GENERAL NOTES, PLAN, AND DETAILS S2 EXISTING ROOF FRAMING PLAN

SHEET NUMBER / TITLE:

15 Ninth Aveune North, Hopkins, MN 55343



ADDISON, TX 75001 TELEPHONE: (972) 686-6500 FAX: (972) 686-6502 DISCLAIMER THESE DRAWINGS, IDEAS, SPECIFICATIONS AND

RESTAURANTS, INC. NO PART OF THESE DRAWINGS

STRUCTURES BUILT FROM SUCH WITHOUT THE

WINGSTOP RESTAURANTS, INC. ALL RIGHTS RESERVED

MATTHEW M. WILKUS, ARCHITECT LICENSE NUMBER: 2019000244 EXPIRATION DATE: 12-31-21

PROJECT NO.: 2021-0158 DRAWN BY: NAV CHECKED BY: JSS PERMIT & BID SET

BLDG. COMMENTS 07-08-21

PROJECT LOCATION: LEE'S SUMMIT, MO