

POOL, SAUNA, HOT TUB OR JACUZZI FENCING/PROTECTIVE BARRIER REQUIREMENT
ACKNOWLEDGEMENT & AGREEMENT

Revised 04/23/2019

Address: 2924 NW Thoreau Dr

Lot No.: 1441 Subdivision: WinterSet Valley

I, Trumark Homes LLC (property owner), acknowledge and agree to have a fence or other protective enclosure installed on the property prior to the pool, hot tub or Jacuzzi being filled with water or the sauna being made operational in accordance with the following ordinance requirements:

Lee's Summit City Ordinance Section 7-1009 – Fencing.

A. The area which a swimming pool, sauna, hot tub, or Jacuzzi is located shall be entirely enclosed and separated from the adjoining property by a protective fence or other permanent structure not less than 4 feet in height, measured from grade. The enclosure shall be so constructed that a sphere four inches in diameter cannot pass through. Fence posts shall be decay or corrosion resistant and in concrete bases. Such protective enclosures shall be provided with gates equipped with self-closing and self latching devices placed at the top of the gate; provided, however, that above grade-structures of four feet or greater in height that are equipped with a ladder that can manually be lifted and locked shall not be required to have a protective enclosure. Said ladder shall be locked when the swimming pool, hot tub sauna or Jacuzzi is not attended.

B. At the option of the property owner, a hot tub or Jacuzzi may be covered with a latching, protective cover instead of the fencing or protective enclosure described in subsection A. The cover on the hot tub or Jacuzzi shall be closed and latched at all times that the hot tub or Jacuzzi is not in use. If a covered hot tub or Jacuzzi is located in the same area as a swimming pool or sauna, the swimming pool or sauna must still be fenced or enclosed with a permanent structure in the manner described in section A.

Mark Jencik
Owner's Signature

7-26-21
Date



trumark homes <trumarkhomes.mark@gmail.com>

RE: 2924 nw Thoreau dr pool new plot plan

1 message

Kim Brennan <Kim.Brennan@cityofls.net>

Fri, Jul 23, 2021 at 9:18 AM

To: trumark homes <trumarkhomes.mark@gmail.com>

Who will be doing the electrical work for this project?

Impact Electrical Solution LLC*Yours Truly,***Kim Brennan** | Development Technician

220 SE Green Street | Lee's Summit, MO 64063

816.969.1231 | cityofLS.net | Kim.Brennan@cityofls.net

**From:** trumark homes <trumarkhomes.mark@gmail.com>**Sent:** Friday, July 23, 2021 8:43 AM**To:** Dev Tech <DevTech@cityofls.net>; Kim Brennan <Kim.Brennan@cityofls.net>**Subject:** Fwd: 2924 nw Thoreau dr pool new plot plan

*** This email is from an external source, use caution before clicking on links or opening attachments. ***

Lee Bodenheimer
Construction Engineering Services, Inc.
816-478-2323

CONFIDENTIALITY NOTICE: "This electronic message transmission (including any accompanying attachments) from www.cityofls.net is intended solely for the person or entity for its intended recipient(s) and may contain information that is confidential, privileged, or otherwise protected from disclosure. The information contained is intended solely for the use of the individual(s), organization(s) or entity(ies) named above. If you have received this transmission but are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of the contents of this message is strictly prohibited. If