



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	BUFF CITY SOAP		
ADDRESS	2050 NW LOWENSTEIN DR, Unit:C, LEES SUMMIT, MO 64081		
OWNER/OPERATOR NAME	TaraCo, LLC:	TELEPHONE	(405) 250-1880
ADDRESS	300 NW 35th St. NEWCASTLE, OK 73065 Primary: (405) 250-1880 Cell: <NO CELL PHONE>		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	
2. _____	
3. _____	
4. _____	

LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: M	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alarm Test	Michael Weissenbach	Not Required	Thursday, July 01, 2021
Sprinkler - Hydrostatic Test	Michael Weissenbach	Not Required	Thursday, July 01, 2021
Sprinkler - Flow Test	Michael Weissenbach	Not Required	Thursday, July 01, 2021

Sprinkler - Hydrostatic Test	Michael Weissenbach	Not Required	Monday, August 16, 2021
Occupancy Inspection - Fire	Michael Weissenbach	Not Ready	Monday, August 16, 2021
Occupancy Inspection - Fire	Craig Hill	Passed	Wednesday, August 18, 2021

Corrective Action Required:
2
Corrective Action Required:

DATE OF REPORT August 18, 2021	INSPECTOR Craig Hill	PREVENTION FOLLOW-UP REQUIRED? <input type="checkbox"/> Yes <input type="checkbox"/> No	RESPONSIBLE SIGNATURE
-----------------------------------	-------------------------	---	-----------------------