X = flexible seating where patrons and cast/crew will sit

□ = Additional Exit Signs

PARTITION SCHEDULE:

E1 — EXISTING PARTITION: 5/8" GYP. BD. STEEL STUDS. PARTITION IS CONTINUOUS FROM SLAB TO UNDERSIDE OF DECK.

E2 — EXISTING CMU WALL, CONTINUOUS FROM SLAB TO ABOVE PARAPET

G4A — NEW PARTITION: 5/8" GYP BD EACH SIDE OF STEEL STUDS AT 16" O.C. PARTITION STOPS AT CEILING

G4 — NEW PARTITION: 5/8" GYP. BD. EACH SIDE OF STEEL STUDS AT 16" O.C. PARTITION IS CONTINUOUS FROM SLAB TO UNDERSIDE OF DECK.

EXISTING DEMISING WALL

79' - 1 15/16"

56' - 8 7/8" to verify

Existing non-compliant restroom location, provide new fixtures and modify location per drawings for RR to meet ADA.

2' - 1"
3' - 0"
11"
2' - 0"
6' - 0"

12' - 9" to verify

G4a

Women WC 105
105.1

Men WC 106
106.1

GC to install grab bars in each restroom as follows: 42" grab bar, 12" from rear wall of water closet and a 30" grab bar 6" from side wall. Grab bars to be 34" a.f.f.

Each restroom to be have ceramic tile for floor and walls

E1

Existing door to remain

EXISTING BACK WALL

Circulation 102

Changing Room 1 103
103.1

Changing Room 2 104
104.1

G4

24' - 0"

4' - 0"

Existing wall

6' - 0"   7' - 0"

STAGE - FLEXIBLE

Acting Lab 101

20' - 9"

27' X 8"

EXISTING STOREFRONT WALL

44' 5" to verify

Existing doors to remain

E2

EXISTING DEMISING WALL

SUMMIT THEATRE GROUP

RENOVATION

GOULD EVANS #
0220 4600

PROJECT TYPE
NEW CONSTRUCTION

gouldevans

GOULD EVANS
4200 Pennsylvania Ave.
Kansas City, MO 64111

Level 1 - New Plan   2

1/8" = 1'-0"

3/4

FLOOR PLAN