

# NuCO<sub>2</sub><sup>®</sup> **XACTBEV**<sup>™</sup> BEVERAGE CARBONATION SOLUTIONS<sup>SM</sup>

**XACTCO<sub>2</sub>**<sup>™</sup>  
CERTIFIED BEVERAGE GRADE **E2**



**Sizes available to suit your  
volume requirements**

## Beverage Grade CO<sub>2</sub>

- NuCO<sub>2</sub> is the **ONLY** nationwide provider of Beverage Grade CO<sub>2</sub>, the highest quality, safest CO<sub>2</sub> available.
- ISBT QVL I Certified Beverage Grade CO<sub>2</sub> is the **ONLY** grade approved for consumption. Other grades may contain harmful impurities.

## Integrity from our source to your door

- Each delivery of NuCO<sub>2</sub> carbon dioxide has a unique identifier that allows complete tracking from the producer's Batch to you.
- We don't outsource your service. All work is performed by trained NuCO<sub>2</sub> experts committed to serving you.

PRODUCT	XactCO <sub>2</sub> 300 lb.	XactCO <sub>2</sub> 550 lb.	XactCO <sub>2</sub> 750 lb.
DIMENSIONS			
Diameter/Width	20 in.	22 in.	26 in.
Height/With Legs	49.6/55.6 in.	67/73 in.	67.5/73.5 in.
Empty Weight	216 lb.	318 lb.	430 lb.
Full Weight	515 lb.	902 lb.	1219 lb.
PERFORMANCE			
CO <sub>2</sub> Gas Delivery (Continuous)	1.0 lb./hr	6.5 lb./hr	15.0 lb./hr
Peak Flow Rate	3.0 lb./hr	10.0 lb./hr	18.0 lb./hr

Product specifications may vary based on manufacturing modifications.

## CO<sub>2</sub> Fill Box

PRODUCT	CO <sub>2</sub> Fill Box
DIMENSIONS	
Width	6 in.
Height	6 in.
Depth	2 in.

**XACTMIX<sub>30</sub>**<sup>™</sup>  
BEVERAGE CONTROL SYSTEM



**Complete Beverage Control  
System for all fountain beverages  
and draught beer**

## Gas Management System

- Custom CO<sub>2</sub>/N<sub>2</sub> blend to match your system design to ensure perfect carbonation in your draught beer.

## Beverage Control System

- XactMix Beverage Control System works as a dashboard to help you monitor the performance of your entire beverage system.
- Easy-to-read gauges enable you to monitor system pressures.
- Exclusive in line flow indicator helps you minimize waste in both draught beer and fountain soda systems.

PRODUCT	XactMix30
DIMENSIONS	
Diameter/Width	12.5 in.
Height	11.22 in.
Depth	4.7 in.
Weight	11 lb.
PERFORMANCE	
Capacity	15 kegs per hour, per blend 30 kegs per hour total
Flow Indicator	> .3 SCFH
Type	High flow
Blender Intake	100 psi - CO <sub>2</sub> ; 100 psi N <sub>2</sub>
System Output	Up to 125 psi - Fountain Up to 50 psi - CO <sub>2</sub> / N <sub>2</sub> blend
GAS BLENDS	
Lagers/Ales	Custom blend to match system configuration
Stouts	25% CO <sub>2</sub> / 75% N <sub>2</sub>
Fountain	100% CO <sub>2</sub>