



MiTek USA, Inc.  
16023 Swingley Ridge Rd  
Chesterfield, MO 63017  
314-434-1200

Re: 211286  
Harmon - Chipotle - LS

The truss drawing(s) referenced below have been prepared by MiTek USA, Inc. under my direct supervision based on the parameters provided by Heartland Truss, Inc..

Pages or sheets covered by this seal: I48467936 thru I48467957

My license renewal date for the state of Missouri is December 31, 2021.


Missouri COA: Engineering 001193



October 22, 2021

Sevier, Scott, Engineer

**IMPORTANT NOTE:** The seal on these truss component designs is a certification that the engineer named is licensed in the jurisdiction(s) identified and that the designs comply with ANSI/TPI 1. These designs are based upon parameters shown (e.g., loads, supports, dimensions, shapes and design codes), which were given to MiTek or TRENCO. Any project specific information included is for MiTek's or TRENCO's customers file reference purpose only, and was not taken into account in the preparation of these designs. MiTek or TRENCO has not independently verified the applicability of the design parameters or the designs for any particular building. Before use, the building designer should verify applicability of design parameters and properly incorporate these designs into the overall building design per ANSI/TPI 1, Chapter 2.

|   |   |
|---|---|
| <br><b>Jezerinac Geers</b><br>Structural Engineering   | JGA Project No.: <b>21.34.059</b>                       |
|   | Reviewed By: <b>LG</b>                                  |
| <small>Submittals have been reviewed for conformance with the design principles and Contract Documents. Corrections or comments made as part of this review process do not relieve the Contractor from compliance with the requirements of the plans and specifications, and with applicable codes and laws. The contractor is not relieved of his sole responsibility regarding checking of dimensions, accuracy or completeness of the submittal; coordination of the Work with other trades; information that pertains solely to fabrication process; of the means, methods, and sequences of the construction process; and performing the Work in a safe and satisfactory manner.</small> | Date Reviewed: <b>11/08/2021</b>                        |
|   | <input checked="" type="checkbox"/> NO EXCEPTIONS TAKEN |
|   | <input type="checkbox"/> MAKE CORRECTIONS NOTED         |
|   | <input type="checkbox"/> REVISE AND RESUBMIT            |
|   | <input type="checkbox"/> NOT REVIEWED                   |
| <input type="checkbox"/> REJECTED   |   |
| JEZERINAC GEERS COMMENTS ON THIS SUBMITTAL ARE POSTED IN <b>RED</b> .   |   |

|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A01 | Truss Type<br>MONOPITCH | Qty<br>2 | Ply<br>2 | Harmon - Chipotle - LS | 148467936 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|


Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:24 2021 Page 1

ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-FgXKEkamke2\_ARMEGgtfcQ9Hy8luhSISfWDMRHREYt

Job Reference (optional)

|                |                  |                 |                  |                  |
|----------------|------------------|-----------------|------------------|------------------|
| 6-0-1<br>6-0-1 | 11-8-10<br>5-8-9 | 17-5-2<br>5-8-9 | 23-1-11<br>5-8-9 | 29-1-12<br>6-0-1 |
|----------------|------------------|-----------------|------------------|------------------|



|                |                  |                 |                  |                  |
|----------------|------------------|-----------------|------------------|------------------|
| 6-0-1<br>6-0-1 | 11-8-10<br>5-8-9 | 17-5-2<br>5-8-9 | 23-1-11<br>5-8-9 | 29-1-12<br>6-0-1 |
|----------------|------------------|-----------------|------------------|------------------|

Plate Offsets (X,Y)-- [A:0-6-10,0-5-0], [I:0-3-12,0-1-8], [L:0-3-8,0-3-8], [M:0-3-8,0-2-0]

| LOADING (psf)                 | SPACING-                      | CSI.      | DEFL.                       | PLATES         | GRIP     |
|-------------------------------|-------------------------------|-----------|-----------------------------|----------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | 2-11-8<br>Plate Grip DOL 1.15 | TC 0.61   | in (loc) l/defl L/d         | MT20 244/190   |          |
| TCDL 10.0                     | Lumber DOL 1.15               | BC 0.50   | Vert(LL) -0.41 J-L >848 240 | MT18HS 244/190 |          |
| BCLL 0.0                      | Rep Stress Incr NO            | WB 0.87   | Vert(CT) -0.70 J-L >492 180 |                |          |
| BCDL 10.0                     | Code IBC2018/TPI2014          | Matrix-MS | Horz(CT) 0.07 H n/a n/a     |                |          |
|                               |                               |           |                             | Weight: 445 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP 2400F 2.0E  
BOT CHORD 2x6 SP 2400F 2.0E  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M,G-I: 2x4 SP 1650F 1.5E, F-J: 2x4 SP No.2  
OTHERS 2x4 SP No.3

#### REACTIONS.

(size) N=0-5-8, H=0-5-8  
Max Horz N=843(LC 7)  
Max Uplift N=727(LC 6), H=656(LC 7)  
Max Grav N=3831(LC 16), H=3820(LC 16)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-N=-3599/767, A-B=-9924/2370, B-C=-13917/2940, C-E=-13078/2761, E-F=-13077/2767,  
F-G=-8370/2014, G-H=-3642/707  
BOT CHORD M-N=-1425/1951, L-M=-2266/9893, J-L=-2623/13896, I-J=-1679/8365, H-I=-360/645  
WEBS A-M=-1879/9486, B-M=-2565/618, B-L=-1132/4191, C-L=-1056/440, C-J=-1101/505,  
E-J=-1291/316, F-J=-1053/5006, F-I=-2972/657, G-I=-1423/8496

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone; cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 727 lb uplift at joint N and 656 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.
- Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 66 lb down and 17 lb up at 11-4-3 on top chord. The design/selection of such connection device(s) is the responsibility of others.

Continued on page 2

#### LOAD CASE(S) Standard

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component

Safety Information available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



October 22, 2021



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |            |     |     |                          |           |
|--------|-------|------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type | Qty | Ply | Harmon - Chipotle - LS   | I48467936 |
| 211286 | A01   | MONOPITCH  | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:24 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-FgXKEkamke2\_ARMEGgtfcQ9Hy8luhSISfWDmRHyREYT


**LOAD CASE(S)** Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
  - Uniform Loads (plf)
    - Vert: R-T=-214(F=-107), H-N=-30
  - Concentrated Loads (lb)
    - Vert: S=-50
  - Trapezoidal Loads (plf)
    - Vert: A=-253(F=-107)-to-Q=-219(F=-107), Q=-222(F=-107)-to-R=-215(F=-107), T=-215(F=-107)-to-U=-222(F=-107), U=-219(F=-107)-to-G=-253(F=-107)

|               |              |                         |          |          |                                     |
|---------------|--------------|-------------------------|----------|----------|-------------------------------------|
| Job<br>211286 | Truss<br>A02 | Truss Type<br>MONOPITCH | Qty<br>2 | Ply<br>2 | Harmon - Chipotle - LS<br>148467937 |
|---------------|--------------|-------------------------|----------|----------|-------------------------------------|

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:26 2021 Page 1  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-B2e4eQc1GFliPWcN5v7hrEXlyPD9Oal7qitW9yREYR



| LOADING (psf)                 | SPACING-                      | CSI.      | DEFL.                       | PLATES         | GRIP     |
|-------------------------------|-------------------------------|-----------|-----------------------------|----------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | 2-11-8<br>Plate Grip DOL 1.15 | TC 0.97   | in (loc) l/defl L/d         | MT20           | 244/190  |
| TCDL 10.0                     | Lumber DOL 1.15               | BC 0.63   | Vert(LL) -0.30 J-L >999 240 |                |          |
| BCLL 0.0                      | Rep Stress Incr NO            | WB 0.71   | Vert(CT) -0.51 J-L >678 180 |                |          |
| BCDL 10.0                     | Code IBC2018/TPI2014          | Matrix-MS | Horz(CT) 0.05 H n/a n/a     |                |          |
|                               |                               |           |                             | Weight: 442 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M,G-I: 2x4 SP No.2

#### BRACING-

TOP CHORD 2-0-0 oc purlins (5-5-14 max.), except end verticals  
(Switched from sheathed: Spacing > 2-8-0). Except:  
6-0-0 oc bracing: A-N  
10-0-0 oc bracing: A-O  
BOT CHORD Rigid ceiling directly applied or 9-1-8 oc bracing.  
WEBS 1 Row at midpt A-O

#### REACTIONS.

(size) N=0-5-8, H=0-5-8  
Max Horz N=843(LC 11)  
Max Uplift N=484(LC 10), H=355(LC 14)  
Max Grav N=2367(LC 20), H=2355(LC 20)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-N=-2200/1027, A-B=-6072/2686, B-C=-8510/2783, C-E=-7962/2559, E-F=-7962/2568,  
F-G=-5110/2244, G-H=-2221/1045  
BOT CHORD M-N=-2260/2351, L-M=-3453/6054, J-L=-3541/8498, I-J=-1704/5108, H-I=-527/638  
WEBS A-M=-2575/5825, B-M=-1501/804, B-L=-1569/2558, C-L=-576/570, C-J=-693/792,  
E-J=-706/408, F-J=-1571/3033, F-I=-1742/843, G-I=-2090/5196

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 484 lb uplift at joint N and 355 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.
- Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 66 lb down and 20 lb up at 11-4-3 on top chord. The design/selection of such connection device(s) is the responsibility of others.

#### LOAD CASE(S) Standard

Continued on page 2



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |            |     |     |                          |           |
|--------|-------|------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type | Qty | Ply | Harmon - Chipotle - LS   | I48467937 |
| 211286 | A02   | MONOPITCH  | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:26 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-B2e4eQc1GFliPIWcN5v7hrEXlyPD9Oal7qitW9yREYR

**LOAD CASE(S)** Standard  
1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
    Vert: Q-U=-111, H-N=-30  
Concentrated Loads (lb)  
    Vert: R=-50  
Trapezoidal Loads (plf)  
    Vert: A=-153-to-Q=-112, U=-112-to-G=-153


|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A03 | Truss Type<br>MONOPITCH | Qty<br>2 | Ply<br>2 | Harmon - Chipotle - LS | 148467938 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:27 2021 Page 1

ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-fC5slcf1ZRZ1v5oxoQMD3nk?Mk0uqauLURR2byREYQ

Job Reference (optional)



| LOADING (psf)                 | SPACING-                     | CSI.      | DEFL.    | in (loc)  | l/defl | L/d | PLATES         | GRIP     |
|-------------------------------|------------------------------|-----------|----------|-----------|--------|-----|----------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | 2-8-0<br>Plate Grip DOL 1.15 | TC 0.87   | Vert(LL) | -0.33 J-L | >999   | 240 | MT20           | 244/190  |
| TCDL 10.0                     | Lumber DOL 1.15              | BC 0.66   | Vert(CT) | -0.55 J-L | >624   | 180 |                |          |
| BCLL 0.0                      | Rep Stress Incr NO           | WB 0.79   | Horz(CT) | 0.06 H    | n/a    | n/a |                |          |
| BCDL 10.0                     | Code IBC2018/TPI2014         | Matrix-MS |          |           |        |     | Weight: 442 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M,G-I: 2x4 SP No.2

#### BRACING-

TOP CHORD Structural wood sheathing directly applied or 5-0-6 oc purlins, except end verticals. Except:  
6-0-0 oc bracing: A-N  
10-0-0 oc bracing: A-O  
BOT CHORD Rigid ceiling directly applied or 8-11-7 oc bracing.  
WEBS 1 Row at midpt A-O

#### REACTIONS.

(size) N=0-5-8, H=0-5-8  
Max Horz N=760(LC 11)  
Max Uplift N=480(LC 10), H=424(LC 14)  
Max Grav N=2399(LC 20), H=2752(LC 20)

#### FORCES.

(lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD A-N=-2236/1019, A-B=-6274/2735, B-C=-8894/2990, C-E=-9047/3000, E-F=-9054/3009,  
F-G=-6326/2659, G-H=-2607/1179  
BOT CHORD M-N=-2058/2100, L-M=-3427/6256, J-L=-3672/8882, I-J=-2173/6322, H-I=-491/559  
WEBS A-M=-2609/6027, B-M=-1583/810, B-L=-1579/2750, C-L=-634/556, C-J=-647/612,  
E-J=-909/475, F-J=-1481/2898, F-I=-2245/1025, G-I=-2589/6476

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed ; end vertical left and right exposed;C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 480 lb uplift at joint N and 424 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 164 lb down and 49 lb up at 4-4-13, and 66 lb down and 20 lb up at 8-11-7 on top chord. The design/selection of such connection device(s) is the responsibility of others.

#### LOAD CASE(S) Standard

Continued on page 2



October 22,2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component

Safety Information available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|               |              |                         |          |          |  |           |
|---------------|--------------|-------------------------|----------|----------|--|-----------|
| Job<br>211286 | Truss<br>A03 | Truss Type<br>MONOPITCH | Qty<br>2 | Ply<br>2 | Harmon - Chipotle - LS<br>Job Reference (optional) | I48467938 |
|---------------|--------------|-------------------------|----------|----------|--|-----------|

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:27 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-fFCSSlcf1ZRZ1v5oxoQMD3nk?Mk0uqauLURR2byREYQ

#### LOAD CASE(S) Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: R-V=-93 V-W=-240 H-N=-27

Concentrated Loads (lb)

Vert: Q=-125 S=-50

Trapezoidal Loads (plf)

Vert: A=-135-to-R=-94, W=-241-to-X=-245, X=-98-to-G=-135

#### WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601  
**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**



16023 Swingley Ridge Rd  
Chesterfield, MO 63017


|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A04 | Truss Type<br>MONOPITCH | Qty<br>3 | Ply<br>2 | Harmon - Chipotle - LS | 148467939 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:28 2021 Page 1

ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-7Rmq35dHosZPf3g?VWxbmGKukm4adH?2a7B\_b2yREYP

Job Reference (optional)



| LOADING (psf)                 | SPACING-                     | CSI.      | DEFL.                       | PLATES         | GRIP     |
|-------------------------------|------------------------------|-----------|-----------------------------|----------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | 2-8-0<br>Plate Grip DOL 1.15 | TC 0.87   | in (loc) l/defl L/d         | MT20           | 244/190  |
| TCDL 10.0                     | Lumber DOL 1.15              | BC 0.64   | Vert(LL) -0.32 J-L >999 240 |                |          |
| BCLL 0.0                      | Rep Stress Incr NO           | WB 0.78   | Vert(CT) -0.54 J-L >642 180 |                |          |
| BCDL 10.0                     | Code IBC2018/TPI2014         | Matrix-MS | Horz(CT) 0.06 H n/a n/a     |                |          |
|                               |                              |           |                             | Weight: 442 lb | FT = 20% |

**LUMBER-**  
TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M,G-I: 2x4 SP No.2

**BRACING-**  
TOP CHORD Structural wood sheathing directly applied or 5-1-3 oc purlins, except end verticals. Except:  
6-0-0 oc bracing: A-N  
10-0-0 oc bracing: A-O  
BOT CHORD Rigid ceiling directly applied or 9-1-5 oc bracing.  
WEBS 1 Row at midpt A-O

**REACTIONS.** (size) N=0-5-8, H=0-5-8  
Max Horz N=760(LC 11)  
Max Uplift N=-457(LC 10), H=-419(LC 14)  
Max Grav N=2257(LC 20), H=2718(LC 20)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD A-N=-2102/970, A-B=-5905/2591, B-C=-8586/2869, C-E=-8858/2930, E-F=-8866/2939,  
F-G=-6236/2626, G-H=-2574/1166  
BOT CHORD M-N=-2043/2114, L-M=-3282/5888, J-L=-3551/8575, I-J=-2139/6231, H-I=-490/560  
WEBS A-M=-2481/5683, B-M=-1478/771, B-L=-1602/2813, C-L=-656/564, C-J=-694/713,  
E-J=-911/476, F-J=-1439/2794, F-I=-2211/1011, G-I=-2552/6382

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed ; end vertical left and right exposed;C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 457 lb uplift at joint N and 419 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15



October 22,2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |            |     |     |                        |
|--------|-------|------------|-----|-----|------------------------|
| Job    | Truss | Truss Type | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | A04   | MONOPITCH  | 3   | 2   | I48467939              |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:28 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-7Rmq35dHosZPf3g?VWxbmGKukm4adH?2a7B\_b2yREYP

**LOAD CASE(S)** Standard

Uniform Loads (plf)

Vert: Q-T=-93, T-U=-240, H-N=-27

Trapezoidal Loads (plf)

Vert: A=-135-to-Q=-94, U=-241-to-V=-245, V=-98-to-G=-135

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017


|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A05 | Truss Type<br>MONOPITCH | Qty<br>2 | Ply<br>2 | Harmon - Chipotle - LS | 148467940 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:30 2021 Page 1

ID:VRQWsa7JYYXG\_g7Gf9pWkz7f5o-3qubUnfXKUp7uMqNcx\_3rhPEEZI25CwK1Rg5fwyREYN

Job Reference (optional)



| LOADING (psf)                 | SPACING-                     | CSI.      | DEFL.                       | PLATES         | GRIP     |
|-------------------------------|------------------------------|-----------|-----------------------------|----------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | 2-8-0<br>Plate Grip DOL 1.15 | TC 0.87   | in (loc) l/defl L/d         | MT20           | 244/190  |
| TCDL 10.0                     | Lumber DOL 1.15              | BC 0.64   | Vert(LL) -0.31 J-L >999 240 |                |          |
| BCLL 0.0                      | Rep Stress Incr NO           | WB 0.76   | Vert(CT) -0.53 J-L >649 180 |                |          |
| BCDL 10.0                     | Code IBC2018/TPI2014         | Matrix-MS | Horz(CT) 0.05 H n/a n/a     |                |          |
|                               |                              |           |                             | Weight: 442 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M,G-I: 2x4 SP No.2

#### BRACING-

TOP CHORD Structural wood sheathing directly applied or 5-2-10 oc purlins, except end verticals. Except:  
6-0-0 oc bracing: A-N  
10-0-0 oc bracing: A-O  
BOT CHORD Rigid ceiling directly applied or 9-1-5 oc bracing.  
WEBS 1 Row at midpt A-O

#### REACTIONS.

(size) N=0-5-8, H=0-5-8  
Max Horz N=760(LC 13)  
Max Uplift N=456(LC 10), H=406(LC 14)  
Max Grav N=2253(LC 20), H=2640(LC 20)

#### FORCES.

(lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD A-N=-2099/969, A-B=-5889/2585, B-C=-8572/2864, C-E=-8702/2872, E-F=-8707/2880,  
F-G=-6024/2547, G-H=-2499/1137  
BOT CHORD M-N=-2043/2114, L-M=-3276/5872, J-L=-3546/8561, I-J=-2061/6020, H-I=-488/562  
WEBS A-M=-2475/5667, B-M=-1471/769, B-L=-1603/2814, C-L=-660/566, C-J=-638/592,  
E-J=-883/465, F-J=-1462/2851, F-I=-2127/978, G-I=-2465/6162

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed ; end vertical left and right exposed;C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 456 lb uplift at joint N and 406 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15



October 22,2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |            |     |     |                        |
|--------|-------|------------|-----|-----|------------------------|
| Job    | Truss | Truss Type | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | A05   | MONOPITCH  | 2   | 2   | I48467940              |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:31 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9pWkz7f5o-X0Szi7g95nx\_WWOaAeVIOvyP\_z5HqfAUG5PeBNyREYM

**LOAD CASE(S)** Standard

Uniform Loads (plf)

Vert: Q-S=-93, S-T=-133, T-V=-93, **V-W=-218**, H-N=-27

Trapezoidal Loads (plf)

Vert: A=-135-to-Q=-94, W=-219-to-X=-223, X=-98-to-G=-135

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A06 | Truss Type<br>MONOPITCH | Qty<br>1 | Ply<br>2 | Harmon - Chipotle - LS | 148467941 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|


Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:32 2021 Page 1

ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-0C0LvTgns53r8gzmkL0Xw6UakNTCZ3\_dVl9BkpyREYL

Job Reference (optional)

|       |         |        |         |         |
|-------|---------|--------|---------|---------|
| 6-0-1 | 11-8-10 | 17-5-2 | 23-1-11 | 29-1-12 |
| 6-0-1 | 5-8-9   | 5-8-9  | 5-8-9   | 6-0-1   |



|                                       |                      |             |              |       |       |                |          |
|---------------------------------------|----------------------|-------------|--------------|-------|-------|----------------|----------|
| Plate Offsets (X,Y)-- [I:0-3-8,0-4-0] |                      |             |              |       |       |                |          |
| <b>LOADING</b> (psf)                  | <b>SPACING-</b>      | <b>CSI.</b> | <b>DEFL.</b> | in    | (loc) | l/defl         | L/d      |
| TCLL 25.0                             | 2-8-0                | TC 0.87     | Vert(LL)     | -0.26 | J-L   | >999           | 240      |
| (Roof Snow=25.0)                      | Plate Grip DOL 1.15  | BC 0.53     | Vert(CT)     | -0.43 | J-L   | >798           | 180      |
| TCDL 10.0                             | Lumber DOL 1.15      | WB 0.91     | Horz(CT)     | 0.04  | H     | n/a            | n/a      |
| BCLL 0.0                              | Rep Stress Incr NO   | Matrix-MS   |              |       |       |                |          |
| BCDL 10.0                             | Code IBC2018/TPI2014 |             |              |       |       |                |          |
|                                       |                      |             |              |       |       | Weight: 442 lb | FT = 20% |

**LUMBER-**  
TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M: 2x4 SP No.2

**REACTIONS.** (size) N=0-5-8, H=0-5-8  
Max Horz N=760(LC 11)  
Max Uplift N=-417(LC 10), H=-303(LC 14)  
Max Grav N=2018(LC 20), H=2018(LC 20)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD A-N=-1873/885, A-B=-5138/2290, B-C=-7164/2310, C-E=-6751/2148, E-F=-6751/2157,  
F-G=-4342/1927, G-H=-1897/900  
BOT CHORD M-N=-2030/2127, L-M=-2981/5123, J-L=-2993/7154, I-J=-1440/4340, H-I=-474/576  
WEBS A-M=-2200/4924, B-M=-1260/690, B-L=-1348/2126, C-L=-465/494, C-J=-557/680,  
E-J=-601/354, F-J=-1348/2562, F-I=-1472/721, G-I=-1773/4402

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 417 lb uplift at joint N and 303 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.

**LOAD CASE(S)** Standard

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



October 22, 2021



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |            |     |     |                          |           |
|--------|-------|------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type | Qty | Ply | Harmon - Chipotle - LS   | I48467941 |
| 211286 | A06   | MONOPITCH  | 1   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,


8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:32 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-0C0LvTgns53r8gzmkL0Xw6UakNTCZ3\_dVI9BkpyREYL

**LOAD CASE(S)** Standard  
1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
    Vert: Q-T=-93, H-N=-27  
Trapezoidal Loads (plf)  
    Vert: A=-135-to-Q=-94, T=-94-to-G=-135

|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A07 | Truss Type<br>MONOPITCH | Qty<br>4 | Ply<br>2 | Harmon - Chipotle - LS | 148467942 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:33 2021 Page 1  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-UOZj7phQdPBilqYyl3XmTK1UnpBIW?nkPulGFyREYK



| LOADING (psf)    |      | SPACING-             |      | CSI.      |      | DEFL.    |                | PLATES |         | GRIP |  |
|------------------|------|----------------------|------|-----------|------|----------|----------------|--------|---------|------|--|
| TCLL             | 25.0 | Plate Grip DOL       | 1.15 | TC        | 0.87 | Vert(LL) | -0.27 J-L >999 | MT20   | 244/190 |      |  |
| (Roof Snow=25.0) |      | Lumber DOL           | 1.15 | BC        | 0.55 | Vert(CT) | -0.44 J-L >774 |        |         |      |  |
| TCDL             | 10.0 | Rep Stress Incr      | NO   | WB        | 0.93 | Horz(CT) | 0.05 H n/a     |        |         |      |  |
| BCLL             | 0.0  | Code IBC2018/TPI2014 |      | Matrix-MS |      |          |                |        |         |      |  |
| BCDL             | 10.0 |                      |      |           |      |          |                |        |         |      |  |

| LUMBER-   |  | BRACING-  |   |
|-----------|--|-----------|---|
| TOP CHORD | 2x6 SP No.1                            | TOP CHORD | Structural wood sheathing directly applied or 5-11-14 oc purlins, except end verticals. Except: |
| BOT CHORD | 2x6 SP No.1                            |           | 6-0-0 oc bracing: A-N   |
| WEBS      | 2x4 SP No.3 *Except*                   |           | 10-0-0 oc bracing: A-O  |
|           | N-O,H-P: 2x6 SP No.1, A-M: 2x4 SP No.2 |           | Rigid ceiling directly applied or 9-8-1 oc bracing.   |
|           |  |           | 1 Row at midpt A-O  |

| REACTIONS. |                              |
|------------|------------------------------|
| (size)     | N=0-5-8, H=0-5-8             |
| Max Horz   | N=760(LC 11)                 |
| Max Uplift | N=-448(LC 10), H=-307(LC 14) |
| Max Grav   | N=2205(LC 20), H=2045(LC 20) |

| FORCES.  |  |
|--|--|
| (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown. |  |
| TOP CHORD  | A-N=-2052/951, A-B=-5477/2422, B-C=-7403/2404, C-E=-6901/2204, E-F=-6901/2212, F-G=-4413/1953, G-H=-1923/910                           |
| BOT CHORD  | M-N=-2049/2109, L-M=-3114/5459, J-L=-3087/7393, I-J=-1466/4411, H-I=-475/575   |
| WEBS   | A-M=-2311/5223, B-M=-1354/725, B-L=-1310/2024, C-L=-430/480, C-J=-637/717, E-J=-603/354, F-J=-1382/2646, F-I=-1498/731, G-I=-1802/4475 |

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
  - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
  - Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
  - TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
  - Unbalanced snow loads have been considered for this design.
  - Provide adequate drainage to prevent water ponding.
  - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
  - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 448 lb uplift at joint N and 307 lb uplift at joint H.
  - This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.

**LOAD CASE(S)** Standard



October 22, 2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**  
Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601

**MiTek**  
16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |            |     |     |                        |
|--------|-------|------------|-----|-----|------------------------|
| Job    | Truss | Truss Type | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | A07   | MONOPITCH  | 4   | 2   | I48467942              |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:33 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-UOZj7phQdPBilqYyl3XmTK1!UnpBIW?nkPulGFyREYK

**LOAD CASE(S)** Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: Q-R=-123, R-U=-93, H-N=-27

Trapezoidal Loads (plf)

Vert: A=-165-to-Q=-124, U=-94-to-G=-135

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A08 | Truss Type<br>MONOPITCH | Qty<br>2 | Ply<br>2 | Harmon - Chipotle - LS | 148467943 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:34 2021 Page 1  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-yb75K9i2OIJZN\_79rm2??XZwEA8w1zmwy3elohyREYJ



| Plate Offsets (X,Y)-- [I:0-3,8,0-4-0] |  |                      |       |             |  |                         |                     |
|---------------------------------------|--|----------------------|-------|-------------|--|-------------------------|---------------------|
| <b>LOADING</b> (psf)                  |  | <b>SPACING-</b>      | 2-8-0 | <b>CSI.</b> |  | <b>DEFL.</b>            | in (loc) l/defl L/d |
| TCLL 25.0                             |  | Plate Grip DOL       | 1.15  | TC 0.87     |  | Vert(LL)                | -0.28 J-L >999 240  |
| (Roof Snow=25.0)                      |  | Lumber DOL           | 1.15  | BC 0.58     |  | Vert(CT)                | -0.47 J-L >730 180  |
| TCDL 10.0                             |  | Rep Stress Incr      | NO    | WB 0.96     |  | Horz(CT)                | 0.05 H n/a n/a      |
| BCLL 0.0                              |  | Code IBC2018/TPI2014 |       | Matrix-MS   |  |                         |                     |
| BCDL 10.0                             |  |                      |       |             |  |                         |                     |
|                                       |  |                      |       |             |  | <b>PLATES</b>           | <b>GRIP</b>         |
|                                       |  |                      |       |             |  | MT20                    | 244/190             |
|                                       |  |                      |       |             |  | Weight: 442 lb FT = 20% |                     |

**LUMBER-**  
TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M: 2x4 SP No.2

**REACTIONS.** (size) N=0-5-8, H=0-5-8  
Max Horz N=760(LC 11)  
Max Uplift N=-488(LC 10), H=-316(LC 14)  
Max Grav N=2446(LC 20), H=2098(LC 20)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD A-N=-2278/1035, A-B=-6145/2684, B-C=-7892/2595, C-E=-7205/2317, E-F=-7205/2325,  
F-G=-4557/2006, G-H=-1975/931  
BOT CHORD M-N=-2071/2088, L-M=-3376/6126, J-L=-3278/7880, I-J=-1519/4555, H-I=-476/573  
WEBS A-M=-2546/5857, B-M=-1550/798, B-L=-1240/1836, C-L=-364/456, C-J=-890/793,  
E-J=-604/355, F-J=-1449/2816, F-I=-1553/753, G-I=-1861/4625

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 488 lb uplift at joint N and 316 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.

**LOAD CASE(S)** Standard

**BRACING-**  
TOP CHORD Structural wood sheathing directly applied or 5-9-5 oc purlins, except end verticals. Except:  
6-0-0 oc bracing: A-N  
10-0-0 oc bracing: A-O  
BOT CHORD Rigid ceiling directly applied or 9-3-4 oc bracing.  
WEBS 1 Row at midpt A-O



October 22, 2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|               |              |                         |          |                 |  |           |
|---------------|--------------|-------------------------|----------|-----------------|--|-----------|
| Job<br>211286 | Truss<br>A08 | Truss Type<br>MONOPITCH | Qty<br>2 | Ply<br><b>2</b> | Harmon - Chipotle - LS<br>Job Reference (optional) | I48467943 |
|---------------|--------------|-------------------------|----------|-----------------|--|-----------|

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:34 2021 Page 2  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-yb75K9i2OiJZN\_79rm2??XZwEA8w1zmwy3elohyREYJ

# **LOAD CASE(S)** Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: R-S=-235, S-T=-123, T-W=-93, H-N=-27

Trapezoidal Loads (plf)

Vert: A=-165-to-Q=-130, Q=-242-to-R=-236, W=-94-to-G=-135

## **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601 **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A09 | Truss Type<br>MONOPITCH | Qty<br>1 | Ply<br>2 | Harmon - Chipotle - LS | 148467944 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:36 2021 Page 1  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-uzFslqjlvKZHcHHXzB4T5yfGj\_pKVsDDQN7PtayREYH



| Plate Offsets (X,Y)-- [I:0-3,8,0-4-0] |  |                      |       |             |  |              |                |                |             |
|---------------------------------------|--|----------------------|-------|-------------|--|--------------|----------------|----------------|-------------|
| <b>LOADING</b> (psf)                  |  | <b>SPACING-</b>      | 2-8-0 | <b>CSI.</b> |  | <b>DEFL.</b> | in (loc)       | <b>PLATES</b>  | <b>GRIP</b> |
| TCLL 25.0                             |  | Plate Grip DOL       | 1.15  | TC 0.87     |  | Vert(LL)     | -0.28 J-L >999 | MT20           | 244/190     |
| (Roof Snow=25.0)                      |  | Lumber DOL           | 1.15  | BC 0.59     |  | Vert(CT)     | -0.47 J-L >725 |                |             |
| TCDL 10.0                             |  | Rep Stress Incr      | NO    | WB 0.96     |  | Horz(CT)     | 0.05 H n/a     |                |             |
| BCLL 0.0                              |  | Code IBC2018/TPI2014 |       | Matrix-MS   |  |              |                | Weight: 442 lb | FT = 20%    |
| BCDL 10.0                             |  |                      |       |             |  |              |                |                |             |

**LUMBER-**  
TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M: 2x4 SP No.2

**BRACING-**  
TOP CHORD Structural wood sheathing directly applied or 5-8-8 oc purlins, except end verticals. Except:  
6-0-0 oc bracing: A-N  
10-0-0 oc bracing: A-O  
BOT CHORD Rigid ceiling directly applied or 9-3-4 oc bracing.  
WEBS 1 Row at midpt A-O

**REACTIONS.** (size) N=0-5-8, H=0-5-8  
Max Horz N=760(LC 11)  
Max Uplift N=-484(LC 10), H=-317(LC 14)  
Max Grav N=2420(LC 20), H=2104(LC 20)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.  
TOP CHORD A-N=-2253/1025, A-B=-6148/2685, B-C=-7954/2619, C-E=-7233/2327, E-F=-7232/2335, F-G=-4571/2012, G-H=-1981/933  
BOT CHORD M-N=-2063/2096, L-M=-3377/6129, J-L=-3302/7939, I-J=-1525/4570, H-I=-476/573  
WEBS A-M=-2556/5884, B-M=-1555/800, B-L=-1262/1895, C-L=-384/463, C-J=-934/806, E-J=-597/352, F-J=-1454/2830, F-I=-1559/755, G-I=-1867/4641

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 484 lb uplift at joint N and 317 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.

**LOAD CASE(S)** Standard



October 22, 2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |            |     |     |                        |
|--------|-------|------------|-----|-----|------------------------|
| Job    | Truss | Truss Type | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | A09   | MONOPITCH  | 1   | 2   | I48467944              |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:36 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-uzFslqjlvKZHcHHXzB4T5yfGj\_pKV sDDQN7PtayREYH

**LOAD CASE(S)** Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: Q-R=-123, R-S=-270, S-V=-93, H-N=-27

Trapezoidal Loads (plf)

Vert: A=-165-to-Q=-124, V=-94-to-G=-135

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**  
**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|               |              |                         |          |          |                        |           |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|
| Job<br>211286 | Truss<br>A10 | Truss Type<br>MONOPITCH | Qty<br>3 | Ply<br>2 | Harmon - Chipotle - LS | 148467945 |
|---------------|--------------|-------------------------|----------|----------|------------------------|-----------|

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:38 2021 Page 1

ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-qMNCaWYRxp?sbRw4c7xANKcDoWzznuWthcWxTyREYF



| Plate Offsets (X,Y)-- [I:0-3,8,0-4-0] |  |                      |       |             |  |                |                     |
|---------------------------------------|--|----------------------|-------|-------------|--|----------------|---------------------|
| <b>LOADING</b> (psf)                  |  | <b>SPACING-</b>      | 2-8-0 | <b>CSI.</b> |  | <b>DEFL.</b>   | in (loc) l/defl L/d |
| TCLL 25.0                             |  | Plate Grip DOL       | 1.15  | TC 0.87     |  | Vert(LL)       | -0.28 J-L >999 240  |
| (Roof Snow=25.0)                      |  | Lumber DOL           | 1.15  | BC 0.57     |  | Vert(CT)       | -0.46 J-L >741 180  |
| TCDL 10.0                             |  | Rep Stress Incr      | NO    | WB 0.95     |  | Horz(CT)       | 0.05 H n/a n/a      |
| BCLL 0.0                              |  | Code IBC2018/TPI2014 |       | Matrix-MS   |  |                |                     |
| BCDL 10.0                             |  |                      |       |             |  |                |                     |
|                                       |  |                      |       |             |  | <b>PLATES</b>  | <b>GRIP</b>         |
|                                       |  |                      |       |             |  | MT20           | 244/190             |
|                                       |  |                      |       |             |  | Weight: 442 lb | FT = 20%            |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
N-O,H-P: 2x6 SP No.1, A-M: 2x4 SP No.2

#### REACTIONS.

(size) N=0-5-8, H=0-5-8  
Max Horz N=760(LC 13)  
Max Uplift N=-456(LC 10), H=-313(LC 14)  
Max Grav N=2252(LC 20), H=2084(LC 20)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-N=-2091/966, A-B=-5873/2578, B-C=-7775/2548, C-E=-7118/2285, E-F=-7118/2293,  
F-G=-4518/1992, G-H=-1961/925  
BOT CHORD M-N=-2044/2113, L-M=-3270/5857, J-L=-3231/7761, I-J=-1505/4516, H-I=-476/574  
WEBS A-M=-2469/5649, B-M=-1481/772, B-L=-1299/1993, C-L=-418/476, C-J=-846/780,  
E-J=-594/351, F-J=-1428/2765, F-I=-1539/747, G-I=-1845/4585

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed; MWFRS (envelope) gable end zone and C-C Corner(3) 0-2-12 to 12-2-12, Exterior(2) 12-2-12 to 16-11-0, Corner(3) 16-11-0 to 28-11-0 zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Unbalanced snow loads have been considered for this design.
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 456 lb uplift at joint N and 313 lb uplift at joint H.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.

#### LOAD CASE(S) Standard



October 22, 2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |            |     |     |                          |           |
|--------|-------|------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type | Qty | Ply | Harmon - Chipotle - LS   | I48467945 |
| 211286 | A10   | MONOPITCH  | 3   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:38 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-qMNcAWIYRxp?sbRw4c7xANKcDoWzznuWthcWxTyREYF

**LOAD CASE(S)** Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: Q-R=-93, R-S=-240, S-V=-93, H-N=-27

Trapezoidal Loads (plf)

Vert: A=-135-to-Q=-94, V=-94-to-G=-135

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**  
**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                        |
|--------|-------|--------------|-----|-----|------------------------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | B01   | ROOF SPECIAL | 2   | 2   | 148467946              |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:42 2021 Page 1

ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-j7c7?uo3VAJQKChJSBtKDvIWp\_dvk06oJaj4EyREYB



Scale = 1:44.8

| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.85   | Vert(LL) | -0.00    | C-D    | >999 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.08   | Vert(CT) | -0.00    | C-D    | >999 | MT18HS        | 244/190  |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.30   | Horz(CT) | 0.00     | C      | n/a  |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 84 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=-493(LC 10)  
Max Uplift C=-656(LC 11), D=-637(LC 10)  
Max Grav C=718(LC 12), D=658(LC 13)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-239/407, B-C=-931/1930  
BOT CHORD C-D=-830/1378  
WEBS B-D=-2902/1679

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 656 lb uplift at joint C and 637 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: C-D=-27

Continued on page 2



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | I48467946 |
| 211286 | B01   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:42 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-j7c7?uo3VAJQKChJSBtKdVtWP\_dvk06oJaj4EyREYB

**LOAD CASE(S)** Standard  
Trapezoidal Loads (plf)  
Vert: A=-130-to-B=-157

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | 148467947 |
| 211286 | B02   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:44 2021 Page 1

ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-fWktQZqJ1na8aWu4RtELPe\_dCCg7NecOFd3q96yREY9



Scale = 1:44.8

| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.84   | Vert(LL) | -0.00    | C-D    | >999 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.08   | Vert(CT) | -0.00    | C-D    | >999 | MT18HS        | 244/190  |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.29   | Horz(CT) | 0.00     | C      | n/a  |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 84 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=492(LC 13)  
Max Uplift C=656(LC 11), D=637(LC 10)  
Max Grav C=718(LC 12), D=658(LC 13)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-238/407, B-C=-928/1928  
BOT CHORD C-D=-794/1317  
WEBS B-D=-2842/1646

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 656 lb uplift at joint C and 637 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: C-D=-27



October 22, 2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | I48467947 |
| 211286 | B02   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:45 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-7ilGevqxo5i?BgTG?alaysXoyc0M65rYUHoNhZyREY8


**LOAD CASE(S)** Standard  
Trapezoidal Loads (plf)  
Vert: A=-130-to-B=-157



|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | 148467948 |
| 211286 | B03   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:46 2021 Page 1  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-bvserFrZZOqspq2SYIGpV33\_z0MfrYChjYxD?yREY7



| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.83   | Vert(LL) | -0.00    | C-D    | >999 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.07   | Vert(CT) | -0.00    | C-D    | >999 | MT18HS        | 244/190  |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.29   | Horz(CT) | 0.00     | C      | n/a  |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 84 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=491(LC 13)  
Max Uplift C=655(LC 11), D=636(LC 10)  
Max Grav C=717(LC 12), D=657(LC 13)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-238/406, B-C=-923/1926  
BOT CHORD C-D=-747/1238  
WEBS B-D=-2765/1604

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 655 lb uplift at joint C and 636 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: C-D=-27



October 22, 2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | I48467948 |
| 211286 | B03   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:46 2021 Page 2  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-bvserFrZZOqspq2SYIGpV33\_z0MfrYChjxYxD?yREY7

**LOAD CASE(S)** Standard  
Trapezoidal Loads (plf)  
Vert: A=-130-to-B=-157

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | 148467949 |
| 211286 | B04   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:48 2021 Page 1  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-YHzOGxtq504a27CrgilHaU9Khq1AJSp\_AF12ltyREY5



Scale = 1:44.8

| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.81   | Vert(LL) | -0.00    | C-D    | >999 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.07   | Vert(CT) | -0.00    | C-D    | >999 | MT18HS        | 244/190  |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.28   | Horz(CT) | 0.00     | C      | n/a  |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 85 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=-490(LC 10)  
Max Uplift C=-655(LC 11), D=-636(LC 10)  
Max Grav C=717(LC 12), D=657(LC 13)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-238/406, B-C=-918/1923  
BOT CHORD C-D=-707/1171  
WEBS B-D=-2700/1567

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 655 lb uplift at joint C and 636 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: C-D=-27



October 22, 2021

Continued on page 2

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | I48467949 |
| 211286 | B04   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,


8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:48 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-YHzOGxtq504a27CrgilHaU9Khq1AJSp\_AF12ItyREY5

**LOAD CASE(S)** Standard  
Trapezoidal Loads (plf)  
Vert: A=-130-to-B=-157

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | 148467950 |
| 211286 | B05   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc., Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:51 2021 Page 1  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-ysfXuzviNxS9vbwQLrs\_C7nrB13xVpgQsDFivCyREY2



Scale = 1:44.8

| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.79   | Vert(LL) | -0.00    | C-D    | >999 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.07   | Vert(CT) | -0.00    | C-D    | >999 | MT18HS        | 244/190  |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.27   | Horz(CT) | 0.00     | C      | n/a  |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 85 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=489(LC 13)  
Max Uplift C=654(LC 11), D=635(LC 10)  
Max Grav C=716(LC 12), D=657(LC 13)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-237/405, B-C=-913/1920  
BOT CHORD C-D=-666/1102  
WEBS B-D=-2632/1530

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 654 lb uplift at joint C and 635 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: C-D=-27

Continued on page 2



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | I48467950 |
| 211286 | B05   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:51 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-ysfXuzviNxS9vbwQLrs\_C7nrB13xVpgQsDFivCyREY2

**LOAD CASE(S)** Standard  
Trapezoidal Loads (plf)  
Vert: A=-130-to-B=-157

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                        |
|--------|-------|--------------|-----|-----|------------------------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | B06   | ROOF SPECIAL | 2   | 2   |                        |

I48467951


Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:52 2021 Page 1

ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-Q2Dv6lwK8Ea0XIVcvYNDkkJ0BRQDEG?a5s?FRfyREY1

3-10-8  
3-10-8

Scale = 1:44.8



| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.78   | Vert(LL) | -0.00    | C-D    | >999 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.06   | Vert(CT) | -0.00    | C-D    | >999 | MT18HS        | 244/190  |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.27   | Horz(CT) | 0.00     | C      | n/a  |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 85 lb | FT = 20% |

**LUMBER-**

TOP CHORD 2x6 SP No.1  
 BOT CHORD 2x6 SP No.1  
 WEBS 2x4 SP No.3 \*Except\*  
 C-E: 2x6 SP 2400F 2.0E

**REACTIONS.**

(size) C=0-5-8, D=Mechanical  
 Max Horz D=489(LC 13)  
 Max Uplift C=654(LC 11), D=635(LC 10)  
 Max Grav C=716(LC 12), D=656(LC 13)

**FORCES.** (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-237/404, B-C=-908/1918  
 BOT CHORD C-D=-628/1038  
 WEBS B-D=-2569/1495

**NOTES-**

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
 Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
 Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
 Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
 MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 654 lb uplift at joint C and 635 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

**LOAD CASE(S)** Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
 Uniform Loads (plf)  
 Vert: C-D=-27

Continued on page 2



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component****Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 2060116023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | I48467951 |
| 211286 | B06   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc,      Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:52 2021 Page 2  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-Q2Dv6lwK8Ea0XIVcvYNDkKJ0BRQDEG?a5s?FRfyREY1

**LOAD CASE(S)** Standard  
Trapezoidal Loads (plf)  
Vert: A=-130-to-B=-157

 **WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | 148467952 |
| 211286 | B07   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:54 2021 Page 1  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-MRLfX\_xbgsqjm2f?0zPhplONvE5iiAZIZAUUMVXyREY?



Scale = 1:44.8

| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.76   | Vert(LL) | -0.00    | C-D    | >999 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.06   | Vert(CT) | -0.00    | C-D    | >999 | MT18HS        | 244/190  |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.26   | Horz(CT) | 0.00     | C      | n/a  |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 85 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=-488(LC 10)  
Max Uplift C=-658(LC 11), D=-640(LC 10)  
Max Grav C=732(LC 12), D=674(LC 24)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-261/428, B-C=-917/1930  
BOT CHORD C-D=-601/976  
WEBS B-D=-2507/1473

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 658 lb uplift at joint C and 640 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: A-B=-157, C-D=-27



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601  
**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                          |           |
|--------|-------|--------------|-----|-----|--------------------------|-----------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS   | 148467953 |
| 211286 | B08   | ROOF SPECIAL | 2   | 2   | Job Reference (optional) |           |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:55 2021 Page 1

ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-qdv2kKyDR9yaOCEBahwwMzxYueR1Rdu0nqDv2\_yREY\_



Scale = 1:44.8

| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.75   | Vert(LL) | -0.00    | C-D    | >999 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.06   | Vert(CT) | -0.00    | C-D    | >999 | MT18HS        | 244/190  |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.26   | Horz(CT) | 0.00     | C      | n/a  |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 85 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=-487(LC 12)  
Max Uplift C=-658(LC 11), D=-639(LC 10)  
Max Grav C=731(LC 12), D=673(LC 24)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-261/428, B-C=-911/1927  
BOT CHORD C-D=-566/920  
WEBS B-D=-2452/1442

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- All plates are MT20 plates unless otherwise indicated.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 658 lb uplift at joint C and 639 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: A-B=-157, C-D=-27

#### BRACING-

TOP CHORD 2-0-0 oc purlins: A-B, B-E, except end verticals. Except:  
6-0-0 oc bracing: B-C  
10-0-0 oc bracing: B-E  
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.  
WEBS 1 Row at midpt B-E



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017


|        |       |              |     |     |                        |
|--------|-------|--------------|-----|-----|------------------------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | B09   | ROOF SPECIAL | 2   | 2   | 148467954              |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:57 2021 Page 1  
ID:VRQWsA7JYYXG\_g7Gf9pWkz7f5o-n00o90\_TznCldWOZI5zORO0ulS7avXYJF8i05syREXy

3-10-8  
3-10-8

Scale = 1:44.8



| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.73   | Vert(LL) | -0.00    | C-D    | >999 | 240           | MT20     |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.05   | Vert(CT) | -0.00    | C-D    | >999 | 180           |          |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.25   | Horz(CT) | 0.00     | C      | n/a  | n/a           |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 86 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### BRACING-

TOP CHORD 2-0-0 oc purlins: A-B, B-E, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=-485(LC 10)  
Max Uplift C=-657(LC 11), D=-638(LC 10)  
Max Grav C=730(LC 12), D=672(LC 24)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-260/426, B-C=-899/1921  
BOT CHORD C-D=-506/821  
WEBS B-D=-2355/1389

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 657 lb uplift at joint C and 638 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: A-B=-157, C-D=-27



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017


|        |       |              |     |     |                        |
|--------|-------|--------------|-----|-----|------------------------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | B10   | ROOF SPECIAL | 2   | 2   | 148467955              |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:06:58 2021 Page 1  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-FCaAMM\_5k4K9FgzmFpUd\_bZ3VrTpe\_nSToSadyREXx

3-10-8  
3-10-8

Scale = 1:44.8



| LOADING (psf)                 | SPACING-             | 2-8-0 | CSI.      | DEFL.    | in (loc) | l/defl | L/d  | PLATES        | GRIP     |
|-------------------------------|----------------------|-------|-----------|----------|----------|--------|------|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | Plate Grip DOL       | 1.15  | TC 0.73   | Vert(LL) | -0.00    | C-D    | >999 | 240           | MT20     |
| TCDL 10.0                     | Lumber DOL           | 1.15  | BC 0.05   | Vert(CT) | -0.00    | C-D    | >999 | 180           |          |
| BCLL 0.0                      | Rep Stress Incr      | NO    | WB 0.25   | Horz(CT) | 0.00     | C      | n/a  | n/a           |          |
| BCDL 10.0                     | Code IBC2018/TPI2014 |       | Matrix-MP |          |          |        |      |               |          |
|                               |                      |       |           |          |          |        |      | Weight: 86 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### BRACING-

TOP CHORD 2-0-0 oc purlins: A-B, B-E, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=-485(LC 10)  
Max Uplift C=-657(LC 11), D=-638(LC 10)  
Max Grav C=730(LC 12), D=672(LC 24)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-260/426, B-C=-899/1921  
BOT CHORD C-D=-506/821  
WEBS B-D=-2355/1389

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 657 lb uplift at joint C and 638 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: A-B=-157, C-D=-27



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**

**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                        |
|--------|-------|--------------|-----|-----|------------------------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | B11   | ROOF SPECIAL | 2   | 2   | 148467956              |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:07:00 2021 Page 1  
ID:VRQWsa7JYYXG\_g7Gf9lpWkz7f5o-Bbixn20LGibtUz68NEW530eOEF9J6uLix6xgiByREXv



Scale = 1:44.8

| LOADING (psf)                 | SPACING-                     | CSL       | DEFL.    | in (loc)  | l/defl | L/d | PLATES        | GRIP     |
|-------------------------------|------------------------------|-----------|----------|-----------|--------|-----|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | 2-8-0<br>Plate Grip DOL 1.15 | TC 0.71   | Vert(LL) | -0.00 C-D | >999   | 240 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL 1.15              | BC 0.05   | Vert(CT) | -0.00 C-D | >999   | 180 |               |          |
| BCLL 0.0                      | Rep Stress Incr NO           | WB 0.24   | Horz(CT) | 0.00 C    | n/a    | n/a |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014         | Matrix-MP |          |           |        |     |               |          |
|                               |                              |           |          |           |        |     | Weight: 86 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### BRACING-

TOP CHORD 2-0-0 oc purlins: A-B, B-E, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=-484(LC 12)  
Max Uplift C=-656(LC 11), D=-637(LC 10)  
Max Grav C=730(LC 12), D=672(LC 24)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-260/425, B-C=-893/1917  
BOT CHORD C-D=-477/774  
WEBS B-D=-2308/1364

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 656 lb uplift at joint C and 637 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: A-B=-157, C-D=-27



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see **ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601




16023 Swingley Ridge Rd  
Chesterfield, MO 63017

|        |       |              |     |     |                        |
|--------|-------|--------------|-----|-----|------------------------|
| Job    | Truss | Truss Type   | Qty | Ply | Harmon - Chipotle - LS |
| 211286 | B12   | ROOF SPECIAL | 2   | 2   | 148467957              |

Heartland Truss, Inc, Plattsburg, MO - 64477,

8.430 s Aug 16 2021 MiTek Industries, Inc. Thu Oct 21 09:07:01 2021 Page 1  
ID:VRQWsA7JYYXG\_g7Gf9lpWkz7f5o-fnGJ?N1\_1?jk67hLxx1KcEba83UarLevAmgEEdyREXu



Scale = 1:44.8

| LOADING (psf)                 | SPACING-                     | CSI.      | DEFL.    | in (loc)  | l/defl | L/d | PLATES        | GRIP     |
|-------------------------------|------------------------------|-----------|----------|-----------|--------|-----|---------------|----------|
| TCLL 25.0<br>(Roof Snow=25.0) | 2-8-0<br>Plate Grip DOL 1.15 | TC 0.70   | Vert(LL) | -0.00 C-D | >999   | 240 | MT20          | 244/190  |
| TCDL 10.0                     | Lumber DOL 1.15              | BC 0.05   | Vert(CT) | -0.00 C-D | >999   | 180 |               |          |
| BCLL 0.0                      | Rep Stress Incr NO           | WB 0.24   | Horz(CT) | 0.00 C    | n/a    | n/a |               |          |
| BCDL 10.0                     | Code IBC2018/TPI2014         | Matrix-MP |          |           |        |     | Weight: 86 lb | FT = 20% |

#### LUMBER-

TOP CHORD 2x6 SP No.1  
BOT CHORD 2x6 SP No.1  
WEBS 2x4 SP No.3 \*Except\*  
C-E: 2x6 SP 2400F 2.0E

#### BRACING-

TOP CHORD 2-0-0 oc purlins: A-B, B-E, except end verticals.  
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

#### REACTIONS.

(size) C=0-5-8, D=Mechanical  
Max Horz D=-483(LC 10)  
Max Uplift C=-656(LC 11), D=-637(LC 10)  
Max Grav C=729(LC 12), D=672(LC 24)

#### FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

TOP CHORD A-D=-260/425, B-C=-889/1915  
BOT CHORD C-D=-457/741  
WEBS B-D=-2276/1347

#### NOTES-

- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:  
Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.  
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.  
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
- All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
- Wind: ASCE 7-16; Vult=115mph (3-second gust) Vasd=91mph; TCDL=6.0psf; BCDL=6.0psf; h=20ft; Cat. II; Exp C; Enclosed;  
MWFRS (envelope) gable end zone and C-C Corner(3) zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.33 plate grip DOL=1.33
- TCLL: ASCE 7-16; Pf=25.0 psf (Lum DOL=1.15 Plate DOL=1.15); Is=1.0; Rough Cat C; Fully Exp.; Ce=0.9; Cs=1.00; Ct=1.10
- Provide adequate drainage to prevent water ponding.
- This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- Refer to girder(s) for truss to truss connections.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 656 lb uplift at joint C and 637 lb uplift at joint D.
- This truss is designed in accordance with the 2018 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
- Graphical purlin representation does not depict the size or the orientation of the purlin along the top and/or bottom chord.

#### LOAD CASE(S) Standard

- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15  
Uniform Loads (plf)  
Vert: A-B=-157, C-D=-27



October 22, 2021

**WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 rev. 5/19/2020 BEFORE USE.**

Design valid for use only with MiTek® connectors. This design is based only upon parameters shown, and is for an individual building component, not a truss system. Before use, the building designer must verify the applicability of design parameters and properly incorporate this design into the overall building design. Bracing indicated is to prevent buckling of individual truss web and/or chord members only. Additional temporary and permanent bracing is always required for stability and to prevent collapse with possible personal injury and property damage. For general guidance regarding the fabrication, storage, delivery, erection and bracing of trusses and truss systems, see

**ANSI/TPI1 Quality Criteria, DSB-89 and BCSI Building Component**




**Safety Information** available from Truss Plate Institute, 2670 Crain Highway, Suite 203 Waldorf, MD 20601



16023 Swingley Ridge Rd  
Chesterfield, MO 63017

# Symbols

## PLATE LOCATION AND ORIENTATION




\* Plate location details available in **MiTek 20/20** software or upon request.

## PLATE SIZE


**4 X 4**

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

## LATERAL BRACING LOCATION




## BEARING



**Industry Standards:**  
ANSI/TPI 1: National Design Specification for Metal Plate Connected Wood Truss Construction.  
DSB-89: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

# Numbering System



**JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.**

**CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.**

## PRODUCT CODE APPROVALS

ICC-ES Reports:  
ESR-1311, ESR-1352, ESR1988  
ER-3907, ESR-2362, ESR-1397, ESR-3282

Trusses are designed for wind loads in the plane of the truss unless otherwise shown.

Lumber design values are in accordance with ANSI/TPI 1 section 6.3 These truss designs rely on lumber values established by others.

© 2012 MiTek® All Rights Reserved



MiTek Engineering Reference Sheet: MII-7473 rev. 5/19/2020

# General Safety Notes

**Failure to Follow Could Cause Property Damage or Personal Injury**

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative Tor I bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by ANSI/TPI 1.
7. Design assumes trusses will be suitably protected from the environment in accord with ANSI/TPI 1.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with ANSI/TPI 1 Quality Criteria.
21. The design does not take into account any dynamic or other loads other than those expressly stated.