# SANITARY SEWER IMPROVEMENTS

# TO SERVE LOT 7A & 7B STREETS OF WEST PRYOR

## UTILITIES Electric Service Evergy Nathan Michael 913-347-4310 Nathan.michael@evergy.com

Gas Service Katie Darnell 816-969-2247 Katie.darnell@spireenergy.com

Water/Sanitary Sewer Water Utilities Department 1200 SE Hamblen Road Lee's Summit, Mo 64081 Jeff Thorn 816-969-1900 jeff.thorn@cityofls.net

**Communication Service** AT&T Carrie Cilke 816-703-4386 cc3527@att.com

Time Warner Cable Steve Baxter 913-643-1928 steve.baxter@charter.com

Comcast Ryan Alkire 816-795-2218 rvan.alkire@cable.comcast.com

Google Fiber **Becky Davis** 913-725-8745 rebeccadavis@google.com



## **UTILITY STATEMENT:**

THE UNDERGROUND UTILITIES SHOWN HEREON ARE FROM FIELD SURVEY INFORMATION OF ONE-CALL LOCATED UTILITIES, FIELD SURVEY INFORMATION OF ABOVE GROUND OBSERVABLE EVIDENCE, AND/OR THE SCALING AND PLOTTING OF EXISTING UTILITY MAPS AND DRAWINGS AVAILABLE TO THE SURVEYOR AT THE TIME OF SURVEY. THE SURVEYOR MAKES NO GUARANTEE THAT THE UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN SERVICE OR ABANDONED. FURTHERMORE, THE SURVEYOR DOES NOT WARRANT THAT THE UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED ALTHOUGH HE DOES CERTIFY THAT THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM INFORMATION AVAILABLE. THE SURVEYOR HAS NOT PHYSICALLY LOCATED THE UNDERGROUND UTILITIES BY EXCAVATION UNLESS OTHERWISE NOTED ON THIS SURVEY.

SAFETY NOTICE TO CONTRACTOR


IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICE, THE CONTRACTOR WILL BE SOLELY AND COMPLETELY RESPONSIBLE FOR CONDITIONS OF THE JOB SITE, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY DURING PERFORMANCE OF THE WORK. THIS REQUIREMENT WILL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS.

## WARRANTY/DISCLAIMER

THE DESIGNS REPRESENTED IN THESE PLANS ARE IN ACCORDANCE WITH ESTABLISHED PRACTICES OF CIVIL ENGINEERING FOR THE DESIGN FUNCTIONS AND USES INTENEDED BY THE OWNER AT THIS TIME. HOWEVER, NEITHER SM ENGINEERING NOR ITS PERSONNEL CAN OR DO WARRANTY THESE DESIGNS OR PLANS AS CONSTRUCTED, EXCEPT IN THE SPECIFIC CASES WHERE SM ENGINEERING PERSONNEL INSPECT AND CONTROL THE PHYSICAL CONSTRUCTION ON A CONTEMPORARY BASIS AT THE SITE.

## CAUTION- NOTICE TO CONTRACTOR

THE CONTRACTOR IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATION OF EXISTING UTILITIES AS SHOWN ON THESE PLANS IS BASED ON RECORDS OF THE VARIOUS UTILITY COMPANIES AND, WHERE POSSIBLE, MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED ON AS BEING EXACT OR COMPLETE. THE CONTRACTOR MUST CALL THE APPROPRIATE UTILITY COMPANY AT LEAST 72 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATION OF UTILITIES. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO RELOCATE ALL EXISTING UTILITIES WHICH CONFLICT WITH PROPOSED IMPROVEMENTS SHOWN ON THE PLANS. THE CONTRACTOR SHALL EXPOSE EXISTING UTILITIES AT LOCATIONS OF POSSIBLE CONFLICTS PRIOR TO ANY CONSTRUCTION.



## **LOCATION MAP**

**LEGAL DESCRIPTION:** LOT 7 & TRACT C STREET OF WEST PRYOR LOTS 1 THRU 14, TRACTS A, B, C, & D TO LEE'S SUMMIT, MO, JACKSON COUNTY MISSOURI

ALL EXISTING TOPOGRAPHIC DATA AND INFRASTRUCTURE IMPROVEMENTS SHOWN BASED ON INFORMATION BY KAW VALLEY ENGINEERING

## **BENCHMARKS:**

#1 CHISELED "SQUARE" ON TOP OF CURB POINT OF INTERSECTION OF WEST PARK PARKING LOT AT EAST DRIVE ENTRANCE ELEVATION 985.05

#2 CHISELED "SQUARE" ON NORTHWEST CORNER AREA INLET, 25' EAST OF CURB LINE AND ON-LINE WITH SOUTH CURB OF LOWENSTEIN DRIVE AT 90° BEND IN ROAD ELEVATION 971.06

## FLOODPLAIN NOTE:

SUBJECT PROPERTY IS SHOWN TO BE LOCATED IN "OTHER AREAS ZONE X" ON THE FLOOD INSURANCE RATE MAP FOR JACKSON COUNTY, MISSOURI AND INCORPORATED AREAS. COMMUNITY PANEL NO. 29095C0416G, REVISED JANUARY 20, 2017. "OTHER AREAS ZONE X" IS DEFINED AS "AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUL CHANCE FLOODPLAIN". LOCATION DETERMINED BY A SCALED GRAPHICAL PLOT OF THE FLOOD INSURANCE RATE MAP.

ALL CONSTRUCTION SHALL FOLLOW THE CITY OF LEE'S SUMMIT DESIGN AND CONSTRUCTION MANUAL AS ADOPTED BY ORDINANCE 5813. WHERE DISCREPANCIES EXIST BETWEEN THESE PLANS AND THE DESIGN AND CONSTRUCTION MANUAL, THE MORE STRINGENT SHALL PREVAIL.

THERE ARE NO GAS/OIL WELLS PER MDNR DATABASE OF OIL AND GAS PERMITS.

Lee's Summit, Missouri 11/22/2021

## **INDEX OF SHEETS**

- C-1 COVER SHEET
- C-2 EXISTING CONDITIONS
- GENERAL NOTES & TABLE OF SERVICE LOCATIONS
- C-4 OVERALL SITE PLAN
- C-5 GRADING PLAN
- C-6 SANITARY LINE A PLAN AND PROFILE
- C-7 DETAILS
- C-8 DETAILS

## **DEVELOPER**

SWP III, LLC C/O DRAKE DEVELOPMENT, LLC 7200 W 132nd ST, SUITE 150 OVERLAND PARK, KS 66213 913-662-2630

## **ENGINEER**

**SM ENGINEERING** SAM MALINOWSKY 5507 HIGH MEADOW CIRCLE MANHATTAN KANSAS, 66503 SMCIVILENGR@GMAIL.COM 785.341.9747



SAMUEL D. MALINOWSKY

PROFESSIONAL ENGINEEER

Manhattan Kansas, 66503 smcivilengr@gmail.com 785.341.9747


**SM** Engineering

rawings and/or Specifications are original proprietary work and property of the ngineer and intended specifically for this project. Use of items contained herei without consent of the Engineeris prohibited. Drawings illustrate best ation available to the Engineer. Fi rification of actual elements, conditions and dimensions is required.

Revisions 8-19-21 CITY COMMENTS 9-13-21 CITY COMMENTS

shee

Site Improvement PLan permit 16 JULY 2021



Manhattan Kansas, 66503 smcivilengr@gmail.com 785.341.9747

without consent of the Engineeris prohibited. Drawings illustrate best ormation available to the Engineer. Field



sheet

## SANITARY SEWERS

- 1. ALL EXISTING UTILITIES INDICATED ON THE DRAWINGS ARE ACCORDING TO THE BEST INFORMATION AVAILABLE TO THE ENGINEER; HOWEVER, ALL UTILITIES ACTUALLY EXISTING MAY NOT BE SHOWN. UTILITIES DAMAGED THROUGH THE NEGLIGENCE OF THE CONTRACTOR TO OBTAIN THE LOCATION OF SAME SHALL BE REPAIRED OR REPLACED IMMEDIATELY BY THE CONTRACTOR AT THEIR EXPENSE.
- 2. RELOCATION OF ANY WATER LINE, SEWER LINE OR SERVICE LINE THEREOF REQUIRED FOR THE CONSTRUCTION OF THIS PROJECT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND SHALL BE AT THEIR EXPENSE.
- 3. ALL ROADS TO BE KEPT FREE FROM CONSTRUCTION DEBRIS AND SEDIMENT
- 4. THE CONTRACTOR SHALL TAKE CARE IN PROTECTING EXISTING TREES AND SHRUBS
- 5. OUTSIDE OF THE PROPOSED CONSTRUCTION. CARE SHALL BE TAKEN NOT TO DISTURB
- 6. LAWNS OR EXISTING STRUCTURES OUTSIDE OF THE CONSTRUCTION LIMITS.
- 7. CONTRACTOR SHALL SEED ALL DISTURBED AREAS
- 8. PIPE LENGTHS ARE CENTER TO CENTER OF STRUCTURE OR TO END OF PIPE.


### **EROSION CONTROL NOTES**

- 1. PROTECT ALL STORM INLETS AND DRAINAGE CONVEYANCE FROM CONSTRUCTION DEBRIS AND SEDIMENT
- 2. DO NOT WASH CONCRETE TRUCKS INTO THE STORM SYSTEM.
- 3. DO NOT ALLOW SEDIMENT TO LEAVE CONSTRUCTION SITE.
- 4. KEEP ALL ROADS FREE FROM CONSTRUCTION DEBRIS AND SEDIMENT.

TABLE OF SERVICE LOCATIONS						
			LINE A	•		
STUB	CONNECTION TYPE	STATION	DIST. FROM D.S. M.H.	STUB LENGTH	FLOW AT MAIN	END OF STUB ELEVATION
1	"Y"	6+73.33	19'	57	972.62	973.76
2	"Y'	6+89.41	35'	10'	972.78	972.98
3	Υ"	8+05.90	70'	50'	974.14	975.14
4	"Y"	8+55.90	120'	15'	974.64	974.94
5	"Y"	10+75.27	153'	44	977.35	978.23
6	MH CONNECTION	11+70.38	0'	10'	978.30	978.50

5507 High Meadow Circle Manhattan Kansas, 66503 smcivilengr@gmail.com 785.341.9747

Drawings and/or Specifications are original proprietary work and property of the Engineer and intended specifically for this project. Use of items contained herein without consent of the Engineeris prohibited. Drawings illustrate best information available to the Engineer. Field verification of actual elements, conditions, and dimensions is required.



Revisions 8-19-21 CITY COMMENTS 9-13-21 CITY COMMENTS

STREETS OF W, PRVOR IOT 7A & 7B


RELEASED FOR
CONSTRUCTION
As Noted on Plans Review


Development Services Department
Lee's Summit, Missouri
11/22/2021

Sheet

GENERAL NOTES

&
STUB LOCATIONS
permit
16 JULY 2021








5507 High Meadow Circle Manhattan Kansas, 66503 smcivilengr@gmail.com 785.341.9747


without consent of the Engineeris prohibited. Drawings illustrate best ormation available to the Engineer. Field




















Orawings and/or Specifications are original proprietary work and property of the Engineer and intended specifically for this project. Use of items contained herein without consent of the Engineeris prohibited. Drawings illustrate best formation available to the Engineer. Field verification of actual elements, conditions, and dimensions is required.





Revisions 8-19-21 CITY COMMENTS 9-13-21 CITY COMMENTS


16 JULY 2021

**RELEASED FOR** CONSTRUCTION As Noted on Plans Review Development Services Departme Lee's Summit, Missouri 11/22/2021

shee **DETAILS** permit








GEN-5 TRENCHING/PATCHING ROADWAYS DETAIL

## SM Engineering 5507 High Meadow Circle

Manhattan Kansas, 66503 smcivilengr@gmail.com 785.341.9747

Orawings and/or Specifications are original proprietary work and property of the Engineer and intended specifically for this project. Use of items contained herein without consent of the Engineeris prohibited. Drawings illustrate best ormation available to the Engineer. Field verification of actual elements, conditions, and dimensions is required.



Revisions 8-19-21 CITY COMMENTS 9-13-21 CITY COMMENTS

1/2"-3/4" CLEAN AGGREGATE, HAND TAMPED OR MECHANICALLY COMPACTED IN MAX. 4" LIFTS

## INITIAL BACKFILL

-UNDER PAVED AREAS OR WITHIN 4" HORIZONTAL OF PAVED AREAS 1/2"-3/4" CLEAN AGGREGATE, HAND TAMPED OR MECHANICALLY COMPACTED IN MAX. 4" LIFTS


-UNDER OPEN AREAS 1/2"-3/4" CLEAN AGGREGATE, HAND TAMPED OR MECHANICALLY

COMPACTED IN MAX. 4" LIFTS FINAL BACKFILL

-UNDER PAVED AREAS OR WITHIN 4" HORIZONTAL OF PAVED AREAS ON-SITE OR IMPORTED MATERIAL FREE OF MUCK, FROZEN MATERIAL, EXCESS MOISTURE, ORGANICS, TOPSOIL, RUBBISH, CONSTRUCTION DEBRIS, ROCK OR BRICK LARGER THAN 8". COMPACTED TO 95% OF STANDARD DENSITY PER ASTM D-698 -UNDER OPEN AREAS

ON-SITE OR IMPORTED MATERIAL FREE OF MUCK, FROZEN MATERIAL, EXCESS MOISTURE, ORGANICS, TOPSOIL, RUBBISH, CONSTRUCTION DEBRIS, ROCK OR BRICK LARGER THAN 8". COMPACTED TO 90% OF STANDARD DENSITY PER ASTM D-698

BEDDING DEPTH BELOW PIPE					
PIPE DIAMETER	IN SOIL	IN ROCK			
24" AND LESS	4"	6"			
27" THRU 60"	4"	9"			



## PIPE BEDDING DETAIL

NOT TO SCALE

RELEASED FOR CONSTRUCTION **As Noted on Plans Review** Lee's Summit, Missouri 11/22/2021

sheet **DETAILS** 

> permit 16 JULY 2021