



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	SHAKE SHACK #1348		
ADDRESS	2051 NW LOWENSTEIN DR, LEES SUMMIT, MO 64081		
OWNER/OPERATOR NAME	JWM CONTRACTING LLC:	TELEPHONE	(913) 530-4205
ADDRESS	420 NE BROCKTON DR LEES SUMMIT, MO 64064 Primary: (913) 530-4205 Cell: <NO CELL PHONE>		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	
2. _____	
3. _____	
4. _____	

LOSS REDUCTION TYPE

☐ Occupancy	☐ Semi-Annual	☐ Annual	☐ Life Safety	☐ Sprinkler	☐ Hazardous Material Permit
☐ Complaint	☐ Explosive Storage	☐ UST	☐ Post-Incident	☐ Open Burning	☐ Other
CLASS: A-2	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alarm Test	Craig Hill	Passed	Monday, November 29, 2021
Sprinkler - Hydrostatic Test	Jim Eden	Failed	Monday, November 15, 2021
Sprinkler - Flow Test	Craig Hill	Passed	Monday, November 29, 2021

Corrective Action Required:

- 1 Change "Tamper" to not report as a water flow.
Change Hood to not report as a smoke.
Hard pipe air compressor
Add Knox Box
Support FDC

Fire Line - Hydrostatic Test	Joe Starlin	Passed	Wednesday, April 28, 2021
Sprinkler - Hydrostatic Test	Jim Eden	Failed	Monday, November 15, 2021
Alternate Protection Systems Inspection		Passed	Monday, November 29, 2021
Sprinkler - Hydrostatic Test	Jim Eden	Failed	Tuesday, November 16, 2021
Sprinkler - Hydrostatic Test	Craig Hill	Passed	Tuesday, November 23, 2021
Alternate Protection Systems Inspection	Craig Hill	Failed	Tuesday, November 16, 2021

DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
November 29, 2021	Craig Hill	☐ Yes ☐ No	