



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	COLDWATER COMMUNITY CENTER		
ADDRESS	838 SW BLUE PKWY, LEES SUMMIT, MO 64063		
OWNER/OPERATOR NAME	STRICKLAND CONSTRUCTION CO INC:	TELEPHONE	(913) 764-7000
ADDRESS	720 S ROGERS RD STE B OLATHE, KS 66062 Primary: (913) 764-7000 Cell: (913) 238-1808		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	
2. _____	
3. _____	
4. _____	

LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: B	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alternate Protection Systems Inspection	Craig Hill	Failed	Thursday, January 13, 2022
Alarm Test	Craig Hill	Failed	Thursday, January 13, 2022
Corrective Action Required: 1 Duck detector need to be reported as a supervisory and not sent to fire dispatch.			

Make-up-air was not operational during inspection.

DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
January 13, 2022	Craig Hill	<input type="checkbox"/> Yes <input type="checkbox"/> No	