

PUBLIC WORKS ENGINEERING DIVISION
Floodplain Development Permit

Permit No: PRPWFP20220167	Date Issued: Wednesday, March 02, 2022
----------------------------------	---

GENERAL INFORMATION

Permit Holder: HUNT MIDWEST REAL ESTATE DEV INC 8300 NE UNDERGROUND DR KANSAS CITY, MO	Project Address(es): Legal Description:
--	--

PROJECT SUMMARY

Type of Development: Single family residential Located in a Designated Floodway? No Located in a Designated Floodplain Fringe? Yes	Elevation if 1% Base Flood: 944.25-946 Elevation of Proposed Development Site: 941.5-957.5 Elevation/Floodproofing Requirement:
---	--

Issued By: George Binger, P.E. City Engineer; Floodplain Administrator	Date: Wednesday, March 02, 2022
--	--

All provisions of City of Lee's Summit UDO Article 6, Division II, Floodplain Management Ordinance, shall be in compliance.

THIS PERMIT ISSUED WITH THE CONDITION THAT THE LOWEST FLOOR (INCLUDING BASEMENT FLOOR) OF ANY NEW OR SUBSTANTIALLY-IMPROVED RESIDENTIAL BUILDING WILL BE ELEVATED 2 FEET ABOVE THE BASE FLOOD ELEVATION. IF THE PROPOSED DEVELOPMENT IS A NON-RESIDENTIAL BUILDING, THIS PERMIT IS ISSUED WITH THE CONDITION THAT THE LOWEST FLOOR (INCLUDING BASEMENT) OF A NEW OR SUBSTANTIALLY IMPROVED NON-RESIDENTIAL BUILDING WILL BE ELEVATED OR FLOODPROOFED 2 FEET ABOVE THE BASE FLOOD ELEVATION.

THIS PERMIT IS USED WITH THE CONDITION THAT THE DEVELOPER/OWNER WILL PROVIDE CERTIFICATION BY A REGISTERED ENGINEER, ARCHITECT, OR LAND SURVEYOR OF THE "AS-BUILT" LOWEST FLOOR (INCLUDING BASEMENT) ELEVATION OF ANY NEW OR SUBSTANTIALLY-IMPROVED BUILDING COVERED BY THIS PERMIT APPLICATION.

By acceptance of this permit, the permittee is subject to all requirements, duties and obligations set out in Article III of Chapter 26 of the City Code of Ordinances and the City of Lee's Summit Design and Construction Manual. Both documents are available online on the City's website. If you need assistance obtaining access to these documents please call (816) 969-1800.

