



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	PETSUITES OF AMERICA		
ADDRESS	250 NW MCNARY CT, LEES SUMMIT, MO 64086		
OWNER/OPERATOR NAME	BEAR CONSTRUCTION SERVICES:	TELEPHONE	(913) 674-8004
ADDRESS	9218 METCALF #311 OVERLAND PARK, KS 66212 Primary: (913) 674-8004 Cell: (913) 238-0081		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	
2. _____	
3. _____	
4. _____	

LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: B	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alarm Test	Craig Hill	Not Ready	Tuesday, April 12, 2022
Sprinkler - Hydrostatic Test	Ben Hicks	Passed	Friday, March 18, 2022
Sprinkler - Flow Test	Craig Hill	Failed	Tuesday, April 12, 2022

Fire Line - Hydrostatic Test	Joe Starlin	Passed	Friday, October 29, 2021
Alarm Test	Craig Hill	Failed	Friday, April 15, 2022
Sprinkler - Flow Test	Craig Hill	Passed	Friday, April 15, 2022
Alarm Test	Craig Hill	Passed	Monday, April 18, 2022
Corrective Action Required: 1 Alarm strobes need to terminate on silence.			
DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
April 18, 2022	Craig Hill	<input type="checkbox"/> Yes <input type="checkbox"/> No	