

Legend LSM149

- AREA OF INTEREST
- LEES SUMMIT BOUNDARY

0 8,750 17,500 Feet

N



INI	BY	DATE	DESCRIPTION
	CN	2/11/2022	PERMIT DRAWING



Lee's Summit, MO
City Permit Plan View

ALL CONSTRUCTION IS PROPOSED AND SUBJECT TO RELOCATION WHEN OBJECTS ARE ENCOUNTERED THAT WILL INTERFERE WITH THE EXISTING INFRASTRUCTURE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD LOCATE ALL UNDERGROUND OBSTRUCTIONS AND UTILITIES PRIOR TO CONSTRUCTION. COMPLETE REPAIR OF ANY AND ALL DAMAGES INCURRED SHALL BE AT THE EXPENSE OF THE CONTRACTOR.



CREATED BY:
BRET SIMONS
EMAIL:
bret.simons@aeg.cc




Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community



CREATED BY:
BRET SIMONS
EMAIL:
bret.simons@aeg.cc

Legend LSM149

 AREA OF INTEREST

0 100 200 Feet





INI	BY	DATE	DESCRIPTION
	CN	2/11/2022	PERMIT DRAWING



Lee's Summit, MO
City Permit Plan View

ALL CONSTRUCTION IS PROPOSED AND SUBJECT TO RELOCATION WHEN OBJECTS ARE ENCOUNTERED THAT WILL INTERFERE WITH THE EXISTING INFRASTRUCTURE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD LOCATE ALL UNDERGROUND OBSTRUCTIONS AND UTILITIES PRIOR TO CONSTRUCTION. COMPLETE REPAIR OF ANY AND ALL DAMAGES INCURRED SHALL BE AT THE EXPENSE OF THE CONTRACTOR.





Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community



CREATED BY:
BRET SIMONS
EMAIL:
bret.simons@aeg.cc

Legend LSM149

 AREA OF INTEREST

 GRIDS

0 150 300 Feet



INI	BY	DATE	DESCRIPTION
	CN	2/11/2022	PERMIT DRAWING



Lee's Summit, MO
City Permit Plan View

ALL CONSTRUCTION IS PROPOSED AND SUBJECT TO RELOCATION WHEN OBJECTS ARE ENCOUNTERED THAT WILL INTERFERE WITH THE EXISTING INFRASTRUCTURE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD LOCATE ALL UNDERGROUND OBSTRUCTIONS AND UTILITIES PRIOR TO CONSTRUCTION. COMPLETE REPAIR OF ANY AND ALL DAMAGES INCURRED SHALL BE AT THE EXPENSE OF THE CONTRACTOR.






Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



CREATED BY:
BRET SIMONS
EMAIL:
bret.simons@aeg.cc

Legend LSM149

- AREA OF INTEREST
- Ⓢ PROPOSED CAP LOCATION
- PROPOSED VAULT
- PROPOSED UG CONDUIT
- SPLICE CLOSURE
- EXISTING UTILITIES**
- ELECTRIC MAIN
- GAS MAIN
- TELECOM MAIN
- SEWER MAIN
- WATER MAIN




INI	BY	DATE	DESCRIPTION
	CN	2/11/2022	PERMIT DRAWING



Lee's Summit, MO
City Permit Plan View

ALL CONSTRUCTION IS PROPOSED AND SUBJECT TO RELOCATION WHEN OBJECTS ARE ENCOUNTERED THAT WILL INTERFERE WITH THE EXISTING INFRASTRUCTURE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD LOCATE ALL UNDERGROUND OBSTRUCTIONS AND UTILITIES PRIOR TO CONSTRUCTION. COMPLETE REPAIR OF ANY AND ALL DAMAGES INCURRED SHALL BE AT THE EXPENSE OF THE CONTRACTOR.






Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend LSM149

- AREA OF INTEREST
- Ⓢ PROPOSED CAP LOCATION
- PROPOSED VAULT
- PROPOSED UG CONDUIT
- SPLICE/CLOSURE
- EXISTING UTILITIES**
- ELECTRIC MAIN
- GAS MAIN
- TELECOM MAIN
- SEWER MAIN
- WATER MAIN



INI	BY	DATE	DESCRIPTION
	CN	2/11/2022	PERMIT DRAWING



CREATED BY:
BRET SIMONS
EMAIL:
bret.simons@aeg.cc



Lee's Summit, MO
City Permit Plan View

ALL CONSTRUCTION IS PROPOSED AND SUBJECT TO RELOCATION WHEN OBJECTS ARE ENCOUNTERED THAT WILL INTERFERE WITH THE EXISTING INFRASTRUCTURE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD LOCATE ALL UNDERGROUND OBSTRUCTIONS AND UTILITIES PRIOR TO CONSTRUCTION. COMPLETE REPAIR OF ANY AND ALL DAMAGES INCURRED SHALL BE AT THE EXPENSE OF THE CONTRACTOR.






Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



CREATED BY:
BRET SIMONS
EMAIL:
bret.simons@aeg.cc

Legend LSM149

- AREA OF INTEREST
- Ⓢ PROPOSED CAP LOCATION
- ⓧ PROPOSED VAULT
- - - PROPOSED UG CONDUIT
- SPLICE/CLOSURE
- EXISTING UTILITIES**
 - ELECTRIC MAIN
 - GAS MAIN
 - TELECOM MAIN
 - SEWER MAIN
 - WATER MAIN



INI	BY	DATE	DESCRIPTION
	CN	2/11/2022	PERMIT DRAWING



Lee's Summit, MO
City Permit Plan View

ALL CONSTRUCTION IS PROPOSED AND SUBJECT TO RELOCATION WHEN OBJECTS ARE ENCOUNTERED THAT WILL INTERFERE WITH THE EXISTING INFRASTRUCTURE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD LOCATE ALL UNDERGROUND OBSTRUCTIONS AND UTILITIES PRIOR TO CONSTRUCTION. COMPLETE REPAIR OF ANY AND ALL DAMAGES INCURRED SHALL BE AT THE EXPENSE OF THE CONTRACTOR.





Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend LSM149

- AREA OF INTEREST
 - ⊙ PROPOSED CAP LOCATION
 - ☒ PROPOSED VAULT
 - - - PROPOSED UG CONDUIT
 - SPLICE/CLOSURE
- EXISTING UTILITIES**
- ELECTRIC MAIN
 - GAS MAIN
 - TELECOM MAIN
 - SEWER MAIN
 - WATER MAIN
- 0 25 50 100 Feet



INI	BY	DATE	DESCRIPTION
	CN	2/11/2022	PERMIT DRAWING

AEG


CREATED BY:
BRET SIMONS
EMAIL:
bret.simons@aeg.cc



Lee's Summit, MO
City Permit Plan View

ALL CONSTRUCTION IS PROPOSED AND SUBJECT TO RELOCATION WHEN OBJECTS ARE ENCOUNTERED THAT WILL INTERFERE WITH THE EXISTING INFRASTRUCTURE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD LOCATE ALL UNDERGROUND OBSTRUCTIONS AND UTILITIES PRIOR TO CONSTRUCTION. COMPLETE REPAIR OF ANY AND ALL DAMAGES INCURRED SHALL BE AT THE EXPENSE OF THE CONTRACTOR.






Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend LSM149

- AREA OF INTEREST
- PROPOSED CAP LOCATION
- X PROPOSED VAULT
- PROPOSED UG CONDUIT
- SPLICE CLOSURE
- EXISTING UTILITIES**
- ELECTRIC MAIN
- GAS MAIN
- TELECOM MAIN
- SEWER MAIN
- WATER MAIN



INI	BY	DATE	DESCRIPTION
	CN	2/11/2022	PERMIT DRAWING

AEG





CREATED BY:
BRET SIMONS
EMAIL:
bret.simons@aeg.cc



Lee's Summit, MO
City Permit Plan View



ALL CONSTRUCTION IS PROPOSED AND SUBJECT TO RELOCATION WHEN OBJECTS ARE ENCOUNTERED THAT WILL INTERFERE WITH THE EXISTING INFRASTRUCTURE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD LOCATE ALL UNDERGROUND OBSTRUCTIONS AND UTILITIES PRIOR TO CONSTRUCTION. COMPLETE REPAIR OF ANY AND ALL DAMAGES INCURRED SHALL BE AT THE EXPENSE OF THE CONTRACTOR.








CUSTOMER FORMAT DRAWING

TOTAL EST. UNIT WEIGHT: 41.69 LBS
EST. LID WEIGHT: 15.79 LBS | EST. BODY WEIGHT: 25.9 LBS



MATERIAL VARIES		OES_PART_WEIGHT 41.69 LBS	<div>THIS DOCUMENT IS THE PROPERTY OF OLDCASTLE INFRASTRUCTURE. IT IS CONFIDENTIAL, SUBMITTED FOR REFERENCE PURPOSES ONLY, AND SHALL NOT BE USED IN ANY WAY INJURIOUS TO THE INTERESTS OF, OR WITHOUT THE WRITTEN PERMISSION OF OLDCASTLE INFRASTRUCTURE.</div> <div>COPYRIGHT© 2019 Oldcastle Infrastructure All Rights Reserved</div>		<div> Oldcastle Infrastructure A CRH COMPANY</div>
OES_TREATMENT/COATING		PROJECTION			
OES_DRAWING_UNITS					
GENERAL TOLERANCES			OES_DESCRIPTION		
<div>IMPERIAL X.XXX = ± .005 X.XX = ± 0.01 X/X = ± 1/16 X" = ± 1"</div> <div>METRIC X.XX = ± 0.10 X.X = ± 0.5 X = ± 1 X* = ± 1"</div> <div>• ITEMS NOT DIMENSIONED CAN BE MANUFACTURED WITH 3D FILE USING THE FINER GENERAL TOLERANCE • DO NOT MEASURE OR CHANGE SCALE • REMOVE BURRS AND SHARP EDGES</div>			1324-18 DL/LW UNIT, FLUSH COVER T15 GRAY, 2X 1/2-6 HEX AUGER CPBLT, 'GFBR'		
AUTHOR K LEITENBERGER		11/20/2020	SHEET SIZE A	OES_SKU 13246018	REVISION NUMBER -
CHECKED BY E LONG		11/20/2020	SCALE: 1/12	FILE NAME: 0033599.idw	SHEET 2 OF 3



SECTION A-A



SECTION B-B



MATERIAL: BLENDED POLYPROPYLENE, GRAY

SKU SHOWN: 11182580

THIS DOCUMENT IS THE PROPERTY OF OLDCASTLE ENCLOSURE SOLUTIONS. IT IS CONFIDENTIAL, SUBMITTED FOR REFERENCE PURPOSES ONLY, AND SHALL NOT BE USED IN ANY WAY INJURIOUS TO THE INTERESTS OF, OR WITHOUT THE WRITTEN PERMISSION OF OLDCASTLE ENCLOSURE SOLUTIONS. COPYRIGHT © 2012 Oldcastle Enclosure Solutions All Rights Reserved

DRAWN
M MINCIN
CHECKED
E LONG
QA
MFG
ANN
DATE

Oldcastle® Enclosure Solutions
1675 INDUSTRIAL DR.
NAPOLEON, OH 43545
419-592-2309

TITLE
1118-18 GRAY T15 "GFBR" CPBLT -
HWPC111818T-T15 607
SIZE
C
SCALE
DWG NO
11186120
REV




UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE IN INCHES
TOLERANCE:
.XXX = ±.005
.XX = ±.010
.X = ±.030
FRACTION = ±1/8
ANGLE = ±1°

CUSTOMER FORMAT DRAWING

BODY EST. WEIGHT: 16.3 LBS

NOT RELEASED

THIS BODY MEETS OR EXCEEDS THE REQUIREMENTS OF ANSI/SCTE 77-2013, TIER-15 PERFORMANCE.



SECTION A-A

SECTION B-B

DETAIL C


MATERIAL: GLASS FILLED POLYPROPYLENE, BLACK



SKU SHOWN: 24362070

CUSTOMER FORMAT DRAWING
BODY EST. WEIGHT: 70 LBS



UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE IN INCHES
TOLERANCE:
.XXX = ± 0.005
.XX = ± 0.010
.X = ± 0.030
FRACTION = $\pm 1/16$
ANGLE = $\pm 1^\circ$

THIS DOCUMENT IS THE PROPERTY OF OLDCASTLE ENCLOSURE SOLUTIONS. IT IS CONFIDENTIAL, SUBMITTED FOR REFERENCE PURPOSES ONLY, AND SHALL NOT BE USED IN ANY WAY INJURIOUS TO THE INTERESTS OF, OR WITHOUT THE WRITTEN PERMISSION OF OLDCASTLE ENCLOSURE SOLUTIONS. COPYRIGHT © 2012 Oldcastle Enclosure Solutions All Rights Reserved	
DRAWN	4/26/2016
M MINCIN	
CHECKED	
E LONG	4/29/2016
QA	
D LITTLE	8/18/2016
MFG	
P MASTERLASO	8/16/2016
APPROVED	
T DANG	10/20/2016


 Oldcastle® Enclosure Solutions 1675 INDUSTRIAL DR. NAPOLEON, OH 43545 419-592-2309	
TITLE 2436-24 DL-HSW BLACK-GRAY T15 0 MSHL GFR - 243624T DL-HSW T15 FIBERG 607	
SIZE C	DWG NO 24366095
SCALE	SHEET 2 OF 3



SECTION B-B



SECTION A-A



MATERIAL: BLENDED POLYPROPYLENE

CUSTOMER FORMAT DRAWING

TOTAL EST. UNIT WEIGHT: 62.17 LBS
EST. LID WEIGHT: 20.87 LBS | EST. BODY WEIGHT: 41.3 LBS

THIS DOCUMENT IS THE PROPERTY OF OLDCASTLE INFRASTRUCTURE. IT IS CONFIDENTIAL, SUBMITTED FOR REFERENCE PURPOSES ONLY, AND SHALL NOT BE USED IN ANY WAY INJURIOUS TO THE INTERESTS OF, OR WITHOUT THE WRITTEN PERMISSION OF OLDCASTLE INFRASTRUCTURE.

COPYRIGHT© 2019 Oldcastle Infrastructure All Rights Reserved




Oldcastle Infrastructure
A CRH COMPANY

OES DESCRIPTION

1730-24 DL/LW FLSH COVER, T15 - MULTI SKU

AUTHOR K LEITENBERGER	4/30/2020	SHEET SIZE A	OES_SKU N/A	REVISION NUMBER
CHECKED BY E LONG	4/30/2020	SCALE: 1/15	FILE NAME: 0030984.idw	SHEET 5 OF 6

	- Work Area		- Channelizer
	- Sign		- Arrow Panel
	- Barricade		- Flagger
	- Direction of Travel		



** Install Signs Every 200 Feet Throughout the Closed Lane or As Needed*



<i>Guidelines for Length of Longitudinal Buffer Space "B"</i>	
<i>Speed Limit (mph)</i>	<i>Length (Feet)</i>
25	35
30	55
35	85
40	120
45	170

Maximum Channelizer Spacing		
Speed Limit (mph)	Within Taper (Feet)	Outside Taper (Feet)
25	25	50
30	30	60
35	35	70
40	40	80
45	45	90


					
(A) W20-1 36" x 36"	(B) W20-2 36" x 36"	(C) W20-4 36" x 36"	(D) W20-5R 36" x 36"	(E) W20-7a 36" x 36"	(F) W1-4L 36" x 36"
					
(G) W4-2R 36" x 36"	(H) G20-2 36" x 18"	(I) R3-2 24" x 24"	(J) R4-7a 24" x 30"	(K) R11-2 48" x 30"	(L) R11-4 60" x 30"



* Install Signs Every 200 Feet Throughout the Closed Lane or As Needed




1. All signs, barricades, channelizers, markings and other traffic control devices shall conform to the latest edition of the Manual on Uniform Traffic Control Devices (MUTCD).
2. All traffic control devices shall be standard in size, shape, color, and message, in good condition, and retro-reflectORIZED. All signs shall be securely mounted with height and lateral location as described in the MUTCD.
3. Warning lights shall be used on barricades in place at night and on warning signs which alert drivers about a change in alignment, traffic control, lane closure, or road closure.
4. Flaggers shall be used where indicated on the plans, where construction vehicles interact with normal traffic, or where construction activities impose a restriction on traffic, as directed by the City Traffic Engineer. Where flaggers are used, advance signing shall be erected as shown in the details or as specified in the MUTCD. Flaggers shall meet the requirements in the MUTCD in regard to character, training, attire, and behavior.
5. Trim-lines are the City's preferred channelizing device. Cones may not be used at nighttime.
6. Traffic control devices not in use or not applicable shall be either covered or removed from the work area.
7. The Contractor shall use barricades, street plates, or fencing as needed to effectively shield pedestrian and vehicular traffic from exposed objects, excavations, and construction activities.
8. Access shall be maintained to all driveways and side streets unless noted otherwise on the plans.
9. No street shall be closed without the approval of the City Traffic Engineer. The Contractor shall notify the City Traffic Engineer at least 7 days in advance of any street closure. If a detour route around the closure is to be provided, all detour signing shall be as shown on a plan approved by the City Traffic Engineer.
10. Construction vehicles parked along streets shall be located within the work area (traffic control) or where otherwise normally permitted. Construction materials, including traffic control and vehicles shall not restrict sight distance for vehicles exiting at streets or drives.
11. Construction materials shall be kept off of sidewalks, consolidated in one location within City right-of-way, and removed daily unless otherwise approved by the Inspector. Dirt, mud, and other construction debris on streets and sidewalks shall be removed immediately.
12. The Contractor shall not perform any work that will restrict vehicular traffic in any way between the hours of 7:00 a.m. and 9:00 a.m. or 4:00 p.m. and 6:00 p.m. Monday through Friday unless otherwise indicated in the specifications.
13. All travel lanes should be at least 11 feet wide unless otherwise authorized by the City Traffic Engineer. A "Narrow Lanes" sign shall be installed in advance of a lane width reduction to less than 11 feet.
14. All edge drop-offs of more than 2 inches and less than 4 inches should be protected by a wedge or barrier and all edge drop-offs greater than 4 inches shall have edge protection (see Traffic Control Specifications for edge treatment requirements).
15. The "Workers" symbolic sign (MUTCD No. W21-1a) may be used instead of the "Road Work Ahead" sign for work with a duration of 12 hours or less. The "End Road Work" sign is not required to be installed after the "Workers" sign.
16. No traffic signal shall be altered or modified in any way without a plan approved by the City Traffic Engineer.
17. The Contractor shall be responsible for maintaining all traffic control devices on an around-the-clock basis, whether or not work is actively being pursued and any deficiencies noted shall be corrected immediately.
18. The traffic control requirements shown on these plans are minimum requirements only and do not attempt to address in depth the variety of situations that may occur once construction has started. In no way do the requirements shown on these plans relieve the Contractor of his responsibility for selecting the proper traffic control devices and implementation procedures that will assure the safety of drivers, pedestrians, and workers at all times.
19. Should the contractor fail to enforce the traffic control plan or fail to clean, replace or otherwise maintain the traffic control devices when directed to do so by the City Traffic Engineer or representative, the City may take one or more of the following actions:
 - A) Employ another agency to correct deficiencies in traffic control devices and deduct the cost from the Contractor's pay estimate,
 - B) Stop the work until deficiencies are corrected,
 - C) Suspend all pay estimates until deficiencies are corrected, or
 - D) Place the Contractor in default.



CHANNELIZERS

NOTE: White Bands On Barricades and Channelizers Shall Be Made From High Intensity Sheeting Material.



ARROW PANEL

BARRICADES

CITY OF LEE'S SUMMIT
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION
220 SE GREEN STREET
LEE'S SUMMIT, MISSOURI 64063
PHONE: (816) 969-1800 FAX: (816) 969-1809



TRAFFIC CONTROL DETAILS

STANDARD DRAWING IC-1



Project:

Drawn By: JJW
Checked By: MP
Date: 12-10-2008
Project No.: X

OF x




TRAFFIC CONTROL FOR UNDERGROUND INSTALLATION ACROSS ROADS

S1	UTILITY WORK AHEAD (W21-7)
S2	MEN WORKING
S3	BE PREPARED TO STOP (W20-7B)
S4	FLAGGER AHEAD (W20-7A)
	FLAGGER/SPOTTER STATION
	PROTECTIVE VEHICLE

NOTES:
 -DAYLIGHT USE ONLY
 -FLAGGER COMMUNICATION SHALL BE REINFORCED WITH RADIOS
 -24" FLAGGING PADDLES REQUIRED ON THE HIGHWAY
 -FOR USE ON WET OR DRY PAVEMENT ONLY
 -NOT FOR USE IN FOGGY CONDITIONS
 -GOOGLE FIBER / ATLANTIC ENGINEERING GROUP TO PULL NEW FIBER OPTIC CABLE THROUGH CONDUIT
 -CABLE WILL BE PULLED THROUGH EXISTING CONDUIT OR NEW CONDUIT WILL BE INSTALLED. TRAFFIC WILL BE STOPPED ONLY AS NEEDED.
 -FLASHERS TO BE USED ON PROTECTIVE VEHICLE
 -TO INSTALL UNDERGROUND CONDUIT AND FIBER USE SPOTTERS AND SIGNS TO BE PLACED ON RESPECTIVE SIDES OF ROADS
 -TRAFFIC DELAYS TO BE KEPT TO A MINIMUM, +/- 3 MINUTES MAX

SLSS	
SPEED LIMIT	SIGN SPACING
60/70 MPH	1000' +/-
50/55 MPH	500' +/-
40/45 MPH	350' +/-
0/35 MPH	200' +/-





This plan is to be used on all street crossings in this package. SW Hickory Ln, SW Ladderback Dr, SW Old Port Rd, SW Deer Run Rd, SW River Trail Rd. See attached maps.



BRET SIMONS
EMAIL: bret.simons@aeg.cc

Legend

-  CONE PLACEMENT
-  SIGNAGE PLACEMENT


SIGNS AND CONES
MOVE AS WORK
PROGRESSES



ROAD DATA NOT AVAILABLE FOR
NEW DEVELOPMENT. TRAFFIC CONTROL
PLANS ARE BASED ON PROBABLE LAYOUT.

REMOVE NOTE WHEN NOT APPLICABLE

TRAFFIC CONTROL
ALONG ROADS
WITH SIDEWALKS




This plan is to be used on all 2 lane roads with sidewalks in this package. SW Hickory Ln, SW Ladderback Dr, SW Old Port Rd, SW Deer Run Rd, SW River Trail Rd. See attached maps.

Legend

- CONSTRUCTION VEHICLE
- CONE PLACEMENT
- SIGNAGE PLACEMENT

SIGNS AND CONES
MOVE AS WORK
PROGRESSES

TRAFFIC CONTROL ALONG ROADS






This plan is to be used on all 2 lane roads in this package. SW Hickory Ln, SW Ladderback Dr, SW Old Port Rd, SW Deer Run Rd, SW River Trail Rd. See attached maps.



BRET SIMONS
EMAIL: bret.simons@aeg.cc

Legend

-  CONSTRUCTION VEHICLE
-  CONE PLACEMENT
-  SIGNAGE PLACEMENT

SIGNS AND CONES
MOVE AS WORK
PROGRESSES

