

LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS
207 SE DOUGLAS STREET
LEE'S SUMMIT, MISSOURI 64063-2372
(816) 969-1300
FAX (816) 969-1313
TDD (816) 969-7407

PLANS REVIEW CONDITIONS

Permit No:	PRCOM20100324	Date:	January 06, 2011
Project Title:	F'real foods	Applicant:	
Location:	2818 NE INDEPENDENCE AVE, LEES SUMMIT, MO 64064		ADVANTAGE FIRE PROTECTION SYSTEMS 404 B NORTHWEST 11TH STREET
Type of Work	Sprinkler	Primary:	(816) 224-3400
Occupancy Group:	S-1		
Description:	Tenant finish		
Construction Type:	Type IIB (Unprotected)		
Map Page:	175R		

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review

Reviewed By: Jim Eden

Rejected

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans received 12/31/2010.

2. 2006 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Action required: Call (816) 969-1300 to schedule hydrostatic and flow tests.

3. Determine the method of storage to be used in the warehouse and the commodity to be stored. Provide fire protection in accordance with IFC Chapter 23, 2006 Edition and NFPA 13.

Provide revised plans if needed.