Response Letter



June 10, 2022

Joe Frogge, Jim Eden City of Lee's Summit Development Services 220 SE Green Street Lee's Summit, MO 64063

RE: Perfect Promotions

1469 SW Market Street Lee's Summit, MO 64081

Application #: PRCOM20222308

Mr. Frogge and Mr. Eden,

Please find the updated required information for permitting the project attached. If you have any questions or need any further information, please feel free to contact us. Thank you for your time and assistance.

BUILDING PLAN REVIEW

| # | Comment | Response |
|---|--|--|
| | | |
| 1 | A code analysis shall be provided which includes but is not limited to occupancy type, occupant load, construction type, actual area, height and floors, allowable area, height and floors, and the codes to which the project is designed. Action required: Update Code Information Summary with correct building type which is 2B. | Refer to Sheet G100 for Revisions. See revision 1 in attached Architectural Drawings. |
| 2 | 2018 IPC 403.1 Minimum number of fixtures. Plumbing fixtures shall be provided in the minimum number shown in Table 403.1, based on the actual use of the building or space. Uses not shown in Table 403.1 shall be considered individually by the code official. The number of occupants shall be determined by the International Building Code. Action required: Provide mop/utility sink. | Refer to Sheet G100 & A100 for Revisions. See revision 1 in attached Architectural Drawings. |

LICENSED CONTRACTORS

| # | Comment | Response |
|---|---|---|
| | | |
| 1 | Lee's Summit Code of Ordinance, Section7-130.4 - Business License. (excerpt) No person, other than a licensed contractor or employees of a licensed contractor, shall engage in electrical, plumbing or mechanical business, construction, installation or maintenance unless duly licensed in | Refer to Commercial Building Permit attached for information. |

Response Letter



| accordance with this section. Action | |
|--------------------------------------|--|
| required: MEP subcontractors are | |
| · | |
| required to be listed on permit. | |
| Provide company names of licensed | |
| MEP contractors. | |

FIRE PLAN REVIEW

| # | Comment | Response |
|---|---|---|
| 1 | 2018 IFC 505.1- Address numbers. New and existing buildings shall have approved address numbers, building numbers or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. In Multi-tenant commercial building where tenants have multiple entrances located on different sides of the building, each door shall be addressed. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches (102 mm) high with a minimum stroke width of 0.5 inch (12.7 mm). All exterior doors shall be posted. Verified at inspection. | Noted. Tenant/Landlord to provide. |
| | 2018 IFC 906.2- General requirements. Portable fire extinguishers shall be selected, installed and maintained in accordance with this section and NFPA 10. Action required- Show where fire extinguishers will be posted in the space. | Fire Extinguisher locations shown on G100. See revision 1 in attached Architectural Drawings. |
| | Correct construction type to 2-B on the Code Analysis. | Refer to Sheet G100 & A100 for Revisions. See revision 1 in attached Architectural Drawings. |
| | 504.2 Maintenance of exterior doors and openings. Exterior doors and their function shall not be eliminated without prior approval. Exterior doors that have been rendered nonfunctional and that retain a functional door exterior appearance shall have a sign affixed to the exterior side of the door with the words THIS DOOR BLOCKED. The sign shall consist of letters having a principal stroke of not less than 3/4 inch (19.1 mm) wide and not less than 6 inches (152 mm) high on a contrasting background. Action required-All exterior doors that have hardware removed but left in place shall be posted This Door Blocked. | Noted. Tenant/Landlord to provide. |
| | 2018 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall | Noted. Deferred submittal to be provided. |

Response Letter



| include, but not be limited to, all of the following: 1A floor plan which indicates the use of all rooms. 2. Locations of alarminitiating and notification appliances. 3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions. The Code Analysis calls out an existing fire alarm system. Provide information on alterations to the system. | |
|---|---|
| 803.1.1 Interior wall and ceiling finish materials tested in accordance with NFPA 286. Interior wall and ceiling finish materials shall be classified in accordance with NFPA 286 and tested in accordance with Section 803.1.1.1 Materials complying with Section 803.1.1.1 shall be considered to comply with the requirements of Class A specified in Section 803.1.2. Action required- Provide the flame spread rating for the ceiling baffles. | Refer to the attached documentation including flame spread ratings for the ceiling baffles. |

If there is anything else you need from us, please feel free to contact me.

Thank you again for your time,

Liz Hibler HIVE



COMMERCIAL PERMIT AND LICENSE TAX APPLICATION

Revised 11/10/2021

APPLICANT, PLEASE COMPLETE ALL OF THE FOLLOWING INFORMATION (PLEASE PRINT):

| 1) | Project Title: PERFECT PROMOTIONS |
|----|--|
| 2) | Project Address: 1469 SW MARKET ST., LEE'S SUMMIT, MO |
| 3) | Scope of Work: []Addition []Alteration []Add/Alter Multi-family [x]Change of Tenant |
| | []New Bldg []Shell Bldg []New Multi-family []New Tenant []Other: |
| 4) | Documents Submitted: [X]Plans/drawings []Specifications []Structural Calcs []Plot Plan |
| | []Soils/Geotech Reports []Other: |
| 5) | Final Development Plan Tracking Number: N/A Date Applied For: N/A |
| 6) | Number of Dwelling Units (if any): N/A Total SqFt of Bldg/Area of Work 4,247 SF |
| PL | EASE LIST ADDRESS TO WHICH DEVELOPMENT SERVICES IS TO SEND PLAN REVIEW COMMENTS |
| 7) | Applicant's Name/Company: MARK PORTH |
| | []Contractor [X]Design Professional []Tenant []Building Owner []Other: |
| | Primary Contact: MARK PORTH Phone: 816.581.6362 Email: MARK@HIVEKC.COM |
| | On-site Contact: <u>DEAN KIRBY</u> Phone: <u>816.365.0605</u> Email: <u>DKIRBY@DLKIRBY.COM</u> |
| | Address: 517 SE 2ND ST, STE A |
| | City/Street/Zip: LEE'S SUMMIT, MO 64063 |
| 8) | Design Professional in Responsible Charge: MARK PORTH |
| | Company Name: HIVE DESIGN COLLABORATIVE |
| | Address: 1617 WALNUT |
| | City/Street/Zip: KANSAS CITY, MO 64108 |
| | Phone Number: 816.581.6362 E-mail: MARK@HIVEKC.COM |

COMMERCIAL BUILDING PERMITS WILL ONLY BE ISSUED TO COMPANIES LICENSED IN THE CITY OF LEE'S SUMMIT AS A MINIMUM OF A CLASS B GENERAL CONTRACTOR.

ALL PLANS MUST BE DRAWN TO SCALE AND BEAR THE SEAL OF AN ARCHITECT/ENGINEER REGISTERED IN THE STATE OF MISSOURI. PARTIAL PERMIT FEES SHALL BE DETERMINED AS SEPARATE PERMIT FEES. DIVIDING A JOB INTO TWO OR MORE PARTIAL PERMITS WILL RESULT IN HIGHER TOTAL PERMIT FEES THAN ONE FULL PERMIT. RESUBMITTAL PLAN REVIEW FEES MAY BE DUE WHEN PREVIOUSLY IDENTIFIED DEFICIENCIES REMAIN UNCORRECTED ON SUBSEQUENT SUBMITTALS.

| Project Valuation |
|---|
| Total Project Valuation (Including Mech, Plbg, Elec, Sprklr, Etc., Excluding Site Improvements and |
| property):* \$ 90,000 |
| *PROVIDE SEPARATE TOTAL PROJECT AND BUILDING VALUATIONS. IF THE PROJECT CONTAINS SEPARATE BUILDINGS, PERMIT FEES SHALL BE CALCULATED SEPARATELY FOR EACH BUILDING. |
| Tenant Information: |
| Provide a description of the proposed <u>use for the space</u> . Indicate the nature of the business and the type of daily activities to be performed. Indicate the type of materials to be stored in type S occupancies and how they will be stored. If this is a spec building, indicate the type of tenants anticipated. <u>BUSINESS OCCUPANCY USE. PERFECT PROMOTIONS SELLS PROMOTIONAL MARKETING ITEMS TO OTHER COMPANIES.</u> |
| |
| <u>Deferred submittals:</u> [] Truss design package (or other engineered floor/roof assemblies) [] Metal building design package |

Establishments which sell and/or serve food or Commercial Swimming Pools:

[] Precast concrete design package[] Fire suppression system design package[] Fire alarm system design package

deferred submittal items.

Establishments which either sell or serve food are required to submit a separate permit application to the Jackson County Department of Public Works as they currently serve as the health officer for the City of Lee's Summit. The health officer must approve the projects plans prior to issuance of a building permit by the City of Lee's Summit. Contact the Jackson County Department of Public Works at 816-881-4530 for additional information. Project documents and plans shall be submitted directly to the Jackson County Department of Public Works.

___, please include a copy of prior approval of any other

Clean Indoor Air Ordinance:

[] Other:

The City of Lee's Summit has an ordinance which prohibits smoking in virtually all enclosed areas of public places and places of employment. Per the ordinance, a "No Smoking" sign or the international "No Smoking" symbol (consisting of a burning cigarette enclosed in a red circle with a red bar across it) shall be clearly and conspicuously posted at every entrance where smoking is prohibited. The person who owns, manages, operates or otherwise controls a public place or place of employment is responsible for compliance with the Clean Indoor Air Act. Questions regarding the Clean Indoor Air Act may be directed to Development Services at (816) 969-1200.

<u>Crime Prevention Through Environmental Design (CPTED):</u>

The following uses have been classified as "Uses with Conditions" per Article 6 of the Unified Development Ordinance, having been determined with a tendency toward an increased risk of crime. Specific conditions for such uses are found in Article 6 and shall be required to be met prior to receiving any zoning approval, business license or approval to occupy any commercial space.

Bank/Financial Services

Bank Drive-Thru Facility

Check Cashing and Payday Loan Business

Convenience Store (C-Store)

Financial Services with Drive-up Window or Drive-Thru Facility

Pawn Shop

Title Loan Business, if performing on site cash transactions with \$500 or more in cash on hand

Unattended self-serve gas pumps

Unsecured Loan Business

Other similar uses shall meet the same standards as the above

If this project is for a use listed above, compliance with the design requirements found in Article 8 of the Unified Development Ordinance will need to be shown on the submitted plans.

Contractors

Provide the company name of the contractors performing the work in the following areas.

- General (if different than Applicant)
 DEAN KIRBY; D.L. KIRBY & COMPANY
- Mechanical (HVAC) AFC HEATING & COOLING
- Electrical WESTCO ELECTRIC
- Plumbing LRW PLUMBING

Additional Information

For information on plan submittal requirements and the plan review process please refer to the Commercial Permit Plan Submittal Guidelines document. If you have any additional questions please contact Development Services Department at (816) 969-1200, Monday through Friday between 8:00am and 5:00pm. Contact the Fire Department at (816) 969-1300 regarding hazardous material/fire suppression/fire alarm application requirements.

The following portion of this form is for the Excise Tax for Streets License Tax. If your project is <u>not</u> a new building, tenant finish, or any other sort of project that will increase or decrease vehicle trips proceed to signature block on last page.

The Excise Tax for Streets is a tax paid in the form of a surcharge (License Tax) to the annual business license tax on building contractors to be paid by development that requires a building permit and results in additional vehicle trips.

CREDIT REQUEST -- The applicant may request a tax credit as listed below for eligible projects, and attach documents as required. APPLICANTS MUST REQUEST TAX CREDITS AS A PART OF THE APPLICATION. IF A BOX IS NOT CHECKED REQUESTING A CREDIT AS A PART OF THIS APPLICATION, THE PROJECT WILL NOT BE REVIEWED FOR ELIGIBILITY BY THE CITY AND THE RIGHT TO A CREDIT WILL BE FORFEITED. The City will review all credit requests and determine the eligibility of a project for a credit in accordance with City ordinance. A CREDIT REQUEST DOES NOT CONSTITUTE A TAX CREDIT APPROVAL, WHICH WILL BE REFLECTED ON THE TAX BILL.

| A. | Full Cre | Full Credits CHECK APPROPRIATE BOX | |
|----|----------|--|--|
| | 1. | <u>Public Body</u> A full credit will be granted for development constructed by, or by a building contractor on behalf of, a public body for its governmental use. PUBLIC BODY | |
| | 2. | <u>School Districts</u> A full credit will be granted for development constructed by, or by a building contractor on behalf of, a school district of the state. SCHOOL DISTRICT | |
| | 3. | <u>Damaged Facilities</u> A full credit will be granted for development rebuilding an involuntarily damaged or destroyed building, provided that such rebuilding does not result in additional vehicle trips. | |
| | 4. | <u>Development Agreements</u> A full credit will be granted for development constructed by, or by a building contractor on behalf of, an entity which has entered into a development agreement with the City that provides a specific provision that the entity shall not be required to make a financial contribution beyond the terms of the agreement and the commitment of the agreement involved street improvements to enhance the City's overall street network. DEVELOPMENT AGREEMENT | |
| | 5. | <u>Tax Exempt Entity</u> A full credit will be granted for development constructed by, or by a building contractor on behalf of, an entity that is not subject to any federal, state, or local taxes including sales, income, personal property, real property, use, license, and earnings taxes. | |

| | 6. | <u>Underutilized Facilities</u> A full credit will be granted for a building contractor requesting a building permit required for utilization of a currently underutilized facility within an <i>existing approved</i> building. | |
|----|---------|--|---|
| | 7. | Change of Use A full credit will be granted to a building contractor that requests a building permit that is required for a change of use within an existing building that does not change the general land use category of the building (residential versus non residential) or the change is from non residential to residential and does not add additional square footage to the building. | |
| В. | | Partial Credits CHECK APPROPRI | ATE BOX |
| | 1. | to a building contractor that reque use from residential to non resider of trips that were generated by the | O NON RESIDENTIAL) A partial credit will be granted sts a building permit that is required for a change of atial. The credit shall only be granted for the number a previous residential building during the p.m. peak erated by the non residential use shall be subject to |
| | 2. | that requests a building permit that Redevelopment shall apply to development or more buildings and the subseque property, provided that the completo construct the new building(s) to months following demolition of the for the number of trips that were getting that the subsequences of the subsequences. | partial credit will be granted to a building contractor it results in the redevelopment of property. Elopment activity that results in the demolition of one ent construction of one or more new buildings on the ete building permit application for a building permit replace the existing building(s) is filed within six (6) existing building(s). The credit shall only be granted generated by the previous building(s) during the p.m. itional trips generated by the new building(s) shall be |
| | | 'ES THE RIGHT TO REQUEST ADDITION TAX CREDIT | DNAL INFORMATION AS NEEDED TO DETERMINE |
| C. | TYPE OF | BUILDING – SELECT ONE | |
| | | Residential Single family Duplex/four-plex Apartment | $\frac{\text{Non-residential}}{\underline{X}} \text{ Shell (payment plan option not available)}$ $\underline{X} \text{ Non-shell (see payment plan section below)}$ |

D. FOR NON-RESIDENTIAL/NON-SHELL BUILDINGS ONLY: SELECTION OF PAYMENT PLAN OPTION

The City of Lee's Summit offers a payment plan for non-residential (commercial, retail, industrial, manufacturing), non-shell buildings. The payment plan is for a period of five years. Prior to issuance of the Certificate of Occupancy, 20% of the total tax will be due and payable in addition to proper security for the balance of the tax (tax surety bond, letter of credit or cash bond). On each anniversary date of the Certificate of Occupancy, for four years thereafter, 20% of the tax will be due, plus interest charged by the City on the balance of the tax.

Disclosure of opting for the payment plan is required at license tax application. Check payment plan below if you intend to exercise this option:

| | PAYMENT PLAN |
|---|-----------------|
| X | NO PAYMENT PLAN |

E. PAYMENT OF THE LICENSE TAX

RESIDENTIAL: PAYMENT OF THE LICENSE TAX IS DUE <u>PRIOR</u> TO THE ISSUANCE OF THE BUILDING PERMIT AND IS TO BE **PAID IN THE TREASURY DIVISION OF THE FINANCE DEPARTMENT**. A COPY OF THE LICENSE TAX BILL CAN BE OBTAINED FROM THE DEVELOPMENT SERVICES DEPARTMENT WITHIN THE TIME PERIOD POSTED. THE LICENSE TAX IS A SURCHARGE TO THE ANNUAL BUSINESS LICENSE TAX.

NON-RESIDENTIAL/SHELL: PAYMENT OF THE LICENSE TAX IS DUE **PRIOR** TO THE ISSUANCE OF A TENANT CERTIFICATE OF OCCUPANCY FOR BUILDINGS APPROVED AS NON-RESIDENTIAL/SHELL AND IS TO BE **PAID IN THE TREASURY DIVISION OF THE FINANCE DEPARTMENT.** A COPY OF THE LICENSE TAX BILL CAN BE OBTAINED FROM THE DEVELOPMENT SERVICES DEPARTMENT WITHIN THE TIME PERIOD POSTED. THE LICENSE TAX IS A SURCHARGE TO THE ANNUAL BUSINESS LICENSE TAX.

NON-RESIDENTIAL/NON-SHELL: PAYMENT OF THE LICENSE TAX IS DUE PRIOR TO THE ISSUANCE OF A CERTIFICATE OF OCCUPANCY AND IS TO BE PAID IN THE TREASURY DIVISION OF THE FINANCE DEPARTMENT, UNLESS THE PAYMENT PLAN OPTION IS SELECTED. (SEE BELOW.) A COPY OF THE LICENSE TAX BILL CAN BE OBTAINED FROM THE DEVELOPMENT SERVICES DEPARTMENT WITHIN THE TIME PERIOD POSTED. THE LICENSE TAX IS A SURCHARGE TO THE ANNUAL BUSINESS LICENSE TAX.

The application must be signed by the legal owner of the building contractor company. The building contractor may grant permission for the filing of the application by means of a signed and notarized affidavit to that effect, submitted with the completed application. The applicant certifies that the information provided in this application is true and correct to the best of his/her knowledge.

I hereby certify that I have completed this application to identify the requirements for the specific project being submitted for plans review in order to expedite the review process. This submittal is complete for review of the scope of work as described herein and I further understand that omissions of required information will result in delays in the plans review process.

| MARK PORTH MARK PORTH | Date: 05.25.2022 State Registration # (if applicable): A2021000208 |
|-----------------------|--|
| | |



| PRODUCT NAME | PoshFelt® |
|---------------|---|
| CONTENT | 100% Merino or Karakul wool |
| DURABILITY | Impact resistant, shock absorbant |
| WEATHERING | Non-deteriorating, non-hygroscopic, colorfast |
| MAINTENANCE | Clean with vacuum or light dusting |
| WARRANTY | Comes with industry-leading standard warranty |
| ENVIRONMENTAL | 100% biodegradable/compostable, contains no formaldehyde, 100% VOC free, no chemical irritants, and free of harmful substances |
| ACOUSTICS | 0.10-0.45 NRC |
| FLAMMABILITY | ASTM E84: Class A |



SECTION 09 84 36

SOUND ABSORBING CEILING UNITS

(Acoustic Baffles by CSI Wall Panels)

PART 1 - GENERAL

- 1.1. SECTION INCLUDES
 - A. Single Baffles
 - B. Stacked Baffles
 - C. Folded Baffles
 - D. Single Plus Baffles
 - E. Faceted Baffles
 - F. Carved Baffles

1.2. REFERENCES

- A. ASTM C 423 Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method.
- B. ASTM E 84/CAN/ULC S102 Standard Test Method for Surface Burning Characteristics of Building Materials.
- C. NFPA 701 (2010; Small Scale Test) Standard Methods of Fire Tests for Flame Resistant Textiles and Films.
- D. NFPA 705 Recommended Practice for a Field Flame Test for Textiles and Films.
- E. SIN 722-06 Flammability Requirements for Fire Retardant Trees and Plants.
- F. Title 19 California State Fire Marshal minimum requirements for flame resistance products identified in Section 13115, California Health and Safety Code.
- G. NF X 70-100 (1986, Tube Furnace Method) Fire Test for Analysis of Pyrolysis and Combustion Gasses. Evaluation of Toxic Fumes.

1.3. SUBMITTALS

- A. Product Data: Submit Data sheet or Manufacturer Documentation for each product showing dimensions, materials, and colors.
- B. Shop Drawings: Submit shop drawings of site plans showing details of construction, product configuration, and related construction.
- C. Verification Samples: Submit samples of each chosen material and color.

1.4. QUALITY ASSURANCE

- A. Single-Source Responsibility: Provide acoustical components and installation components by a single manufacturer.
- B. Coordination of Work: Coordinate acoustical component work with installers of related work including, but not limited to light fixtures, mechanical systems, electrical systems, and sprinklers.

1.5. DELIVERY, STORAGE, AND HANDLING

- A. Deliver acoustical components to project site in original, unopened packages and store them in a fully enclosed space where they will be protected against damage from moisture, direct sunlight, surface contamination, and other causes.
- B. Before installing, allow acoustic components to gradually reach room temperature and a stabilized moisture content.
- C. Handle acoustic components carefully to avoid damage.

1.6. PROJECT CONDITIONS

- A. Space Enclosure:
 - 1. Acoustical Components: All wet work must be complete and dry prior to installation. Installation shall be carried out where the temperature is between 60 degrees F and 100 degrees F. These temperature conditions must be maintained for optimal component lifespan.

1.7. WARRANTY

- A. Acoustic Room Component: Submit a written manufacturer warranty, agreeing to repair or replace acoustical components that fail within the warranty period. Failures include, but are not limited to:
 - 1. Acoustical Room Component: Manufacturer's defects

B. Warranty Period:

1. Acoustical Room Component: Refer to manufacturer's standard warranty.

PART 2 - PRODUCTS

2.1. MANUFACTURER

A. Accepted Manufacturer: CSI Wall Panels.

1. Location: 9901 W 74th St, Eden Prairie, MN 55344

2. Phone: 800-213-0653

3. Email: info@csiwallpanels.com

4. Web Address: www.csiwallpanels.com

B. Substitutions: No substitutions permitted.

2.2. SOUND ABSORBING BAFFLES

- A. Basis-of-Design:
 - 1. [Product Name] by CSI Wall Panels www.csiwallpanels.com
 - 2. Materials
 - a. Felt: PoshFelt® 100 percent wool 3mm design felt, 100 percent biodegradable.
 - b. Acoustic Substrate: Soundcore® 100 percent recyclable 12mm PET, 60 percent recycled content.
 - c. Artificial Greenery: ThermaLeaf® Inherently Flame Retardant Foliage. ThermaLeaf® artificial foliage is a proprietary formulation and manufacturing process whereby the fire retardants are impregnated directly into the raw materials of the foliage resulting in an inherently fire retardant "IFR" product.
 - a. ASTM E 84/CAN/ULC S102: Pass
 - b. NFPA 701: Pass
 - c. NFPA 705: Pass
 - d. SIN 722-06: Pass
 - e. California Title 19: Pass
 - f. NF X 70-100: Pass
 - d. Contains no formaldehyde, chemical irritants, or harmful substances.

- e. VOC info: VOC Free, Berkeley Analytical Certificate ID 190313-01
- 3. Panel Thickness: [12-48mm]
- 4. Panel Size: []
- 5. Felt Color: []
- 6. Acoustic Substrate Color: []
- 7. Edge: [Exposed Edge] [Covered Edge].
- 8. Attachment Method: [360 Suspension] [Individual Suspension] [Linear Suspension].
- 9. Properties:
 - a. Acoustic Performance: NRC (ASTM C423): 0.45 1.55 varies by design.
 - b. Burning Characteristics: ASTM E-84 Class A

PART 3 - EXECUTION

3.1. EXAMINATION

A. Proceed with installation only when all wet work is completed, and unsatisfactory site conditions have been corrected.

3.2. INSTALLATION

- A. Clean substrates and attachment points of dirt, oils, and other substances that could cause issues during installation.
- B. Install units in accordance with manufacturer's instructions and approved submittals.

3.3. ADJUSTING AND CLEANING

- A. Replace damaged or broken components.
- B. Adjust units for proper position, uniform appearance and operation.
- C. Clean exposed and semi-exposed surfaces using materials acceptable to the manufacturer.
- D. Maintenance of components should consist of:

i. Blot spills from material quickly. Wipe with a damp cloth. If stain persists, apply small quantities of carpet or upholstery shampoo solution with a damp cloth (test on inconspicuous location first). Blot well with a clean cloth after each application. Avoid excessive amounts of water. Ensure adequate ventilation if the product is subject to excessive moisture.

3.4. WASTE MANAGEMENT

A. Waste Management

- i. Coordinate recycling of waste materials with Section [01 74 19 Construction Waste Management and Disposal].
- Collect recyclable waste and dispose of or recycle field generated construction waste created during demolition, construction or final cleaning.
- iii. Remove recycling containers and bins from site.

3.5. PROTECTION

A. Protect finished installation from dust and damage from subsequent and ongoing construction activity.

END OF SECTION