



## **FIRE DEPARTMENT**

**Prevention Division  
(816)969-1300**

### **PLANS REVIEW CONDITIONS**

|   |                                    |                              |                |
|---|------------------------------------|------------------------------|----------------|
| Permit No:                              | PRCOM20216468                      | Date:                        | June 14, 2022  |
| Project Title:                          | BLUE SKY FERTILITY                 | Applicant:                   |                |
| Location:                               |                                    |                              |                |
| 455 NW MURRAY RD, LEES SUMMIT, MO 64081 |                                    | ALLIANCE FIRE PROTECTION LLC |                |
| Type of Work:                           |                                    | 130 W 9TH AVE STE 101        |                |
| Occupancy Group:                        | B                                  | KANSAS CITY, MO 64116        |                |
| Description:                            | TENANT FINISH FOR FERTILITY CLINIC | Primary:                     | (913) 888-0647 |
| Construction Type:                      | Type VB (Unprotected)              |                              |                |
| Map Page:                               |                                    |                              |                |

**Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.**

#### **Sprinkler Plan Review**

**Reviewed By: Jim Eden**

**Released for Construction**

1. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans received June 1, 2022.

2. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Call (816) 969-1300 to schedule testing and inspection.

**The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.**