



## FIRE DEPARTMENT

Prevention Division  
(816)969-1300

### PLANS REVIEW CONDITIONS

Permit No:	PRCOM20221744	Date:	June 20, 2022
Project Title:	GRD KIRKSVILLE, LLC - GREEN RELEAF	Applicant:	
Location:	201 SE M 291 HWY, LEES SUMMIT, MO 64063		
Type of Work:		ALLIANCE FIRE PROTECTION LLC	
Occupancy Group:	M	130 W 9TH AVE STE 101	
Description:	MEDICAL MARIJUANA	KANSAS CITY, MO 64116	
DISPENSARY		Primary: (913) 888-0647	
Construction Type:	Type IIB (Unprotected)		
Map Page:			

**Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.**

#### **Sprinkler Plan Review**

**Reviewed By: Jim Eden**

**Released for Construction**

1. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Drawings received. Future drawings need to include piping.

2. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

A visual inspection will be completed at the occupancy inspection.

3. 2018 IFC 901.6- Inspection, testing and maintenance. Fire detection, alarm and extinguishing systems shall be maintained in an operative condition at all times, and shall be replaced or repaired where defective. Not required fire protection systems and equipment shall be inspected, tested and maintained or removed.

The existing system shall have documentation of a current annual inspection. Verified at inspection.

**The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.**