

# LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS  
207 SE DOUGLAS STREET  
LEE'S SUMMIT, MISSOURI 64063-2372  
(816) 969-1300  
FAX (816) 969-1313  
TDD (816) 969-7407

## PLANS REVIEW CONDITIONS

Permit No:	PRCOM20110115	Date:	April 11, 2011
Project Title:	THE CHILDREN'S PLACE	Applicant:	
Location:	970 NW BLUE PKWY, Unit:A	KCFS	
	LEES SUMMIT, MO 64086	901 E LOULA	
Type of Work:	Alarm Alteration.	OLATHE, KS 66061	
Occupancy Group:	M	(913) 720-5237	
Description:	RETAIL CLOTHING STORE -		
	SPACE PREVIOUSLY UNOCCUPIED		
Construction Type:	Type IIB (Unprotected)		
Map Page:	195A		

**Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.**

### **Alarm Plan Review**

**Reviewed By: Jim Eden**

**Released for Construction**

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans received April 4, 2011.

2. Duct detection shall be supervisory notification only and shall not activate interior horn/strobes or be transmitted to the central station as a fire alarm. To be verified at inspection.

Verified at inspection.

3. 2006 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Action required: Call (816) 969-1300 to schedule a test.